



**VERDA**  
HEALTHCARE



**Verda Noble Chronic Care  
(HMO C-SNP)  
2024 FORMULARY**

# **Verda Health Plan of Texas**

## **Verda Noble Chronic Care (HMO C-SNP)**

### **2024 Formulary**

#### **(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 24327, Version Number 18

This formulary was updated on 10/01/2024. We have made no changes to this formulary since 10/01/2024. This formulary was updated on 10/01/2024. For more recent information or other questions, please contact us, Verda Health Plan of Texas Member Experience Department at 1-888-256-5123 (TTY users should call 711), 8:00 a.m. – 8:00 p.m. 7 days a week (except Thanksgiving and Christmas) from October 1 to March 31 and 8:00 a.m. – 8:00 p.m. Monday through Friday (except holidays) from April 1 through September 30, or visit [www.verdahealthcare.com](http://www.verdahealthcare.com).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Verda Health Plan of Texas. When it refers to “plan” or “our plan,” it means Verda Noble Chronic Care (HMO C-SNP).

This document includes list of the drugs (formulary) for our plan which is current as of 04/01/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

10/01/2024

H5163\_FID002EN\_C

## **What is the Verda Health Plan of Texas Formulary?**

A formulary is a list of covered drugs selected by Verda Health Plan of Texas in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Verda Health Plan of Texas will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Verda Health Plan of Texas network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but Verda Health Plan of Texas may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Verda Health Plan of Texas’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 1 month supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include

information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Verda Health Plan of Texas’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 10/01/2024. To get updated information about the drugs covered by Verda Health Plan of Texas please contact us. Our contact information appears on the front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Verda Health Plan of Texas covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Verda Health Plan of Texas requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Verda Health Plan of Texas before you fill your prescriptions. If you don't get approval, Verda Health Plan of Texas may not cover the drug.
- **Quantity Limits:** For certain drugs, Verda Health Plan of Texas limits the amount of the drug that Verda Health Plan of Texas will cover. For example, Verda Health Plan of Texas provides 30 per prescription for Lansoprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Verda Health Plan of Texas requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Verda Health Plan of Texas may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Verda Health Plan of Texas will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Verda Health Plan of Texas to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Verda Health Plan of Texas’s formulary?” on page 5 for information about how to request an exception.

## **What are over-the-counter (OTC) drugs?**

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. Verda Health Plan of Texas pays for certain OTC drugs. Verda Health Plan of Texas will provide these OTC drugs at no cost to you. The cost to Verda Health Plan of Texas of these OTC drugs will not count toward your total Part D drug costs (that is, the cost of the OTC drugs does not count for the coverage gap.)

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Experience and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Verda Health Plan of Texas does not cover your drug, you have two options:

- You can ask Member Experience for a list of similar drugs that are covered by Verda Health Plan of Texas. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Verda Health Plan of Texas.
- You can ask Verda Health Plan of Texas to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Verda Health Plan of Texas's Formulary?**

You can ask Verda Health Plan of Texas to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level. You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Verda Health Plan of Texas limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Verda Health Plan of Texas will only approve your request for an exception if the alternative drugs included on the plan's formulary, [the lower cost-sharing drug] or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover 31 day emergency supply of that drug while you pursue a formulary exception.

## **For more information**

For more detailed information about your Verda Health Plan of Texas prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Verda Health Plan of Texas, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Verda Health Plan of Texas Formulary**

The formulary that begins on the next page provides coverage information about the drugs covered by Verda Health Plan of Texas. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., *<HUMULIN* and generic drugs are listed in lower-case italics (e.g., *atorvastatin* ).

The information in the Requirements/Limits column tells you if Verda Health Plan of Texas has any special requirements for coverage of your drug.

The following may be found within the “Tier” or “Requirements/Limits” columns of the formulary:

Abbreviation Description Explanation	Abbreviation Description Explanation	Abbreviation Description Explanation
<b>Drug Tier</b>		
1	Tier 1	Tier 1- Preferred Generic
2	Tier 2	Tier 2- Generic
3	Tier 3	Tier 3- Preferred Brand
4	Tier 4	Tier 4- Non-Preferred Drug (Brand and Generic)
5	Tier 5	Tier 5- Specialty
6	Tier 6	Tier 6-Select Care Drug

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

#### **List of Abbreviations**

**B/D PA:** This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**EX:** Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

**GC:** Gap Coverage. We provide coverage of this prescription drug in the Coverage Gap. Please refer to our Evidence of Coverage for more information about this coverage.

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Medimpact Customer Service.

**MO:** Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

**NDS:** Non-Extended Day Supply Medication. This drug is only available as a 30-day supply or less.

**FF:** A program that provides a free first fill as an incentive for the member to switch to a specific alternate drug.

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**QL:** Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover. **SSM:** Senior Savings Model. Select Insulins are part of the Senior Savings Model program which lowers the cost of certain insulins up to and during the coverage gap.

**ST:** Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Verda Health Plan of Texas is an HMO/SNP with a Medicare contract. Enrollment in Verda Health Plan of Texas depends on contract renewal.

## Table of Contents

Analgesics .....	3
Anesthetics .....	9
Anti-Addiction/Substance Abuse Treatment Agents.....	10
Antianxiety Agents.....	11
Antibacterials.....	13
Anticancer Agents.....	21
Anticonvulsants.....	39
Antidementia Agents.....	44
Antidepressants.....	45
Antidiabetic Agents.....	49
Antifungals.....	54
Antigout Agents.....	57
Antihistamines.....	57
Anti-Infectives (Skin And Mucous Membrane).....	58
Antimigraine Agents.....	58
Antimycobacterials.....	60
Antinausea Agents.....	60
Antiparasite Agents.....	62
Antiparkinsonian Agents.....	63
Antipsychotic Agents.....	65
Antivirals (Systemic).....	71
Blood Products/Modifiers/Volume Expanders.....	79
Caloric Agents.....	83
Cardiovascular Agents.....	85
Central Nervous System Agents.....	98
Contraceptives.....	103
Cough And Cold Products.....	112
Dental And Oral Agents.....	112
Dermatological Agents.....	113
Devices.....	120
Enzyme Replacement/Modifiers.....	164
Eye, Ear, Nose, Throat Agents.....	166
Gastrointestinal Agents.....	171
Genitourinary Agents.....	175
Heavy Metal Antagonists.....	176
Hormonal Agents, Stimulant/Replacement/Modifying.....	177

Immunological Agents.....	184
Inflammatory Bowel Disease Agents.....	196
Metabolic Bone Disease Agents.....	197
Miscellaneous Therapeutic Agents.....	199
Ophthalmic Agents.....	202
Replacement Preparations.....	203
Respiratory Tract Agents.....	205
Skeletal Muscle Relaxants.....	211
Sleep Disorder Agents.....	211
Vasodilating Agents.....	212
Vitamins And Minerals.....	213

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	GC; QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	2	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	2	GC; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	2	GC; QL (5 per 28 days)
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>	2	GC; QL (180 per 30 days)
<i>codeine-butanital-asa-caff oral capsule 30-50-325-40 mg</i>	(Ascomp with Codeine) 2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet 10-325 mg</i>	(oxycodone- acetaminophen) 2	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5- 325 mg</i>	(oxycodone- acetaminophen) 2	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone- acetaminophen) 2	GC; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; GC; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5- 300 mg, 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i>	(Dilaudid) 2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	(Dilaudid) 2	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>methadose oral tablet,soluble 40 mg (methadone)</i>	2	GC; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; GC; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)</i>	2	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg (MS Contin)</i>	2	GC; QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; GC; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg (Roxicodone)</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 80 mg (OxyContin)</i>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	2	GC; QL (240 per 30 days)
<b>OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG</b>	(oxycodone)	3	QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>		2	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>		2	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>		2	GC; QL (60 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 40 mg</i>		5	NM; NDS; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	(butalbital-acetaminophen)	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>tramadol oral tablet 50 mg</i>		1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>		2	GC; QL (300 per 30 days)
<b>XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG</b>		3	QL (60 per 30 days)
<b>XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG</b>		3	QL (120 per 30 days)
<b>XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG</b>		5	NM; NDS; QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	(butalbital-acetaminophen-caff)	2	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<b>Nonsteroidal Anti-Inflammatory Agents</b>			
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	2	GC; QL (60 per 30 days)	
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC; QL (120 per 30 days)	
<i>diclofenac sodium oral tablet, extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	GC; QL (150 per 30 days)	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	GC; QL (120 per 30 days)	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	1	GC; QL (60 per 30 days)	
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)	
<i>diclofenac sodium topical gel 1 %</i>	(Aleve (diclofenac))	2	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>		2	PA; GC; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i>	(Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i>	(Arthrotec 50)	2	GC
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i>	(Arthrotec 75)	2	GC
<i>diflunisal oral tablet 500 mg</i>		2	GC
<i>ec-naproxen dr 500 mg tablet</i>	(naproxen)	2	GC
<i>etodolac oral capsule 200 mg, 300 mg</i>		2	GC
<i>etodolac oral tablet 400 mg</i>	(Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>		2	GC
<i>fenoprofen oral tablet 600 mg</i>	(Nalfon)	2	GC
<i>flurbiprofen oral tablet 100 mg</i>		2	GC
<i>ibu oral tablet 400 mg</i>	(ibuprofen)	1	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ibu oral tablet 600 mg, 800 mg</i>	(ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	(Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg</i>	(IBU)	1	GC; QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i>	(IBU)	1	GC
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>	(Duexis)	2	PA; GC; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>		1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>		1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>		2	PA-HRM; GC; QL (60 per 30 days); AGE (Max 64 Years)
<i>ketoprofen oral capsule 50 mg, 75 mg</i>		2	GC
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>		2	GC
<i>ketorolac injection solution 15 mg/ml</i>		2	PA-HRM; GC; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 30 mg/ml, 30 mg/ml (1 ml)</i>		2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 15 mg/ml</i>		2	PA-HRM; GC; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 30 mg/ml</i>		2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>		2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>		2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	GC
<i>naproxen oral tablet, delayed release (dr/lec) 375 mg</i>	2	GC
<i>naproxen oral tablet, delayed release (dr/lec) 500 mg</i>	2	GC
<i>piroxicam oral capsule 10 mg</i>	2	GC
<i>piroxicam oral capsule 20 mg (Feldene)</i>	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<i>tolmetin oral capsule 400 mg</i>	2	GC
<i>tolmetin oral tablet 600 mg (Tolectin 600)</i>	2	GC
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 % (lidocaine hcl)</i>	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %) (Xylocaine-MPF)</i>	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine hcl 2% 40 mg/2 ml ampule outer,plf,sdv 20 mg/ml (2 %) (Xylocaine-MPF)</i>	2	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %) (Xylocaine)</i>	2	GC
<i>lidocaine hcl injection solution 5 mg/ml (0.5 %) (Xylocaine)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly in applicator 2 % (Glydo)</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(Tridacaine II)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	(lidocaine hcl)	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>		2	PA; GC; QL (30 per 30 days)
<i>tridacaine ii topical adhesive patch,medicated 5 %</i>	(lidocaine)	2	PA; GC; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %		3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>			
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>			
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>		2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>		2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	(Suboxone)	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	(Suboxone)	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>		2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i>		2	GC
<i>disulfiram oral tablet 250 mg, 500 mg</i>		2	GC
<b>KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION</b>		3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>		1	GC
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan)	2	GC; QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	GC
<b>NICOTROL INHALATION CARTRIDGE 10 MG</b>	4	QL (2688 per 365 days)
<b>NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML</b>	4	QL (240 per 180 days)
<b>SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML</b>	5	NM; NDS; QL (0.5 per 30 days)
<b>SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML</b>	5	NM; NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg, 1 mg (56 pack)</i>	2	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i> (Chantix)	2	GC; QL (336 per 365 days)
<i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	GC
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	GC; QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	GC; QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC
<i>diazepam intensol oral concentrate 5 mg/ml (diazepam)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	1	GC; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	GC; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	GC; QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concnet (Lorazepam Intensol)</i>	2	GC; QL (150 per 30 days)
<i>lorazepam 2 mg/ml vial 25's,outer (Ativan)</i>	1	GC
<i>lorazepam 4 mg/ml vial inner (Ativan)</i>	1	GC
<i>lorazepam injection solution 2 mg/ml (Ativan)</i>	2	GC; QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml (Ativan)</i>	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam intensol oral concentrate (lorazepam) 2 mg/ml</i>	2	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg (Ativan)</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg (Ativan)</i>	1	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>midazolam oral syrup 2 mg/ml</i>	2	GC; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	GC; QL (60 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	2	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
<b>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</b>	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC
<b>Antibacterials, Miscellaneous</b>		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clindamycin in 5% dextrose intravenous piggyback 300 mg/50 ml</i>		2	GC
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	(clindamycin palmitate hcl)	2	GC
<i>clindamycin phosphate injection solution 150 mg/ml</i>	(Cleocin)	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 500 mg</i>		5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	2	GC
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	2	GC
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>		1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrodantin)	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		2	GC
<i>trimethoprim oral tablet 100 mg</i>		1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>		2	GC
<i>vancomycin oral capsule 125 mg</i>	(Vancocin)	2	GC; QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i>	(Vancocin)	2	GC; QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i>	(Firvanq)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefadroxil oral tablet 1 gram</i>	2	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefazolin intravenous recon soln 3 gram</i>	4	
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i>	2	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	GC
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln (Zithromax) 500 mg</i>	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azithromycin oral tablet 250 mg, 500 mg</i>	(Zithromax)	1	GC
<i>azithromycin oral tablet 600 mg</i>		2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>		2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>		2	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>		2	GC
<b>DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML</b>		5	NM; NDS; QL (136 per 10 days)
<b>DIFICID ORAL TABLET 200 MG</b>		5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>		2	GC
<b>Miscellaneous B-Lactam Antibiotics</b>			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	2	GC
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>		5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>		2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		2	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	2	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pizerpen-g injection recon soln 20 (penicillin g potassium) million unit</i>	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	GC
<b>Quinolones</b>		
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	(Cipro)	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC	
<i>moxifloxacin 400 mg/250 ml bag</i>	2	GC	
<i>moxifloxacin oral tablet 400 mg</i>	2	GC	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i>	(Avelox in NaCl (iso-osmotic))	2	GC
<b>Sulfonamides</b>			
<i>sulfadiazine oral tablet 500 mg</i>	2	GC	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	(Sulfatrim)	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	(Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	(Bactrim DS)	1	GC
<b>Tetracyclines</b>			
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	GC	
<i>doxy-100 intravenous recon soln 100 mg</i>	(doxycycline hyclate)	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	(Doxy-100)	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	(Morgodox)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Modoxyne NL)	2	GC
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>monodoxine nl oral capsule 100 mg</i> (doxycycline monohydrate)	2	GC
<i>monodoxine nl oral capsule 75 mg</i> (doxycycline monohydrate)	2	GC; QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</i> (paclitaxel protein-bound)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	2	PA BvD; GC
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	GC
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML		5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 40 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i>	(Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG		5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG		5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG		5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i>	(Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML	(Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	(bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i>	(Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i>	(Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i>	(Casodex)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NM; NDS
<i>bortezomib injection recon soln 3.5 mg (Velcade)</i>	5	PA NSO; NM; NDS
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD; GC
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml, 500 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	NM; NDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml)</i>	2	GC
<i>docetaxel intravenous solution 80 mg/4 ml (20 mg/ml)</i>	2	GC
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	(Caelyx)	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG		4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG		4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG		4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)		4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML		5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML		5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG		5	NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML		5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML		5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG		5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG		5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i>	(Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	(Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>		5	PA NSO; NM; NDS; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>etoposide intravenous solution 20 mg/ml</i>	2	GC
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
<b>EXKIVITY ORAL CAPSULE 40 MG</b>	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG</b>	5	PA BvD; NM; NDS
<b>FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG</b>	4	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<b>FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG</b>	5	PA NSO; NM; NDS; QL (21 per 28 days)
<b>FRUZAQLA ORAL CAPSULE 1 MG</b>	5	PA NSO; NM; NDS; QL (84 per 28 days)
<b>FRUZAQLA ORAL CAPSULE 5 MG</b>	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
<b>FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</b>	5	PA NSO; NM; NDS
<b>GAVRETO ORAL CAPSULE 100 MG</b>	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD; GC
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	PA BvD; GC
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE (lomustine) 10 MG, 100 MG, 40 MG	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg (Hydrea)</i>	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>imatinib oral tablet 100 mg (Gleevec)</i>	2	PA NSO; GC; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg (Gleevec)</i>	2	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMBRUICA ORAL TABLET 560 MG	5	NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	GC
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	GC
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO; GC
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA 100 MG TAB (400 MG DOSE) 400 MG/WEEK (100 MG X 4)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD; GC
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i>	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg (Votrient)</i>	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	GC
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	3	PA NSO
<i>tretinooin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<i>vincasar pfs intravenous solution 1 (vincristine) mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vincristine intravenous solution 1 (Vincasar PFS) mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	GC
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	GC; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	2	GC
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphénytoïn injection solution 100 mg pel/2 ml, 500 mg pel/10 ml</i> (Cerebyx)	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	GC; QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	GC; QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter)	2	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)- 50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter)	2	GC
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter)	2	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Kepra)</i>	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg (Kepra XR)</i>	2	GC
<b>LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG</b>	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg (Celontin)</i>	2	GC
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml) (Trileptal)</i>	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg (Trileptal)</i>	2	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml (Dilantin-125)</i>	2	GC
<i>phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)</i>	2	GC
<i>phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)</i>	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)</i>	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg (Lyrica)</i>	2	GC; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg (Lyrica)</i>	2	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml (Lyrica)</i>	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>primidone oral tablet 250 mg, 50 mg (Mysoline)</i>	2	GC
<i>rufinamide oral suspension 40 mg/ml (Banzel)</i>	5	NM; NDS
<i>rufinamide oral tablet 200 mg (Banzel)</i>	2	GC
<i>rufinamide oral tablet 400 mg (Banzel)</i>	5	NM; NDS
<b>SEZABY INTRAVENOUS RECON SOLN 100 MG</b>	5	PA BvD; NM; NDS
<b>SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG</b>	4	ST; QL (60 per 30 days)
<b>SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG</b>	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg (lamotrigine)</i>	1	GC
<b>SYMPAZAN ORAL FILM 10 MG, 20 MG</b>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<b>SYMPAZAN ORAL FILM 5 MG</b>	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)</i>	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
<b>VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)</b>	4	
<b>VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)</b>	5	NM; NDS
<i>vigabatrin oral powder in packet 500 mg (Vigadron)</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
vigabatrin oral tablet 500 mg (Vigadron)		5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadron oral powder in packet 500 mg (vigabatrin)		5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadron oral tablet 500 mg (vigabatrin)		5	PA NSO; NM; NDS; QL (180 per 30 days)
vigpoder oral powder in packet 500 mg (vigabatrin)		5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1- 150MG X1)		4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG		4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG		4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)		4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML		4	
zonisamide oral capsule 100 mg, 25 mg (Zonegran)		2	GC
zonisamide oral capsule 50 mg		2	GC
ZTALMY ORAL SUSPENSION 50 MG/ML		5	PA NSO; NM; NDS; QL (1080 per 30 days)
<b>Antidementia Agents</b>			
<b>Antidementia Agents</b>			
donepezil oral tablet 10 mg, 5 mg (Aricept)		1	GC; QL (30 per 30 days)
donepezil oral tablet 23 mg (Aricept)		2	GC; QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg, 5 mg		2	GC; QL (30 per 30 days)
ergoloid oral tablet 1 mg		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg	2	GC; QL (30 per 30 days)
galantamine oral solution 4 mg/ml	2	GC; QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg	2	GC; QL (60 per 30 days)
memantine oral capsule,sprinkle,er (Namenda XR) 24hr 14 mg, 21 mg, 28 mg, 7 mg	2	ST; GC; QL (30 per 30 days)
memantine oral solution 2 mg/ml	2	GC; QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg	2	GC; QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	4	ST; QL (30 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	GC; QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	2	GC; QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	GC
amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg	2	GC
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	2	GC
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
bupropion hcl oral tablet 100 mg, 75 mg	2	GC
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	(Wellbutrin SR)	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>		2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i>	(Celexa)	1	GC; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i>	(Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	(Anafranil)	2	GC
<i>desipramine oral tablet 10 mg, 25 mg</i>	(Norpramin)	2	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>		2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	(Pristiq)	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	GC
<i>doxepin oral concentrate 10 mg/ml</i>		1	GC
<b>DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG</b>		4	ST; QL (60 per 30 days)
<b>DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG</b>		4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 30 mg, 60 mg</i>	(Cymbalta)	2	GC; QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (dr/ec) 40 mg</i>		2	GC; QL (30 per 30 days)
<b>EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR</b>		5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>		2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	(Lexapro)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	GC
<b>SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG</b>	4	PA NSO
<b>SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)</b>	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	GC; QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	GC; QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)</i>	2	GC; QL (30 per 30 days)
<b>ZURZUVAE ORAL CAPSULE 20 MG, 25 MG</b>	5	PA NSO; NM; NDS; QL (28 per 14 days)
<b>ZURZUVAE ORAL CAPSULE 30 MG</b>	5	PA NSO; NM; NDS; QL (14 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
metformin oral solution 500 mg/5 ml (Riomet)	2	GC; QL (765 per 30 days)
metformin oral tablet 1,000 mg	6	GC; FFF; QL (75 per 30 days)
metformin oral tablet 500 mg	6	GC; FFF; QL (150 per 30 days)
metformin oral tablet 850 mg	6	GC; FFF; QL (90 per 30 days)
metformin oral tablet extended release 24 hr 500 mg	6	GC; FFF; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	GC; FFF; QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg (Korlym)</i>	5	PA; NM; NDS; QL (112 per 28 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<b>MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML</b>	3	PA NSO; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	6	GC; QL (90 per 30 days)
<b>OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)</b>	3	PA NSO; QL (3 per 28 days)
<b>OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)</b>	3	PA NSO; QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	6	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	GC; QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET)</i>	2	GC; QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	GC; QL (240 per 30 days)
<b>RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG</b>	3	PA NSO; QL (30 per 30 days)
<b>SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML</b>	5	PA; NM; NDS; QL (10.8 per 28 days)
<b>SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML</b>	5	PA; NM; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA NSO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, (dapaglifloz propaned-IR - ER, BIPHASIC 24HR 10-1,000 MG metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, (dapaglifloz propaned-IR - ER, BIPHASIC 24HR 5-1,000 MG metformin)	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	GC; max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	6	GC; max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	6	GC; max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> (Novolog Mix 70- 30FlexPen U-100)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> (Novolog Mix 70-30 U- 100 Insulin)	6	GC; max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i> (Novolog PenFill U- 100 Insulin)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U- 100 Insulin)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i> (Novolog U-100 Insulin aspart)	6	GC; max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	6	GC; max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		6	GC; max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		6	GC; max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		6	GC; max \$35 copay per month supply; QL (40 per 28 days)
SEMLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	6	GC; max \$35 copay per month supply; QL (40 per 28 days)
SEMLEE(INSULIN GLARG- YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	6	GC; max \$35 copay per month supply; QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		6	GC; max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	6	GC; max \$35 copay per month supply; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	6	GC; max \$35 copay per month supply; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		6	GC; max \$35 copay per month supply; QL (15 per 28 days)
<b>Sulfonylureas</b>			
glimepiride oral tablet 1 mg, 2 mg		6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg		6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg		6	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glipizide oral tablet 2.5 mg</i>	2	GC; QL (60 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	GC; QL (240 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 250 mg</i>	6	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	6	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; GC; AGE (Max 64 Years)
<b>Antifungals</b>		
<b>Antifungals</b>		
<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg</i>	5	PA BvD; NM; NDS
<i>caspofungin intravenous recon soln (Cancidas) 50 mg</i>	2	GC
<i>caspofungin intravenous recon soln (Cancidas) 70 mg</i>	5	NM; NDS
<i>ciclopirox topical cream 0.77% (Ciclodan)</i>	2	GC; QL (180 per 30 days)
<i>ciclopirox topical gel 0.77%</i>	2	GC; QL (300 per 30 days)
<i>ciclopirox topical shampoo 1%</i>	2	GC
<i>ciclopirox topical solution 8% (Ciclodan)</i>	2	GC; QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77% (Loprox (as olamine))</i>	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC	
<i>clotrimazole topical cream 1% (Antifungal (clotrimazole))</i>	2	GC	
<i>clotrimazole topical solution 1%</i>	2	GC	
<i>clotrimazole-betamethasone topical cream 1-0.05%</i>	2	GC; QL (90 per 30 days)	
<i>clotrimazole-betamethasone topical lotion 1-0.05%</i>	2	GC; QL (90 per 30 days)	
<i>econazole topical cream 1%</i>	2	GC; QL (170 per 30 days)	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	GC	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	GC	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	2	GC	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	2	GC	
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	GC	
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NM; NDS	
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	GC	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	GC
<i>itraconazole oral solution 10 mg/ml</i>	(Sporanox)	5	PA; NM; NDS
<i>ketoconazole oral tablet 200 mg</i>		2	GC
<i>ketoconazole topical cream 2%</i>		2	GC; QL (180 per 30 days)
<i>ketoconazole topical foam 2%</i>	(Extina)	2	ST; GC; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2%</i>		2	GC; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>miconazole-3 vaginal suppository 200 mg</i>		2	GC
<b>NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML</b>	(posaconazole)	5	NM; NDS
<b>NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG</b>		5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>		2	GC
<i>nystatin topical cream 100,000 unit/gram</i>		2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	2	GC; QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>		2	GC
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	2	GC; QL (60 per 30 days)
<i>posaconazole intravenous solution 300 mg/16.7 ml</i>	(Noxafil)	5	NM; NDS
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i>	(Noxafil)	5	PA; NM; NDS
<i>posaconazole oral tablet,delayed release (drlec) 100 mg</i>	(Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>		1	GC
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	(Vfend)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	GC; QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	GC; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; GC; QL (30 per 30 days)
<i>probencid oral tablet 500 mg</i>	2	GC
<i>probencid-colchicine oral tablet 500-0.5 mg</i>	2	GC
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>clemastine oral tablet 2.68 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	GC
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
<i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NM; NDS; QL (8 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML</i>	3	PA; QL (2 per 30 days)
<i>EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML</i>	3	PA; QL (2 per 30 days)
<i>EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)</i>	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, suv</i> (Imitrex STATdose Pen)	2	GC; QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (TrexiMet)	2	GC; QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	GC; QL (6 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (6 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
<b>PRETOMANID ORAL TABLET 200 MG</b>	4	QL (30 per 30 days)
<b>PRIFTIN ORAL TABLET 150 MG</b>	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg (Mycobutin)</i>	2	GC
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
<b>SIRTURO ORAL TABLET 100 MG, 20 MG</b>	5	PA; NM; NDS
<b>TRECATOR ORAL TABLET 250 MG</b>	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
<b>AKYNZE (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG</b>	4	
<b>AKYNZE (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML</b>	4	
<b>AKYNZE (NETUPITANT) ORAL CAPSULE 300-0.5 MG</b>	4	PA BvD
<b>APONVIE INTRAVENOUS EMULSION 32 MG/4.4 ML (7.2 MG/ML)</b>	4	QL (4.4 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; GC
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; GC; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)</b>	5	PA BvD; NM; NDS; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	GC
<i>prochlorperazine maleate oral tablet (Compazine) 10 mg, 5 mg</i>	2	GC
<i>prochlorperazine rectal suppository (Compro) 25 mg</i>	2	GC
<i>promethazine injection solution 25 mg/ml (Phenergan)</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml (Phenergan)</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine rectal suppository (Promethegan) 12.5 mg, 25 mg, 50 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg (promethazine)</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>scopolamine base transdermal patch (Transderm-Skop) 3 day 1 mg over 3 days</i>	2	PA-HRM; GC; QL (10 per 30 days); AGE (Max 64 Years)

## Antiparasite Agents

### Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	2	GC
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	2	GC
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	2	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
<b>COARTEM ORAL TABLET 20-120 MG</b>	4	
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	2	GC; QL (90 per 30 days)
<b>IMPAVIDO ORAL CAPSULE 50 MG</b>	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	2	GC
<b>KRINTAFEL ORAL TABLET 150 MG</b>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mefloquine oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	GC
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD; GC
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	GC
<b>PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)</b>	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; GC; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	GC
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
<i>apomorphine subcutaneous cartridge</i> (APOKYN) <i>10 mg/ml</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i>	2	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	2	GC
<i>entacapone oral tablet 200 mg</i>	2	GC
<b>INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG</b>	5	PA; NM; NDS; QL (300 per 30 days)
<b>KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG</b>	5	PA; NM; NDS; QL (150 per 30 days)
<b>KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG</b>	5	PA; NM; NDS
<b>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR</b>	4	ST; QL (30 per 30 days)
<b>ONGENTYS ORAL CAPSULE 25 MG, 50 MG</b>	4	PA; QL (30 per 30 days)
<b>OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG</b>	4	ST; QL (30 per 30 days)
<b>OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)</b>	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg (Abilify)</i>	2	GC
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	GC
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	2	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet</i> 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)	2	GC
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml (1ml)</i>	2	GC
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml, 50 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	2	GC; QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	2	GC; QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln</i> (Zyprexa) 10 mg	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC
<i>olanzapine oral tablet,disintegrating</i> (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg	2	GC
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	GC; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC
<i>quetiapine oral tablet 150 mg</i>	2	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	2	GC
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i>	(Risperdal Consta)	2	GC; QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	(Risperdal Consta)	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	(Risperdal)	2	GC
<i>risperidone oral tablet 0.25 mg</i>		2	GC
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	(Risperdal)	2	GC
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>		2	GC
<b>SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR</b>		5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>		2	GC
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML</b>		5	NM; NDS; QL (0.28 per 28 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML</b>		5	NM; NDS; QL (0.35 per 28 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML</b>		5	NM; NDS; QL (0.42 per 56 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML</b>		5	NM; NDS; QL (0.56 per 56 days)
<b>UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML</b>		5	NM; NDS; QL (0.7 per 56 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	GC; QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	GC
<i>abacavir oral tablet 300 mg</i>	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	GC
APRETUDE (cabotegravir) INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	GC
<i>atazanavir oral capsule 200 mg, 300 mg (Reyataz)</i>	2	GC
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	2	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i>	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	GC; QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	2	GC; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
ritonavir oral tablet 100 mg (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
<b>Antivirals, Miscellaneous</b>		
BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML	4	PA
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PAXLOVID ORAL TABLETS, DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	3	\$0 copay; QL (30 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA 40 MG TAB (80 MG DOSE)	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSIA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSIA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
<b>Nucleosides And Nucleotides</b>		
acyclovir oral capsule 200 mg	2	GC
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	GC
acyclovir oral tablet 400 mg, 800 mg	2	GC
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	2	PA BvD; GC
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD; GC
adefovir oral tablet 10 mg (Hepsera)	2	GC
cidofovir intravenous solution 75 mg/ml	5	NM; NDS
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	GC
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	GC
ganciclovir sodium intravenous recon soln 500 mg	5	PA BvD; NM; NDS
ganciclovir sodium intravenous solution 50 mg/ml	5	PA BvD; NM; NDS
lagevrio (eua) oral capsule 200 mg	4	QL (40 per 5 days)
ribavirin inhalation recon soln 6 gram (Virazole)	5	PA BvD; NM; NDS
ribavirin oral capsule 200 mg	2	GC
ribavirin oral tablet 200 mg	2	GC
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	GC
valganciclovir oral recon soln 50 mg/ml (Valcyte)	5	NM; NDS
valganciclovir oral tablet 450 mg (Valcyte)	2	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	2	GC; QL (60 per 30 days)
<b>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</b>	3	
<b>ELIQUIS ORAL TABLET 2.5 MG</b>	3	QL (60 per 30 days)
<b>ELIQUIS ORAL TABLET 5 MG</b>	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	GC; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	GC; QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	GC; QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml</i>	2	GC
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)</i>	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)</i>	1	GC
<b>XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)</b>	3	
<b>XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML</b>	3	QL (600 per 30 days)
<b>XARELTO ORAL TABLET 10 MG, 20 MG</b>	3	QL (30 per 30 days)
<b>XARELTO ORAL TABLET 15 MG, 2.5 MG</b>	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
<b>ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)</b>	5	PA; NM; NDS
<b>DOPTELET (10 TAB PACK) ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>DOPTELET (15 TAB PACK) ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>DOPTELET (30 TAB PACK) ORAL TABLET 20 MG</b>	5	PA; NM; NDS; QL (60 per 30 days)
<b>FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML</b>	5	PA; NM; NDS
<b>FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML</b>	5	PA; NM; NDS
<b>GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML</b>	5	PA; NM; NDS
<b>GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML</b>	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML) (plerixafor)	5	NM; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
<i>plerixafor subcutaneous solution 24 mg/1.2 ml (20 mg/ml)</i> (Mozobil)	5	NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NM; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)</i>	2	GC
<i>tranexamic acid oral tablet 650 mg</i>	2	GC
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	2	GC; QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	GC
<i>dextrose 5%-water iv soln single use</i>	2	GC
<b>INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %</b>	4	PA BvD
<b>NUTRILIPID INTRAVENOUS EMULSION 20 %</b>	4	PA BvD
<b>PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION</b>	4	PA BvD
<b>TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %</b>	4	PA BvD
<b>TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %</b>	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)</i>	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)</i>	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>phenylephrine hcl injection solution (Vazculep) 10 mg/ml</i>	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	GC
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)</i>	6	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg (Atacand HCT)</i>	2	GC
<i>EDARBI ORAL TABLET 40 MG, 80 MG</i>	3	
<i>EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG</i>	3	
<i>ENTRESTO ORAL TABLET 24-26 MG</i>	3	QL (180 per 30 days)
<i>ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG</i>	3	QL (60 per 30 days)
<i>ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG</i>	3	QL (240 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)</i>	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)</i>	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)</i>	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)</i>	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)</i>	6	GC
<i>olmesartan-amlodipine-hydrochlorothiazide oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	6	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	GC
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	6	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	6	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	GC
<i>enalapril maleate oral solution 1 mg/ml</i>	2	ST; GC; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	6	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	GC
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) injection syringe 100 mg/5 ml (2 %)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg (amiodarone)</i>	2	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg</i>	1	GC
<i>quinidine sulfate oral tablet 300 mg</i>	2	GC
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg (Corgard)</i>	2	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)</i>	2	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)</i>	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg (sotalol)</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg (sotalol)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sotalol oral tablet 120 mg, 160 mg, 80 mg (Sotalol AF)	2	GC
sotalol oral tablet 240 mg (Betapace)	2	GC
timolol maleate oral tablet 10 mg, 20 mg, 5 mg	2	GC
<b>Calcium-Channel Blocking Agents</b>		
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (diltiazem hcl)	2	GC
diltiazem hcl intravenous solution 5 mg/ml	2	GC
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg	2	GC
diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg (Tiadylt ER)	2	GC
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)	2	GC
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)	2	GC
diltiazem hcl oral tablet 90 mg	2	GC
diltiazem hcl oral tablet extended release 24 hr 120 mg (Cardizem LA)	2	GC
diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (Matzim LA)	2	GC
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg (diltiazem hcl)	2	GC
matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (diltiazem hcl)	2	GC
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg (diltiazem hcl)	2	GC
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (diltiazem hcl)	2	GC
verapamil intravenous syringe 2.5 mg/ml	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	(Verelan PM)	2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>		2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>		4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>		1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>		2	GC
<b>Cardiovascular Agents, Miscellaneous</b>			
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (600 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	(digoxin)	2	GC
<i>digox oral tablet 125 mcg (0.125 mg)</i>	(digoxin)	2	GC
<i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i>	(Lanoxin)	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>		2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	(Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i>	(Auvi-Q)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i>	(EpiPen Jr)	2	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i>	(Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>		2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	(Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i>	(Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	(Demser)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	GC; QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	GC; QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml (icatibant)</i>	5	PA; NM; NDS; QL (18 per 30 days)
<b>SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML</b>	4	QL (4 per 30 days)
<b>SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML (epinephrine)</b>	4	QL (4 per 30 days)
<b>VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG</b>	4	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)</i>	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg (Lotrel)</i>	6	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg (Azor)</i>	6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)</i>	6	GC
<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)</i>	2	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	GC
<b>KATERZIA ORAL SUSPENSION 1 MG/ML</b>	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	2	GC
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg	2	GC
<b>Diuretics</b>		
amiloride oral tablet 5 mg	2	GC
amiloride-hydrochlorothiazide oral tablet 5-50 mg	2	GC
bumetanide injection solution 0.25 mg/ml	2	GC
bumetanide oral tablet 0.5 mg, 1 mg, 2 mg	2	GC
chlorothiazide sodium intravenous recon soln 500 mg	2	GC
chlorthalidone oral tablet 25 mg, 50 mg	2	GC
furosemide injection solution 10 mg/ml	2	GC
furosemide injection syringe 10 mg/ml	1	GC
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	GC
furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg	1	GC
hydrochlorothiazide oral capsule 12.5 mg	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC
indapamide oral tablet 1.25 mg, 2.5 mg	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)</i>	1	GC
<i>spironolactone-hydrochlorothiazide oral tablet 25-25 mg</i>	2	GC
<i>torsemide oral tablet 10 mg, 100 mg, 5 mg</i>	2	GC
<i>torsemide oral tablet 20 mg (Soaanz)</i>	2	GC
<i>triamterene-hydrochlorothiazide oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazide oral tablet 37.5-25 mg, 75-50 mg</i>	1	GC
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 5-10 mg</i>	2	GC
<i>amlodipine-atorvastatin oral tablet (Caduet) 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	2	GC; QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)</i>	6	GC; QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	GC
<i>cholestyramine light oral powder in packet 4 gram (cholestyramine-aspartame)</i>	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	2	GC
<i>colesevelam oral tablet 625 mg (WelChol)</i>	2	GC
<i>colestipol oral packet 5 gram</i>	2	GC
<i>colestipol oral tablet 1 gram (Colestid)</i>	2	GC
<i>EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG</i>	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg (Zetia)</i>	1	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg (Vytorin 10-10)</i>	6	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ezetimibe-simvastatin oral tablet 10- 20 mg</i> (Vytorin 10-20)	6	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 40 mg</i> (Vytorin 10-40)	6	GC; QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10- 80 mg</i> (Vytorin 10-80)	6	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	2	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	GC; QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
<i>JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG</i>	5	PA; NM; NDS; QL (28 per 28 days)
<i>JUXTAPID ORAL CAPSULE 20 MG, 30 MG</i>	5	PA; NM; NDS; QL (56 per 28 days)
<i>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</i> (pitavastatin calcium)	2	GC; QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>NEXLETOL ORAL TABLET 180 MG</i>	3	QL (30 per 30 days)
<i>NEXLIZET ORAL TABLET 180- 10 MG</i>	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>niacor oral tablet 500 mg</i> (niacin)	2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>rosuvastatin oral tablet 40 mg</i> (Crestor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	GC; QL (120 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	GC
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	2	ST; GC; QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet (BiDil) 20-37.5 mg</i>	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg (Strattera)</i>	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg (Strattera)</i>	2	GC; QL (30 per 30 days)
<i>AUSTEDO ORAL TABLET 12 MG, 9 MG</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>AUSTEDO ORAL TABLET 6 MG</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG</i>	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i>	2	GC; QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	2	GC; QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i>	2	GC; QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i>	2	GC; QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 240 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<i>edaravone intravenous solution 30 mg/100 ml</i>	(Radicava)	5	PA; NM; NDS; QL (2800 per 28 days)
<b>ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML</b>		5	PA; NM; NDS
<i>fingolimod oral capsule 0.5 mg</i>	(Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		2	GC
<b>GILENYA ORAL CAPSULE 0.25 MG</b>		5	PA; NM; NDS; QL (60 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	(glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet (Lithobid) extended release 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	GC; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML (edaravone)	5	PA; NM; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TASCENO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NM; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol- e.estrad)	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg</i>		2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol- e.estrad)	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estradiol-iron)	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	GC
<i>balziva (28) oral tablet 0.4-35 mg- mcg</i>		2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estradiol-iron)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinylestrad)	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinylestradiol)	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinylestradiol)	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethinylestradiol)	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estriadiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estriadiolle.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Enskyce)	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	GC
<i>elonest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinylestradiol)	2	GC
<b>ELLA ORAL TABLET 30 MG</b>		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinylestradiol)	2	GC; QL (1 per 28 days)
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	GC; QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	GC
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	GC; QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>jasmiel</i> (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	GC
<i>jencycla</i> oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
<i>juleber</i> oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	GC
<i>junel</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	GC
<i>junel</i> 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	GC
<i>junel fe</i> 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	2	GC
<i>junel fe</i> 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	1	GC
<i>junel fe</i> 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	2	GC
<i>kalliga</i> oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	GC
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estriadiol/e.estriadiol)	2	GC
<i>kelnor</i> 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	GC
<i>kelnor</i> 1/50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	2	GC
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	GC
<i>l norgestrel.estriadiol-e.estrad</i> oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(LoJaimiess)	2	GC; QL (91 per 84 days)
<i>l norgestrel.estriadiol-e.estrad</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	2	GC; QL (91 per 84 days)
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	GC
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	GC
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>levonorgest-eth.estriadiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estriadiol-e.estrad)	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>lyeq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>norelgestromin-ethin.estriadiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2	GC; QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	GC
<i>norethindrone-e.estriadiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	2	GC
<i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estriadiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	GC
<i>norethindrone-e.estriadiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Mili)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg- mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradol)	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	GC
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradol)	2	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol- e.estrad)	2	GC; QL (91 per 84 days)
<b>SLYND ORAL TABLET 4 MG (28)</b>		4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estriadiol-iron)	1	GC
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estriadiol-iron)	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>trivora (28) oral tablet 50-30 (6)/175-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		4	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estriadiol/e.estriadiol)	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estriadiol)	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estriadiol)	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	GC

## Cough And Cold Products

### Cough And Cold Products

<i>benzonatate oral capsule 100 mg, 200 mg</i>		2	GC; EX
------------------------------------------------	--	---	--------

## Dental And Oral Agents

### Dental And Oral Agents

<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	GC
<b>KOURZEQ DENTAL PASTE 0.1 %</b>	(triamcinolone acetonide)	2	GC
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	GC
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	2	GC

## Dermatological Agents

### Dermatological Agents, Other

<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	GC
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	GC
<i>acyclovir topical cream 5 %</i>	(Zovirax)	2	GC; QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	GC; QL (30 per 30 days)
<b>ALCOHOL 70% SWABS</b>	(Alcohol Pads)	1	GC
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>	(alcohol swabs)	1	GC
<b>ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED</b>	(alcohol swabs)	1	GC
<b>ALCOHOL WIPES TOPICAL PADS, MEDICATED</b>	(alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>		2	GC
<i>ammonium lactate topical lotion 12 %</i>	(Skin Treatment)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SINGLE USE SWAB	(alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>		2	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>		2	GC; QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>		2	GC; QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC
CURITY ALCOHOL PREPS 2 PLY,MEDIUM	(alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)		5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)		2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>		2	GC
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	GC
<i>imiquimod topical cream in packet 5 %</i>		2	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES	(alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %		3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>		5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %		5	NM; NDS; QL (180 per 30 days)
<i>penciclovir topical cream 1 %</i> (Denavir)		2	GC
<i>podofilox topical solution 0.5 %</i>		2	GC
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
REGRANEX TOPICAL GEL 0.01 %		5	PA; NM; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %		5	PA NSO; NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	GC
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2	GC
<b>Dermatological Antibacterials</b>			
<i>clindamycin phosphate topical foam</i> 1 %	(Clindacin)	2	GC; QL (100 per 30 days)
<i>clindamycin phosphate topical solution</i> 1 %		2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab</i> 1 %	(Clindacin ETZ)	2	GC
<i>clindamycin-benzoyl peroxide topical gel</i> 1.2 % (1 % base) -5 %	(Neuac)	2	GC
<i>clindamycin-benzoyl peroxide topical gel</i> 1-5 %		2	GC
<i>ery pads topical swab</i> 2 %	(erythromycin with ethanol)	2	GC
<i>erythromycin with ethanol topical gel</i> 2 %	(Erygel)	2	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical solution</i> 2 %		2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	(Benzamycin)	2	GC
<i>gentamicin topical cream 0.1 %</i>		2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>		2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	(Rosadan)	2	GC
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i>	(Metrogel)	2	GC
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	2	GC
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>		2	GC
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>		2	GC
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	2	GC
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	2	GC
<b>Dermatological Anti-Inflammatory Agents</b>			
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	2	GC
<i>ala-scalp topical lotion 2 %</i>	(hydrocortisone)	2	GC
<i>alclometasone topical cream 0.05 %</i>		2	GC
<i>alclometasone topical ointment 0.05 %</i>		2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>		2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>		2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>		2	GC
<i>betamethasone valerate topical cream 0.1 %</i>		2	GC
<i>betamethasone valerate topical foam</i> (Luxiq) 0.12 %		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	GC
<i>clobetasol topical ointment 0.05 %</i>	2	GC
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	GC
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	GC
<i>desonide topical lotion 0.05 %</i>	2	GC
<i>desonide topical ointment 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	GC; QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>	2	GC; QL (180 per 30 days)
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical gel 0.05 %</i>	2	GC
<i>fluocinonide topical ointment 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	GC
<i>fluticasone propionate topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone 2.5% cream</i>	1	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	2	GC; QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	GC; QL (120 per 30 days)
<b>HYDROCORTISONE LOTION COMPLETE TOPICAL COMBO PACK 2 %</b>	2	GC
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>protozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	GC
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	GC
<i>adapalene topical gel 0.1 %</i> (Differin)	2	GC
<b>ALTRENO TOPICAL LOTION 0.05 %</b>	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	GC
<b>TAZORAC TOPICAL CREAM 0.05 %</b>	4	
<i>tretinoi topical cream 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoi topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA; GC
<i>tretinoi topical gel 0.01 %</i> (Retin-A)	2	PA; GC
<i>tretinoi topical gel 0.025 %</i> (Avita)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tretinoin topical gel 0.05 %</i>	(Atralin)	2	PA; GC
<b>Scabicides And Pediculicides</b>			
<i>malathion topical lotion 0.5 %</i>	(Ovide)	2	GC
<i>permethrin topical cream 5 %</i>	(Elimite)	2	GC; QL (60 per 30 days)
<b>Devices</b>			
<b>Devices</b>			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	GC
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	GC
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	GC
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		2	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		2	GC
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
BD INSULIN SYRINGE 1 ML W/O NEEDLE	(insulin syringe needleless)	2	GC
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	GC
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	GC
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"		2	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	GC
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	GC
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	GC
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	2	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	2	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	GC
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	GC
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	GC
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 4MM 31 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 4MM 33 GAUGE X 5/32"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	2	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		2	GC
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	GC
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	GC
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	GC
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	GC
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	GC
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	GC
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	GC
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	GC
DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	GC
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	GC
EASY CMFT SFTY PEN NDL (pen needle, diabetic, 31G 5MM 31 GAUGE X 3/16" safety)	2	GC
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	GC
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	GC
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	GC
EASY COMFORT 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	GC
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	GC
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2	GC
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	GC
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	GC
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	GC
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	GC
EXEL INSULIN SYRINGE 27G- 1 ML 1 ML 27 GAUGE X 1/2" u-100)	(insulin syringe-needle	2	GC
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	GC
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insulin Syr(half unit))	2	GC
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	GC
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	GC
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	GC
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	GC
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	GC
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
NOVOFINE 30 NEEDLE		2	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	2	GC
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	2	GC
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	GC
PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	GC
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	GC
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	GC
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	GC
RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen 4MM 31 GAUGE X 5/32" Needle)	2	GC
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	GC
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	GC
RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe UF) 15/64"	2	GC
RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe UF) 15/64"	2	GC
RELION INS SYR 1 ML (BD Veo Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe UF) 15/64"	2	GC
RELI-ON INSULIN 0.5 ML SYR (Ultilet Insulin Syringe) 1/2 ML 29	2	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	GC
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	2	GC
RELION NEEDLES NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4"	2	GC
RELION PEN NEEDLES (pen needle, diabetic) NEEDLE 32 GAUGE X 5/32"	2	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	GC
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	GC
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		2	GC
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"		2	GC
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"		2	GC
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		2	GC
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		2	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		2	GC
STERILE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	GC
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		2	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		2	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	GC
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	GC
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC
TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TERUMO INS SYRNG U100-1/2 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	GC
THINPRO INS SYRIN U100-0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	GC
THINPRO INS SYRIN U100-1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2", 1 u-100) ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	GC
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4"	2	GC
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	GC
TOPCARE ULTRA COMFORT (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
TRUE CMFR PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	GC
TRUE CMFR PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	GC
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	GC
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	GC
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	GC
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		2	GC
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		2	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	GC
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"		2	GC
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUE COMFR SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		2	GC
TRUE COMFR SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		2	GC
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	GC
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	GC
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	GC
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	GC
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	2	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	GC
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	GC
ULTILET PEN NEEDLE 29 GAUGE	2	GC
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	GC
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	GC
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	GC
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		2	GC
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		2	GC
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		2	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		2	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		2	GC
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	GC
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	2	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	2	GC
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	GC
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE INS SYR 1 ML 29G (insulin syringe-needle 1/2" 1 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	GC
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	GC
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	GC
VERIFINE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	GC
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	GC
VERIFINE SYRING 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	GC
VERIFINE SYRING 1 ML 31G (insulin syringe-needle 5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	GC
VERIFINE SYRNG 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	GC
VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELFABRIO INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
yargesa oral capsule 100 mg (miglustat)	5	PA; NM; NDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT, 60,000-189,600-252,600 UNIT	3	

## **Eye, Ear, Nose, Throat Agents**

### **Eye, Ear, Nose, Throat Agents, Miscellaneous**

alcaine ophthalmic (eye) drops 0.5% (proparacaine)	2	GC
apraclonidine ophthalmic (eye) drops 0.5 %	2	GC
atropine ophthalmic (eye) drops 1% (Isopto Atropine)	2	GC
azelastine nasal spray,non-aerosol 137 mcg (0.1 %)	2	GC; QL (30 per 25 days)
azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)	2	GC; QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %	2	GC
bepotastine besilate ophthalmic (Bepreve) (eye) drops 1.5 %	2	ST; GC
cromolyn ophthalmic (eye) drops 4%	2	GC
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 % (Cyclogyl)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	5	PA; NM; NDS; QL (20 per 28 days)
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2	GC
<i>olopatadine nasal spray,non-aerosol (Patanase) 0.6 %</i>	2	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops (Eye Allergy Itch-Redness Rlf) 0.1 %</i>	2	GC
<i>olopatadine ophthalmic (eye) drops (Eye Allergy Itch Relief) 0.2 %</i>	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC
<i>bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	GC; QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>moxifloxacin ophthalmic (eye) (Vigamox) drops 0.5 %</i>	2	GC
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit/g-1%</i>	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit-unit/g</i>	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000- 10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml- %</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g- 1%</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram b)</i>	(bacitracin-polymyxin b)	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>		1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>		2	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>		2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>		2	GC
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>		4	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>		3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>			
<i>bromfenac ophthalmic (eye) drops 0.07 %</i>	(Prolensa)	3	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i>	(BromSite)	3	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>		2	GC
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diluprednate ophthalmic (eye) (Durezol) drops 0.05 %</i>	2	GC
<b>EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) (DermOtic Oil) drops 0.01 %</i>	2	GC
<i>fluorometholone ophthalmic (eye) (FML Liquifilm) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	3	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	GC; QL (10 per 25 days)
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	3	QL (3.5 per 14 days)
<b>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</b>	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	GC; QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	3	ST; QL (10 per 25 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	2	GC; QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))	2	GC; QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	GC; QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg	2	GC
cimetidine hcl oral solution 300 mg/5 ml	2	GC
cimetidine oral tablet 200 mg (Acid Reducer (cimetidine))	2	GC
cimetidine oral tablet 300 mg, 400 mg, 800 mg	2	GC
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg (Acid Reducer (esomeprazole))	2	GC; QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg (Nexium)	2	GC; QL (60 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg (Nexium Packet)	2	ST; GC; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg (Nexium Packet)	2	ST; GC; QL (60 per 30 days)
esomeprazole sodium intravenous recon soln 20 mg, 40 mg	2	GC
famotidine (pf) intravenous solution 20 mg/2 ml	1	GC
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>famotidine intravenous solution 10 mg/ml</i>		2	GC
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>		2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)		1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)		1	GC
<i>lansoprazole oral capsule, delayed release(dr/lec) 15 mg</i> (lansoprazole))		1	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/lec) 30 mg</i>		1	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)		2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>		2	GC
<i>omeprazole oral capsule, delayed release(dr/lec) 10 mg, 20 mg, 40 mg</i>		1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)		2	ST; GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)		2	GC
<i>pantoprazole oral tablet, delayed release (dr/lec) 20 mg</i>	(Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/lec) 40 mg</i>	(Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/lec) 20 mg</i>	(AcipHex)	2	GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	GC
<b>Gastrointestinal Agents, Other</b>			
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	2	GC
<i>dicyclomine oral capsule 10 mg</i>		2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>		2	GC
<i>dicyclomine oral tablet 20 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml	2	PA-HRM; GC; AGE (Max 64 Years)
diphenoxylate-atropine oral tablet (Lomotil) 2.5-0.025 mg	2	PA-HRM; GC; AGE (Max 64 Years)
enulose oral solution 10 gram/15 ml (lactulose)	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
generlac oral solution 10 gram/15 ml (lactulose)	2	GC
glycopyrrolate oral tablet 1 mg (Robinul)	2	GC
glycopyrrolate oral tablet 2 mg (Robinul Forte)	2	GC
IQIRVO ORAL TABLET 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
kionex (with sorbitol) oral suspension 15-20 gram/60 ml	2	GC
lactulose oral solution 10 gram/15 ml (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LIVDELZI ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))	2	GC
lubiprostone oral capsule 24 mcg, 8 mcg (Amitiza)	3	QL (60 per 30 days)
methscopolamine oral tablet 2.5 mg, 5 mg	2	GC
metoclopramide hcl injection solution 5 mg/ml	2	GC
metoclopramide hcl injection syringe 5 mg/ml	2	GC
metoclopramide hcl oral solution 5 mg/5 ml	2	GC
metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg	5	PA; NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension</i> 15-20 gram/60 ml	2	GC
<i>ursodiol oral capsule</i> 300 mg	2	GC
<i>ursodiol oral tablet</i> 250 mg	2	GC
<i>ursodiol oral tablet</i> 500 mg (URSO Forte)	2	GC
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln</i> 240-22.72- (peg 3350-electrolytes) 6.72 -5.84 gram	2	GC
<i>gavilyte-g oral recon soln</i> 236-22.74- (peg 3350-electrolytes) 6.74 -5.86 gram	2	GC
<i>gavilyte-n oral recon soln</i> 420 gram (peg-electrolyte soln)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	GC
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	3	
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	GC
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	GC
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NM; NDS
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	GC
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	GC
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	GC
<i>flavoxate oral tablet 100 mg</i>	2	GC
<i>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</i> (mirabegron)	2	GC
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>		2	GC
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)		1	GC
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	(Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i>	(Detrol)	2	GC
<i>trospium oral capsule, extended release 24hr 60 mg</i>		2	GC
<i>trospium oral tablet 20 mg</i>		2	GC
<b>Genitourinary Agents, Miscellaneous</b>			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	(Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i>	(Avodart)	2	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	(Jalyn)	2	GC
<b>ENTADFI ORAL CAPSULE 5-5 MG</b>		4	PA; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i>	(Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i>	(Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		1	GC
<i>tiopronin oral tablet 100 mg</i>	(Thiola)	5	NM; NDS
<b>Heavy Metal Antagonists</b>			
<b>Heavy Metal Antagonists</b>			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	(Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i>	(Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet 90 mg</i>	(Jadenu)	2	PA; GC
<i>deferasirox oral tablet, dispersible 125 mg</i>	(Exjade)	2	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	(Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i>	(Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>deferoxamine injection recon soln</i> 500 mg	(Desferal)	5	PA; NM; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG		5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG	(deferiprone)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i>	(Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)

## Hormonal Agents, Stimulant/Replacement/Modifying

<b>Androgens</b>			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>		2	GC
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	(Oxandrin)	2	PA; GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	(Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>		2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>		2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1 %)</i>	(Vogelxo)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>		2	PA; GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Dotti)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	PA-HRM; GC; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>		2	PA-HRM; GC; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	PA-HRM; GC; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(estradiol)	2	PA-HRM; GC; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	(estradiol-norethindrone acet)	2	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	2	PA-HRM; GC; AGE (Max 64 Years)
<b>PREMARIN INJECTION RECON SOLN 25 MG</b>		3	
<b>PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG</b>		3	PA-HRM; AGE (Max 64 Years)
<b>PREMARIN ORAL TABLET 0.625 MG, 1.25 MG</b>	(conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
<b>PREMARIN VAGINAL CREAM 0.625 MG/GRAM</b>		3	
<b>PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)</b>		3	PA-HRM; AGE (Max 64 Years)
<b>PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG</b>		3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i>	(Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i>	(estradiol)	2	GC; QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>			
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	(Celestone Soluspan)	2	GC
<i>dexamethasone oral solution 0.5 mg/5 ml</i>		2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>		2	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>		1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>		1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	GC
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<b>HEMADY ORAL TABLET 20 MG</b>	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	GC
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	GC
<i>methylprednisolone oral tablet 32 mg</i>	2	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	GC
<i>prednisolone 15 mg/5 ml soln dl/5 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 5 mg/5 ml (Pediapred)</i>	2	PA BvD; GC
<i>prednisolone oral solution 5 mg/5 ml (base/5 ml (6.7 mg/5 ml))</i>	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
<b>SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML</b>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
triamcinolone acetonide injection suspension 40 mg/ml (Kenalog)	2	GC
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)	2	GC
desmopressin ac 4 mcg/ml ampul plf, outer, sdv (DDAVP)	5	NM; NDS
desmopressin injection solution 4 mcg/ml (DDAVP)	2	GC
desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)	2	GC
desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)	2	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
lanreotide subcutaneous syringe 120 mg/0.5 ml (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	2	GC
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml	2	GC
<i>octreotide acetate injection solution</i> (Sandostatin) 500 mcg/ml	5	NM; NDS
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	2	GC
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	(lanreotide)	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	(lanreotide)	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG		5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)		5	PA; NM; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML		5	PA; NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG		5	PA; NM; NDS
<b>Progestins</b>			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML		4	QL (1 per 84 days)
<i>hydroxyprogesterone cap(ppres)</i> <i>intramuscular oil 250 mg/ml</i>		5	NM; NDS
<i>hydroxyprogesterone caproate</i> <i>intramuscular oil 250 mg/ml</i>		5	NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>		2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>		2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>		1	GC
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>		2	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5</i> <i>mg</i>		2	GC
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>		2	GC
<i>progesterone micronized oral</i> <i>capsule 100 mg, 200 mg</i>	(Prometrium)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
<i>levothyroxine oral tablet 300 mcg (Levo-T)</i>	1	GC
<i>liothyronine oral tablet 25 mcg, 50 mcg (Cytomel)</i>	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG (tacrolimus)	4	PA BvD
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>azathioprine oral tablet 50 mg (Imuran)</i>	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-Injector 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD; GC
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
everolimus ( <i>immunosuppressive</i> ) (Zortress) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NM; NDS
gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)	2	PA BvD; GC
gengraf oral solution 100 mg/ml (cyclosporine modified)	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>infliximab intravenous recon soln</i> (Remicade) 100 mg	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD; GC
<i>mycophenolate sodium oral tablet, delayed release (dr/rec) 180 mg, 360 mg</i>	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD; GC
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 20 MG/0.25 ML, 40 MG/0.5 ML, 80 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
<b>Vaccines</b>		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	GC; \$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	GC; \$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	GC; \$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	GC; \$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	6	GC; \$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	GC; \$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	GC; \$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	6	GC; \$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	GC; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	GC
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	GC; QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; GC; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; GC; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; GC; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	GC; \$0 copay; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	GC; \$0 copay; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	GC; \$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	GC
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; GC; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; GC; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	GC
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	GC; \$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	6	GC; \$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	GC; \$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	GC; \$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	GC; \$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	GC; \$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	GC; \$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	GC; \$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	GC; \$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	GC
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	GC; \$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	GC; \$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	GC; \$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 48MCG-62DU -10 MCG/0.5ML	6	GC
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; GC; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	6	GC; \$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	6	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	6	GC
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; GC; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; GC; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; GC; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	GC
ROTAQUE VACCINE ORAL SOLUTION 2 ML	6	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	GC; \$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 toxoids-td) ML	6	GC; \$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	GC; \$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	GC; \$0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	GC
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	GC; QL (0.75 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	GC; \$0 copay; QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	GC; \$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	GC; \$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	GC; \$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	6	GC; \$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	GC; \$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	GC; \$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	GC; \$0 copay; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	GC; \$0 copay
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
alosetron oral tablet 0.5 mg (Lotronex)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alosetron oral tablet 1 mg</i>	(Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	2	GC
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>		2	GC
<i>budesonide rectal foam 2 mg/actuation</i>	(Uceris)	2	GC
<b>DIPENTUM ORAL CAPSULE 250 MG</b>		5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	2	GC
<i>mesalamine oral capsule (with delayed tablets) 400 mg</i>	(Delzicol)	2	GC
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	(Apriso)	2	GC
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i>	(Lialda)	2	GC; QL (120 per 30 days)
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i>		2	GC
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	2	GC
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	2	GC
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i>	(Azulfidine EN-tabs)	4	

## Metabolic Bone Disease Agents

<b>Metabolic Bone Disease Agents</b>			
<i>alendronate oral solution 70 mg/75 ml</i>		2	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>		1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i>	(Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i>	(Miacalcin)	5	NM; NDS
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>		2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	GC
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	2	GC; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	GC
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	1	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	GC
<i>paricalcitol oral capsule 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	2	GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	2	GC; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water (Reclast) intravenous piggyback 5 mg/100 ml</i>	2	GC; QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop (Cystadane)</i>	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NM; NDS
<i>diazoxide oral suspension 50 mg/ml (Proglycem)</i>	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
<i>glutamine (sickle cell) oral powder in packet 5 gram (Endari)</i>	5	PA; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule</i> 100 mg	2	GC
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg	1	GC
<i>hydroxyzine pamoate oral capsule</i> 50 mg	1	GC
<i>leucovorin calcium injection recon</i> <i>soln 100 mg, 200 mg, 350 mg, 50</i> <i>mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution</i> 10 mg/ml	2	GC
<i>leucovorin calcium oral tablet 10</i> mg, 15 mg, 25 mg, 5 mg	2	GC
<i>levocarnitine (with sugar) oral</i> (Carnitor) <i>solution 100 mg/ml</i>	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	GC
<i>levocarnitine sf 1 g/10 ml sol 100</i> (Carnitor (sugar-free)) mg/ml	2	GC
<i>levoleucovorin calcium intravenous</i> (Fusilev) <i>recon soln 50 mg</i>	5	NM; NDS
<i>mesna intravenous solution 100</i> (Mesnex) mg/ml	2	GC
MESNEX ORAL TABLET 400 MG	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv) (w/w)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i>	2	GC
<i>pyridostigmine bromide oral tablet</i> <i>30 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet</i> (Mestinon Timespan) <i>extended release 180 mg</i>	2	GC
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	5	PA; NM; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	5	PA; NM; NDS
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)
TAKHYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	5	PA; NM; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	5	PA; NM; NDS
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	GC; QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i>	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	GC
<i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i>	2	GC
<i>brinzolamide ophthalmic (eye) (Azopt) drops, suspension 1 %</i>	2	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	GC
<i>dorzolamide ophthalmic (eye) drops 1 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	2	GC
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS, SUSPENSION 1-0.2 %	3	QL (2.5 per 25 days)
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i>	2	GC; QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	GC
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	2	GC; QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	GC
<i>electrolyte-148 intravenous parenteral solution</i>	2	GC
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %		4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	(potassium chloride)	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>		2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>		2	GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>		2	GC
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>		4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>		2	GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION		4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>		1	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>		2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>		2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		2	GC
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	2	GC
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	(Klor-Con M10)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	(Klor-Con M15)	2	GC
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	(Klor-Con M20)	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>		2	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	2	GC
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	2	GC
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	(Urocit-K 5)	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>		2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>		2	GC
<i>sodium chloride 0.9% solution mini- bag, single use</i>		2	GC
<b>Respiratory Tract Agents</b>			
<b>Anti-Inflammatories, Inhaled</b>			
<b>Corticosteroids</b>			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion- salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(budesonide-formoterol)	2	GC; QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	(Pulmicort)	2	PA BvD; GC; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	(Pulmicort)	2	PA BvD; GC; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyna)	2	GC; QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>		2	GC; QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>		2	GC; QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>		2	GC; QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	2	GC; QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion-salmeterol)	2	GC; QL (60 per 30 days)
<b>Antileukotrienes</b>			
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>zafirlukast oral tablet 10 mg, 20 mg (Accolate)</i>	2	GC
<b>Bronchodilators</b>		
AIRSUPRA INHALATION HFA	3	QL (32.1 per 30 days)
AEROSOL INHALER 90-80 MCG/ACTUATION		
<i>albuterol sulfate inhalation hfa (Ventolin HFA) aerosol inhaler 90 mcg/actuation</i>	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml (theophylline)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
<b>PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION</b>	4	QL (2 per 30 days)
<b>SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE</b>	3	QL (60 per 30 days)
<b>SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION</b>	3	QL (4 per 30 days)
<b>SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG</b>	2	GC; QL (30 per 30 days)
<b>STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION</b>	3	QL (4 per 30 days)
<b>STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION</b>	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
<b>TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG</b>	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Respiratory Tract Agents, Other</b>		
acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)	2	GC
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD; GC
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pirfenidone oral capsule 267 mg</i>	(Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i>	(Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>		5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i>	(Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML		5	PA BvD; NM; NDS
<i>roflumilast oral tablet 250 mcg</i>	(Daliresp)	2	GC; QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i>	(Daliresp)	2	GC; QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)		5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)		5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)		5	PA; NM; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)		5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML		5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG		5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC
<i>chlorzoxazone oral tablet 250 mg</i>	5	PA-HRM; NM; NDS; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 750 mg (Lorzone)</i>	2	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg (Dantrium)</i>	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	PA-HRM; GC; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg (dantrolene)</i>	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	2	GC
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg (Nuvigil)</i>	2	PA; GC; QL (30 per 30 days)
<i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg (Lunesta)</i>	2	GC; QL (30 per 30 days)
<i>HETLIOZ LQ ORAL SUSPENSION 4 MG/ML</i>	5	PA; NM; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg (Provigil)</i>	2	PA; GC; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg (Provigil)</i>	2	PA; GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
sodium oxybate oral solution 500 mg/ml	(Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG		4	PA; QL (30 per 30 days)
tasimelteon oral capsule 20 mg	(Hetlioz)	5	PA; NM; NDS; QL (30 per 30 days)
zaleplon oral capsule 10 mg, 5 mg		1	GC; QL (30 per 30 days)
zolpidem oral tablet 10 mg, 5 mg	(Ambien)	1	GC; QL (30 per 30 days)
zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg	(Ambien CR)	2	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>			
<b>Vasodilating Agents</b>			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NM; NDS; QL (90 per 30 days)
alyq oral tablet 20 mg	(tadalafil (pulm. hypertension))	2	PA; GC; QL (60 per 30 days)
ambrisentan oral tablet 10 mg, 5 mg	(Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
bosentan oral tablet 125 mg, 62.5 mg	(Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
epoprostenol intravenous recon soln 0.5 mg, 1.5 mg	(Veletri)	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG		5	PA; NM; NDS; QL (30 per 30 days)
sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml	(Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
sildenafil (pulm.hypertension) oral tablet 20 mg	(Revatio)	1	PA; GC; QL (360 per 30 days)
sildenafil oral tablet 100 mg, 25 mg, 50 mg	(Viagra)	2	GC; EX; CB (6 EA per 30 days)
tadalafil (pulm. hypertension) oral tablet 20 mg	(Alyq)	2	PA; GC; QL (60 per 30 days)
tadalafil oral tablet 2.5 mg		2	PA; GC; QL (30 per 30 days)
tadalafil oral tablet 5 mg	(Cialis)	2	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution</i> (Remodulin) <i>1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	GC
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	GC
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	GC
<i>completenate tablet chew 29 mg iron- 1 mg</i>	2	GC
<i>cyanocobalamin (vitamin b-12) injection solution</i> (Dodox)	2	GC; EX
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> (Drisdol)	2	GC; EX
<i>folic acid oral tablet 1 mg</i>	2	GC; EX
<i>folivane-ob capsule 85-1 mg</i>	2	GC
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	GC
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	GC
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	GC
<i>mynatal oral tablet 90-1-50 mg</i>	2	GC
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	GC
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	GC
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	GC
<i>newgen tablet 32-1,000 mg-mcg</i>	2	GC
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	GC
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	GC
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	GC
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>	2	GC
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	GC
<i>pnv prenatal plus multivit tab (pnv,calcium 72-iron-gluten-free (rx) 27 mg iron- 1 mg folic acid)</i>	2	GC
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	GC
<i>pnv-omega softgel 28-1-300 mg</i>	2	GC
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	GC
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	GC
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	GC
<i>prena1 true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	GC
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
prenaissance plus oral capsule 28-1-50-250 mg	2	GC
prenatabs fa tablet 29-1 mg	2	GC
prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg	2	GC
prenatal 19 chewable tablet 29 mg iron- 1 mg	2	GC
prenatal low iron tablet (rx) 27 mg iron- 1 mg	2	GC
prenatal plus iron tablet (rx) 29 mg iron- 1 mg (pnv,calcium 72-iron,carb-folic)	2	GC
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	GC
prenatal-u capsule 106.5-1 mg	2	GC
preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	2	GC
pretab 29 mg-1 mg tablet (rx) 29-1 mg	2	GC
r-natal ob softgel 20 mg iron- 1 mg-320 mg	2	GC
select-ob chewable caplet 29 mg iron- 1 mg	2	GC
select-ob chewable caplet 29 mg iron- 1 mg	2	GC
se-natal 19 chewable tablet 29 mg iron- 1 mg	2	GC
taron-c dha capsule 35-1-200 mg	2	GC
taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg	2	GC
triveen-duo dha combo pack 29-1-400 mg	2	GC
vinate care oral tablet,chewable 40 mg iron- 1 mg	2	GC
virt-c dha softgel (rx) 35-1-200 mg	2	GC
virt-nate dha softgel 28 mg iron-1 mg -200 mg	2	GC
virt-pn dha softgel (rx) 27 mg iron- 1 mg -300 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	GC
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	GC
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	GC
<i>vitafol-ob+dha combo pack 65-1- 250 mg</i>	2	GC
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	GC
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	GC
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	GC
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	GC
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

1ST TIER UNIFINE	
PENTIPS.....	120
1ST TIER UNIFINE	
PENTIPS PLUS.....	120
<i>abacavir</i> .....	71
<i>abacavir-lamivudine</i> .....	71
ABELCET.....	54
ABILIFY ASIMTUFII.....	65
ABILIFY MAINTENA.....	65
<i>abiraterone</i> .....	21
ABOUTTIME PEN	
NEEDLE.....	120
ABRAXANE.....	21
ABRYSVO (PF).....	191
<i>acamprosate</i> .....	10
<i>acarbose</i> .....	49
<i>accutane</i> .....	113
<i>acebutolol</i> .....	89
<i>acetaminophen-codeine</i> .....	3
<i>acetazolamide</i> .....	202
<i>acetazolamide sodium</i> .....	202
<i>acetic acid</i> .....	167
<i>acetylcysteine</i> .....	209
<i>acitretin</i> .....	113
ACTEMRA.....	184
ACTEMRA ACTPEN.....	184
ACTHAR.....	181
ACTHAR SELFJECT.....	181
ACTHIB (PF).....	191
ACTIMMUNE.....	199
<i>acyclovir</i> .....	78, 113
<i>acyclovir sodium</i> .....	78
ADACEL(TDAP	
ADOLESN/ADULT)(PF)....	191
ADAKVEO.....	82
<i>adapalene</i> .....	119
<i>adefovir</i> .....	78
ADEMPAS.....	212
<i>adrucil</i> .....	22
ADVAIR HFA.....	205
ADVOCATE PEN NEEDLE	
.....	121
ADVOCATE SYRINGES	
.....	120, 121
<i>afirmelle</i> .....	103
AIRSUPRA.....	205, 207
AJOVY AUTOINJECTOR....	58
AJOVY SYRINGE.....	58
AKEEGA.....	22
AKYNZEO	
(FOSNETUPITANT).....	60
AKYNZEO	
(NETUPITANT).....	60
<i>ala-cort</i> .....	116
<i>ala-scalp</i> .....	116
<i>albendazole</i> .....	62
<i>albuterol sulfate</i> .....	207
<i>alcaine</i> .....	166
<i>alclometasone</i> .....	116
ALCOHOL PADS.....	113
ALCOHOL PREP PADS....	114
ALCOHOL PREP SWABS..	113
ALCOHOL SWABS.....	113
ALCOHOL WIPES.....	113
ALDURAZYME.....	164
ALECENSA.....	22
<i>alendronate</i> .....	197
<i>alfuzosin</i> .....	176
<i>aliskiren</i> .....	97
<i>allopurinol</i> .....	57
<i>alosetron</i> .....	196, 197
<i>alprazolam</i> .....	11
<i>altavera (28)</i> .....	104
ALTRENO.....	119
ALUNBRIG.....	22
ALVAIZ.....	80
<i>alyacen 1/35 (28)</i> .....	104
<i>alyacen 7/7/7 (28)</i> .....	104
<i>alyq</i> .....	212
<i>amabelz</i> .....	178
<i>amantadine hel</i> .....	63
<i>ambrisentan</i> .....	212
<i>amethia</i> .....	104
<i>amiloride</i> .....	94
<i>amiloride-hydrochlorothiazide</i> ..	94
<i>amiodarone</i> .....	88
<i>amitriptyline</i> .....	45
<i>amitriptyline-chlordiazepoxide</i> ..	45
<i>amlodipine</i> .....	93
<i>amlodipine-atorvastatin</i> .....	95
<i>amlodipine-benazepril</i> .....	93
<i>amlodipine-olmesartan</i> .....	93
<i>amlodipine-valsartan</i> .....	93
<i>amlodipine-valsartan-hcthiazid</i> .	93
<i>ammonium lactate</i> .....	113
<i>amoxapine</i> .....	45
<i>amoxicil-clarithromy-</i>	
<i>lansopraz</i> .....	171
<i>amoxicillin</i> .....	18
<i>amoxicillin-pot clavulanate</i> .....	18
<i>amphotericin b</i> .....	54
<i>amphotericin b liposome</i> .....	54
<i>ampicillin</i> .....	18
<i>ampicillin sodium</i> .....	18
<i>ampicillin-sulbactam</i> .....	18
<i>anagrelide</i> .....	82
<i>anastrozole</i> .....	22
ANKTIVA.....	22
ANORO ELLIPTA.....	207
<i>apomorphine</i> .....	63
APONVIE.....	60
<i>apraclonidine</i> .....	166
<i>aprepitant</i> .....	60, 61
APRETUDE.....	71

<i>apri</i> .....	104	<i>aurovela 24 fe</i> .....	104	BD INSULIN SYRINGE U-500.....	122
APTIOM.....	39	<i>aurovela fe 1.5/30 (28)</i> .....	104	BD INSULIN SYRINGE	
APTIVUS.....	72	<i>aurovela fe 1-20 (28)</i> .....	104	ULTRA-FINE.....	122
AQINJECT PEN NEEDLE.	121	AUSTEDO.....	98	BD NANO 2ND GEN PEN	
<i>aranelle (28)</i> .....	104	AUSTEDO XR.....	98, 99	NEEDLE.....	123
ARCALYST.....	184	AUSTEDO XR		BD SAFETYGLIDE	
AREXVY (PF).....	191	TITRATION KT(WK1-4).....	99	INSULIN SYRINGE....	123, 124
AREXVY ANTIGEN		AUVELITY.....	45	BD SAFETYGLIDE	
COMPONENT.....	191	<i>aviane</i> .....	104	SYRINGE.....	123
<i>aripiprazole</i> .....	65	AVONEX.....	99	BD ULTRA-FINE MICRO	
ARISTADA.....	66	AVSOLA.....	184	PEN NEEDLE.....	124
ARISTADA INITIO.....	66	<i>ayuna</i> .....	104	BD ULTRA-FINE MINI	
<i>armodafinil</i> .....	211	AYVAKIT.....	22	PEN NEEDLE.....	124
ARNUITY ELLIPTA.....	206	<i>azacitidine</i> .....	22	BD ULTRA-FINE NANO	
<i>ascomp with codeine</i> .....	3	<i>azathioprine</i> .....	184	PEN NEEDLE.....	124
<i>asenapine maleate</i> .....	66	<i>azathioprine sodium</i> .....	184	BD ULTRA-FINE ORIG	
<i>ashlyna</i> .....	104	<i>azelastine</i> .....	166	PEN NEEDLE.....	124
<i>aspirin-dipyridamole</i> .....	83	<i>azithromycin</i> .....	16, 17	BD ULTRA-FINE SHORT	
ASSURE ID DUO PRO		<i>aztreonam</i> .....	17	PEN NEEDLE.....	124
SFTY PEN NDL.....	121	<i>azurette (28)</i> .....	104	BD VEO INSULIN SYR	
ASSURE ID DUO-SHIELD	121	<i>bacitracin</i> .....	13, 167	(HALF UNIT).....	124
ASSURE ID INSULIN		<i>bacitracin-polymyxin b</i> .....	167	BD VEO INSULIN	
SAFETY.....	122	<i>baclofen</i> .....	211	SYRINGE UF .....	124
ASSURE ID PEN NEEDLE	122	<i>bal-care dha</i> .....	213	BELSOMRA.....	211
ASSURE ID PRO PEN		<i>bal-care dha essential</i> .....	213	<i>benazepril</i> .....	87
NEEDLE.....	122	<i>balsalazide</i> .....	197	<i>benazepril-hydrochlorothiazide</i> ..	87
ASTAGRAF XL.....	184	<i>BALVERSA</i> .....	22	<i>bendamustine</i> .....	22
<i>atazanavir</i> .....	72	<i>balziva (28)</i> .....	104	BENDAMUSTINE.....	22
<i>atenolol</i> .....	89	BCG VACCINE, LIVE (PF)	191	BENDEKA.....	22
<i>atenolol-chlorthalidone</i> .....	89	BD ALCOHOL SWABS.....	114	BENLYSTA.....	184
<i>atomoxetine</i> .....	98	BD AUTOSHIELD DUO		<i>benzonatate</i> .....	112
<i>atorvastatin</i> .....	95	PEN NEEDLE.....	122	<i>benztropine</i> .....	63
<i>atovaquone</i> .....	62	BD ECLIPSE LUER-LOK...122		<i>bepotastine besilate</i> .....	166
<i>atovaquone-proguanil</i> .....	62	BD INSULIN SYRINGE		BESREMI.....	185
<i>atropine</i> .....	166	.....	122, 123	<i>betaine</i> .....	199
ATROVENT HFA.....	207	BD INSULIN SYRINGE		<i>betamethasone acet,sod phos..</i>	179
<i>aubra eq.</i> .....	104	(HALF UNIT).....	122	<i>betamethasone dipropionate...</i>	116
AUGTYRO.....	22	BD INSULIN SYRINGE		<i>betamethasone valerate...</i>	116, 117
<i>aurovela 1.5/30 (21)</i> .....	104	SLIP TIP.....	123	<i>betamethasone, augmented....</i>	117
<i>aurovela 1/20 (21)</i> .....	104				

BETASERON	99	buprenorphine-naloxone	10	CAREFINE PEN NEEDLE	
betaxolol	89, 202	bupropion hcl	45, 46	.....	124, 125
bethanechol chloride	175	bupropion hcl (smoking deter)	10	CARETOUCH ALCOHOL	
bexarotene	22	buspirone	199	PREP PAD	114
BEXSERO	191	butalbital-acetaminop-caf-cod	3	CARETOUCH INSULIN	
BEYFORTUS	76	butalbital-acetaminophen	3	SYRINGE	125
bicalutamide	22	butalbital-acetaminophen-caff	3	CARETOUCH PEN	
BICILLIN L-A	19	butalbital-aspirin-caffeine	3	NEEDLE	125
BIKTARVY	72	butorphanol	4	carglumic acid	172
bimatoprost	202	CABENUVA	72	carteolol	202
bisoprolol fumarate	89	cabergoline	63	cartia xt	91
bisoprolol-hydrochlorothiazide	89	CABLIVI	82	carvedilol	89
bleomycin	23	CABOMETYX	23	caspofungin	54
blisovi 24 fe	104	cabotegravir	72	CAYSTON	17
blisovi fe 1.5/30 (28)	105	caffeine citrate	99	caziant (28)	105
blisovi fe 1/20 (28)	105	calcipotriene	114	cefaclor	15
BOOSTRIX TDAP	191	calcitonin (salmon)	197	cefadroxil	15
BORDERED GAUZE	124	calcitriol	197, 198	cefazolin	15
bortezomib	23	calcium acetate(phosphat		cefazolin in dextrose (iso-os)	15
bosentan	212	bind)	175	cefdinir	15
BOSULIF	23	calcium chloride	203	cefepime	15
BRAFTOVI	23	CALQUENCE		ceftixime	15
BREO ELLIPTA	206	(ACALABRUTINIB MAL)	23	cefotaxime	15
breyna	206	camila	105	cefoxitin	15
BREZTRI AEROSPHERE	207	candesartan	86	cefpodoxime	16
briellyn	105	candesartan-		cefprozil	16
BRILINTA	83	hydrochlorothiazid	86	ceftazidime	16
brimonidine	202	CAPLYTA	66	ceftriaxone	16
brimonidine-timolol	202	CAPRELSA	23	cefuroxime axetil	16
brinzolamide	202	captorpril	87	cefuroxime sodium	16
BRIVIACT	39	captorpril-hydrochlorothiazide	87	celecoxib	7
bromfenac	169	carbamazepine	39	cephalexin	16
bromocriptine	63	carbidopa	63	CERDELGA	164
BRONCHITOL	209	carbidopa-levodopa	63, 64	CEREZYME	164
BRUKINSIA	23	carbidopa-levodopa-		cevimeline	112
budesonide	197, 206	entacapone	64	chateal eq (28)	105
budesonide-formoterol	206	carbinoxamine maleate	57	chloramphenicol sod succinate	13
bumetanide	94	carboplatin	23	chlordiazepoxide hcl	11
buprenorphine	3			chlorhexidine gluconate	112
buprenorphine hcl	3, 10			chloroquine phosphate	62

<i>chlorothiazide sodium</i> .....	94	CLINIMIX 6%-D5W (SULFITE-FREE).....	84	COMBIVENT RESPIMAT ..	207
<i>chlorpromazine</i> .....	66	CLINIMIX 8% D10W(SULFITE-FREE).....	84	COMETRIQ.....	23, 24
<i>chlorthalidone</i> .....	94	CLINIMIX 8% D14W(SULFITE-FREE).....	84	COMFORT EZ INSULIN SYRINGE .....	126, 127
<i>chlorzoxazone</i> .....	211	CLINIMIX E 2.75%/D5W		COMFORT EZ PEN NEEDLES .....	126, 127
<i>cholestyramine (with sugar)</i> .....	95	SULF FREE.....	84	COMFORT EZ PRO SAFETY PEN NDL .....	127
<i>cholestyramine light</i> .....	95	CLINIMIX E 4.25%/D10W		COMFORT TOUCH PEN NEEDLE .....	128
<i>ciclopirox</i> .....	54	SULF FREE.....	84	COMPLERA .....	72
<i>cidofovir</i> .....	78	CLINIMIX E 4.25%/D5W		<i>completenate</i> .....	213
<i>cilostazol</i> .....	83	SULF FREE.....	84	<i>compro</i> .....	61
<b>CIMDUO</b> .....	72	CLINIMIX E 5%/D15W		<i>constulose</i> .....	172
<i>cimetidine</i> .....	171	SULFIT FREE.....	84	COPAXONE .....	99
<i>cimetidine hcl</i> .....	171	CLINIMIX E 5%/D20W		COPIKTRA .....	24
<i>cinacalcet</i> .....	198	SULFIT FREE.....	84	CORLANOR .....	92
<b>CINQAIR</b> .....	209	CLINIMIX E 8%-D10W		CORTROPHIN GEL .....	181
<b>CINRYZE</b> .....	80	SULFITEFREE .....	84	COSENTYX .....	185, 199
<i>ciprofloxacin</i> .....	20	CLINIMIX E 8%-D14W		COSENTYX (2 SYRINGES) .....	185
<i>ciprofloxacin hcl</i> .....	19, 167	SULFITEFREE .....	84	COSENTYX PEN (2 PENS) .....	185
<i>ciprofloxacin in 5 % dextrose</i> ...	20	<i>clobazam</i> .....	39	COSENTYX UNOREADY PEN .....	185
<i>ciprofloxacin-dexamethasone</i> .....	167	<i>clobetasol</i> .....	117	COTELLIC .....	24
<i>citalopram</i> .....	46	<i>clobetasol-emollient</i> .....	117	CREON .....	164
<i>cladribine</i> .....	23	<i>clomipramine</i> .....	46	<i>cromolyn</i> .....	166, 172, 209
<i>clarithromycin</i> .....	17	<i>clonazepam</i> .....	11, 12	<i>cryselle (28)</i> .....	105
<i>clemastine</i> .....	57	<i>clonidine</i> .....	85	CURAD GAUZE PAD .....	128
<b>CLENPIQ</b> .....	174	<i>clonidine hcl</i> .....	85, 99	CURITY ALCOHOL SWABS .....	114
<b>CLICKFINE PEN NEEDLE</b> .....	125, 126	<i>clopидогрел</i> .....	83	CURITY GAUZE .....	128
<i>clindamycin hcl</i> .....	13	<i>clorazepate dipotassium</i> .....	12	<i>cyanocobalamin (vitamin b-12)</i> .....	213
<i>clindamycin in 5 % dextrose</i> .....	14	<i>clotrimazole</i> .....	55	<i>cyclobenzaprine</i> .....	211
<i>clindamycin pediatric</i> .....	14	<i>clotrimazole-betamethasone</i> .....	55	<i>cyclopentolate</i> .....	166
<i>clindamycin phosphate</i> .....	14, 58, 115	<i>clozapine</i> .....	66	<i>cyclophosphamide</i> .....	24
<i>clindamycin-benzoyl peroxide</i> .....	115	<i>c-nate dha</i> .....	213	<i>cyclosporine</i> .....	185
<b>CLINIMIX 5%/D15W</b> SULFITE FREE.....	83	<b>COARTEM</b> .....	62	<i>cyclosporine modified</i> .....	185
<b>CLINIMIX 4.25%/D10W</b> SULF FREE.....	83	<i>codeine sulfate</i> .....	4	<i>cyproheptadine</i> .....	57
<b>CLINIMIX 4.25%/D5W</b> SULFIT FREE.....	83	<i>codeine-butalbital-asa-caff</i> .....	4		
<b>CLINIMIX 5%- D20W(SULFITE-FREE)</b> .....	83	<i>colchicine</i> .....	57		

CYRAMZA .....	24	desmopressin.....	181	dimethyl fumarate .....	100
cyred eq.....	105	desog-e.estradiolle.estriadiol ...	105	DIPENTUM .....	197
CYSTADROPS.....	167	desogestrel-ethinyl estradiol ...	105	diphenhydramine hcl.....	57
CYSTARAN.....	167	desonide .....	117	diphenoxylate-atropine .....	173
<i>d5 % and 0.9 % sodium</i>		desoximetasone .....	117	dipyridamole .....	83
chloride .....	203	desvenlafaxine succinate.....	46	disopyramide phosphate .....	88
<i>d5 %-0.45 % sodium chloride</i> ..	203	dexamethasone .....	179	disulfiram .....	10
dabigatran etexilate .....	79	dexamethasone sodium phos		divalproex .....	40
dalfampridine .....	99	(pf) .....	179	docetaxel .....	24
danazol.....	177	dexamethasone sodium		dofetilide .....	88
dantrolene .....	211	phosphate .....	169, 179, 180	donepezil .....	44
DANYELZA.....	24	dexamethylphenidate .....	99	DOPTELET (10 TAB PACK) ..	80
dapsone .....	60	dexrazoxane hcl .....	199	DOPTELET (15 TAB PACK) ..	80
DAPTACEL (DTAP		dextroamphetamine sulfate .....	99	DOPTELET (30 TAB PACK) ..	80
PEDIATRIC) (PF).....	192	dextroamphetamine-		dorzolamide .....	202
daptomycin .....	14	amphetamine .....	100	dorzolamide-timolol .....	202
darunavir .....	72	dextrose 10 % in water ( <i>d10w</i> ) ..	85	dotti .....	178
DARZALEX .....	24	dextrose 5 % in water ( <i>d5w</i> ) ..	85	DOVATO .....	72
DARZALEX FASPRO .....	24	DIACOMIT .....	39, 40	doxazosin .....	85
dasetta 1/35 (28) .....	105	diazepam .....	12, 40	doxepin .....	46
dasetta 7/7/7 (28) .....	105	diazepam intensol .....	12	doxercalciferol .....	198
DAURISMO .....	24	diazoxide .....	199	doxorubicin .....	24
daysee .....	105	diclofenac potassium .....	7	doxorubicin, peg-liposomal .....	25
deblitane .....	105	diclofenac sodium .....	7, 170	doxy-100 .....	20
decitabine .....	24	diclofenac-misoprostol .....	7	doxycycline hyclate .....	20, 21
deferasirox .....	176	dicloxacillin .....	19	doxycycline monohydrate .....	21
deferiprone .....	176	dicyclomine .....	172	DRIZALMA SPRINKLE .....	46
deferoxamine .....	176, 177	didanosine .....	72	dronabinol .....	61
DELSTRIGO .....	72	DIFICID .....	17	droperidol .....	61
demeclocycline .....	20	diflorasone .....	117	DROPLET INSULIN	
DENGVAXIA (PF) .....	192	diflunisal .....	7	SYR(HALF UNIT) .....	128, 129
denta 5000 plus .....	112	difluprednate .....	170	DROPLET INSULIN	
dentagel .....	113	digitek .....	92	SYRINGE .....	129, 130
DEPO-SUBQ PROVERA		digox .....	92	DROPLET MICRON PEN	
104 .....	183	digoxin .....	92	NEEDLE .....	130
DERMACEA .....	128	dihydroergotamine .....	58	DROPLET PEN NEEDLE ..	130
DERMACEA NON-		DILANTIN .....	40	DROPSAFE ALCOHOL	
WOVEN .....	128	diltiazem hcl .....	91	PREP PADS .....	114
DESCOVY .....	72	dilt-xr .....	91	DROPSAFE INSULIN	
<i>desipramine .....</i>	46	dimenhydrinate .....	61	SYRINGE .....	130, 131

DROPSAFE PEN NEEDLE	131	EASY TOUCH	
<i>drosipirenone-ethinyl estradiol.</i>	105	SHEATHLOCK INSULIN	
DROXIA	82	.....	133, 134
<i>droxidopa</i>	85	EASY TOUCH UNI-SLIP	135
DUAVEE	178	<i>ec-naproxen</i>	7
<i>duloxetine</i>	46	econazole	55
DUPIXENT PEN	185	<i>edaravone</i>	100
DUPIXENT SYRINGE	185	EDARBI	86
<i>dutasteride</i>	176	EDARBYCLOR	86
<i>dutasteride-tamsulosin</i>	176	EDURANT	72
EASY COMFORT		<i>efavirenz</i>	72
ALCOHOL PAD	114	<i>efavirenz-emtricitabin-tenofovir</i>	73
EASY COMFORT		<i>efavirenz-lamivu-tenofovir disop.</i>	73
INSULIN SYRINGE	131, 132	EGRIFTA SV	181
EASY COMFORT PEN		ELAPRASE	164
NEEDLES	132	<i>electrolyte-148</i>	203
EASY COMFORT SAFETY		ELFABRIO	165
PEN NEEDLE	131	ELIGARD	25
EASY GLIDE INSULIN		ELIGARD (3 MONTH)	25
SYRINGE	133	ELIGARD (4 MONTH)	25
EASY GLIDE PEN		ELIGARD (6 MONTH)	25
NEEDLE	133	<i>elinest</i>	105
EASY TOUCH	134, 135	ELIQUIS	79
EASY TOUCH ALCOHOL		ELIQUIS DVT-PE TREAT	
PREP PADS	114	30D START	79
EASY TOUCH FLIPLOCK		ELITEK	165
INSULIN	134	<i>elixophyllin</i>	207
EASY TOUCH FLIPLOCK		ELLA	105
SYRINGE	133	ELMIRON	199
EASY TOUCH INSULIN		ELREXFIO	25
SAFETY SYR	133	<i>eluryng</i>	105
EASY TOUCH INSULIN		EMBRACE PEN NEEDLE	
SYRINGE	133, 134, 135	.....	135, 136
EASY TOUCH LUER		EMCYT	25
LOCK INSULIN	134	EMEND	61
EASY TOUCH PEN		EMGALITY PEN	58
NEEDLE	134	EMGALITY SYRINGE	58
EASY TOUCH SAFETY		EMSAM	46
PEN NEEDLE	135	<i>emtricitabine</i>	73
		<i>emtricitabine-tenofovir (tdf)</i>	73
		EMTRIVA	73
		<i>emzahh</i>	105
		<i>enalapril maleate</i>	87
		<i>enalaprilat</i>	87
		<i>enalapril-hydrochlorothiazide</i>	
		.....	87, 88
		ENBREL	185, 186
		ENBREL MINI	185
		ENBREL SURECLICK	186
		<i>endocet</i>	4
		ENGERIX-B (PF)	192
		ENGERIX-B PEDIATRIC (PF)	192
		<i>enilloring</i>	106
		<i>enoxaparin</i>	79
		<i>enpresse</i>	106
		<i>enskyce</i>	106
		ENSPRYNG	100
		<i>entacapone</i>	64
		ENTADFI	176
		<i>entecavir</i>	78
		ENTRESTO	86
		ENTRESTO SPRINKLE	86
		<i>enulose</i>	173
		EPCLUSA	77
		EPIDIOLEX	40
		<i>epinastine</i>	167
		<i>epinephrine</i>	92
		<i>epitol</i>	40
		EPIVIR HBV	73
		EPKINLY	25
		<i>eplerenone</i>	97
		<i>epoprostenol</i>	212
		EPRONTIA	40
		<i>eprosartan</i>	86
		ERBITUX	25
		<i>ergocalciferol (vitamin d2)</i>	213
		<i>ergoloid</i>	44
		ERIVEDGE	25
		ERLEADA	25

erlotinib	25	ezetimibe-simvastatin	95, 96
errin	106	FABRAZYME	165
ertapenem	17	falmina (28)	106
ery pads	115	famciclovir	78
erythromycin	17, 167	famotidine	172
erythromycin ethylsuccinate	17	famotidine (pf)	171
erythromycin with ethanol	115	famotidine (pf)-nacl (iso-os)	171
erythromycin-benzoyl peroxide		FANAPT	67
	116	FARXIGA	49
escitalopram oxalate	46	FASENRA	209
esomeprazole magnesium	171	FASENRA PEN	209
esomeprazole sodium	171	febuxostat	57
estarrylla	106	felbamate	40
estazolam	12	felodipine	93
estradiol	178	FEMRING	178
estradiol valerate	178	fenofibrate	96
estradiol-norethindrone acet	178	fenofibrate micronized	96
eszopiclone	211	fenofibrate nanocrystallized	96
ethambutol	60	fenofibric acid (choline)	96
ethosuximide	40	fenoprofen	7
ethynodiol diac-eth estradiol	106	fentanyl	4
etodolac	7	fentanyl citrate	4
etonogestrel-ethinyl estradiol	106	FERRIPROX	177
ETOPOPHOS	25	FERRIPROX (2 TIMES A	
etoposide	26	DAY)	177
etravirine	73	fesoterodine	175
EUCRISA	117	FETZIMA	47
everolimus (antineoplastic)	26	FIASP FLEXTOUCH U-100	
everolimus		INSULIN	51
(immunosuppressive)	186	FIASP PENFILL U-100	
EVOTAZ	73	INSULIN	52
EVRYSDI	199	FIASP U-100 INSULIN	52
EXEL INSULIN	136	finasteride	176
exemestane	26	fingolimod	100
EXKIVITY	26	FINTEPLA	40
EXONDYS-51	199	FIRMAGON KIT W	
EXTENCILINE	19	DILUENT SYRINGE	26
EYSUVIS	170	flavoxate	175
EZALLOR SPRINKLE	95	FLEBOGAMMA DIF	186
ezetimibe	95	flecainide	88
		flexuridine	26
		fluconazole	55
		fluconazole in nacl (iso-osm)	55
		flucytosine	55
		fludrocortisone	180
		flumazenil	100
		flunisolide	170
		fluocinolone	117, 118
		fluocinolone acetonide oil	170
		fluocinonide	118
		fluocinonide-emollient	118
		fluoride (sodium)	113
		fluorometholone	170
		fluorouracil	26, 114
		fluoxetine	47
		fluphenazine decanoate	67
		fluphenazine hcl	67
		flurazepam	12
		flurbiprofen	7
		flurbiprofen sodium	170
		fluticasone propionate	
			118, 170, 206
		fluticasone propion-salmeterol	206
		fluvastatin	96
		fluvoxamine	47
		folic acid	213
		folivane-ob	213
		fomepizole	199
		fondaparinux	79
		fosamprenavir	73
		fosaprepitant	61
		foscarnet	76
		fosinopril	88
		fosinopril-hydrochlorothiazide	88
		fosphénytoïn	40
		FOTIVDA	26
		FREESTYLE PRECISION	
			136, 137
		FRUZAQLA	26
		FULPHILA	80

<i>fulvestrant</i>	26	<i>glatiramer</i>	100	HEALTHWISE PEN
<i>furosemide</i>	94	<i>glatopa</i>	100	NEEDLE
FUZEON	73	GLEOSTINE	27	HEALTHY ACCENTS
FYARRO	26	<i>glimepiride</i>	53	UNIFINE PENTIP
<i>fyavolv</i>	178	<i>glipizide</i>	53, 54	138
FYCOMPA	40	<i>glipizide-metformin</i>	54	<i>heather</i>
FYLNETRA	80	<i>glutamine (sickle cell)</i>	199	106
<i> gabapentin</i>	41	<i>glyburide</i>	54	HEMADY
GALAFOLD	165	<i>glyburide micronized</i>	54	180
<i> galantamine</i>	45	<i>glyburide-metformin</i>	54	<i>heparin (porcine)</i>
GAMIFANT	186	<i>glycopyrrolate</i>	173	79
GAMMAGARD LIQUID	186	<i>glydo</i>	9	<i>heparin, porcine (pf)</i>
GAMMAGARD S-D (IGA < 1 MCG/ML)	186	GLYXAMBI	49	192
GAMMAPLEX	186	<i>granisetron (pf)</i>	61	HEPLISAV-B (PF)
GAMMAPLEX (WITH SORBITOL)	186	<i>granisetron hcl</i>	61	27
GAMUNEX-C	186	GRANIX	80	HIBERIX (PF)
<i> ganciclovir sodium</i>	78	<i>griseofulvin microsize</i>	55	HUMIRA
GARDASIL 9 (PF)	192	<i>griseofulvin ultramicrosize</i>	55	187
<i> gatifloxacin</i>	167	<i>guanfacine</i>	85, 100	HUMIRA PEN
GATTEX 30-VIAL	173	GVOKE	200	HUMIRA PEN CROHNS-
GAUZE PAD	137	GVOKE HYPOPEN 2-PACK	200	UC-HS START
<i> gavilyte-c</i>	174	SYRINGE	200	HUMIRA PEN PSOR-
<i> gavilyte-g</i>	174	GVOKE PFS 1-PACK	200	UVEITS-ADOL HS
<i> gavilyte-n</i>	174	GVOKE PFS 2-PACK	200	HUMIRA(CF)
GAVRETO	26	SYRINGE	200	187
<i> gefitinib</i>	26	HAEGARDA	81	HUMIRA(CF) PEDI
<i> gemcitabine</i>	27	<i>hailey</i>	106	CROHNS STARTER
<i> gemfibrozil</i>	96	<i>hailey 24 fe</i>	106	HUMIRA(CF) PEN
<i> generlac</i>	173	<i>hailey fe 1.5/30 (28)</i>	106	187
<i> gengraf</i>	186	<i>hailey fe 1/20 (28)</i>	106	HUMIRA(CF) PEN PSOR-
<i> gentak</i>	168	<i>halobetasol propionate</i>	118	UV-ADOL HS
<i> gentamicin</i>	13, 116, 168	<i>haloette</i>	106	187
<i> gentamicin sulfate (ped) (pf)</i>	13	<i>haloperidol</i>	67	HUMULIN R U-500
<i> gentamicin sulfate (pf)</i>	13	<i>haloperidol decanoate</i>	67	(CONC) INSULIN
GENVOYA	73	<i>haloperidol lactate</i>	67	52
GILENYA	100	HARVONI	77	HUMULIN R U-500
GILOTRIF	27	HAVRIX (PF)	192	(CONC) KWIKPEN
GIVLAARI	82	HEALTHWISE INSULIN SYRINGE	137	52

HYDROCORTISONE		<i>incassia</i> .....106	INVEGA TRINZA.....68
LOTION COMPLETE.....118		INCONTROL ALCOHOL	INVELTYS.....170
<i>hydrocortisone valerate</i> ...118, 119		PADS.....114	INVIRASE.....73
<i>hydrocortisone-acetic acid</i> .....168		INCONTROL PEN	IPOL.....193
<i>hydromorphone</i> .....4		NEEDLE.....138	<i>ipratropium bromide</i> .....167, 208
<i>hydromorphone (pf)</i> .....4		INCRELEX.....181	<i>ipratropium-albuterol</i> .....208
<i>hydroxychloroquine</i> .....62		<i>indapamide</i> .....94	IQIRVO.....173
<i>hydroxyprogesterone</i>		<i>indomethacin</i> .....8	<i>irbesartan</i> .....86
<i>cap (ppres)</i> .....183		INFANRIX (DTAP) (PF)....193	<i>irbesartan-hydrochlorothiazide</i> .86
<i>hydroxyprogesterone caproate</i> 183		INFLECTRA.....188	<i>irinotecan</i> .....28
<i>hydroxyurea</i> .....27		<i>infliximab</i> .....188	ISENTRESS.....73
<i>hydroxyzine hcl</i> .....57		INGREZZA.....101	ISENTRESS HD.....73
<i>hydroxyzine pamoate</i> .....200		INGREZZA INITIATION	<i>isibloom</i> .....106
HYQVIA.....187		PK(TARDIV).....101	ISOLYTE S PH 7.4.....203
<i>ibandronate</i> .....198		INGREZZA SPRINKLE....101	ISOLYTE-P IN 5 %
IBRANCE.....27		INLYTA.....28	DEXTROSE.....204
<i>ibu</i> .....7, 8		INPEN (FOR HUMALOG)	ISOLYTE-S.....203
<i>ibuprofen</i> .....8		BLUE.....138	<i>isoniazid</i> .....60
<i>ibuprofen-famotidine</i> .....8		INPEN (NOVOLOG OR	<i>isosorbide dinitrate</i> ..98
<i>icatibant</i> .....92		FIASP) BLUE.....138	<i>isosorbide mononitrate</i> ..98
<i>iclevia</i> .....106		INQOVI.....28	<i>isosorbide-hydralazine</i> ..98
ICLUSIG.....27		INREBIC.....28	<i>isradipine</i> .....93
IDHIFA.....27		<i>insulin asp prt-insulin aspart</i> .....52	<i>itraconazole</i> .....55
<i>ifosfamide</i> .....27		<i>insulin aspart u-100</i> .....52	IV PREP WIPES.....114
ILARIS (PF).....187		INSULIN SYR/NDL U100	<i>ivabradine</i> .....92
ILEVRO.....170		HALF MARK.....138	<i>ivermectin</i> .....62
ILUMYA.....188		INSULIN SYRINGE.....123	IWILFIN.....28
<i>imatinib</i> .....27		INSULIN SYRINGE	IXCHIQ (PF).....193
IMBRUVICA.....27, 28		MICROFINE.....123	IXIARO (PF).....193
IMDELLTRA.....28		INSULIN SYRINGE	<i>jaimiess</i> .....106
<i>imipenem-cilastatin</i> .....17		NEEDLELESS.....123	JAKAFI.....28
<i>imipramine hcl</i> .....47		INSULIN SYRINGE-	<i>jantoven</i> .....80
<i>imipramine pamoate</i> .....47		NEEDLE U-100	JANUMET.....49
<i>imiquimod</i> .....114		123, 136, 138, 139, 140, 148, 152,	JANUMET XR.....49
IMJUDO.....28		156, 157	JANUVIA.....49
IMLYGIC.....28		INSUPEN PEN NEEDLE... 140	JARDIANCE.....49
IMOVAX RABIES		INTELENCE.....73	<i>jasmiel (28)</i> .....107
VACCINE (PF).....192		INTRALIPID.....85	<i>javygtor</i> .....165
IMPAVIDO.....62		INVEGA HAFYERA.....67	JAYPIRCA.....28
INBRIJA.....64		INVEGA SUSTENNA....67, 68	JEMPERLI.....28

<i>jencycla</i>	107	<i>klor-con m20</i>	204	<i>levetiracetam</i>	41, 42
JENTADUETO	49	KLOXXADO	10	<i>levobunolol</i>	202
JENTADUETO XR	49	KOSELUGO	29	<i>levocarnitine</i>	200
<i>jintel</i>	178	<i>kosher prenatal plus iron</i>	213	<i>levocarnitine (with sugar)</i>	200
<i>juleber</i>	107	KOURZEQ	113	<i>levocetirizine</i>	58
JULUCA	74	KRAZATI	29	<i>levofloxacin</i>	20, 167, 168
<i>junel 1.5/30 (21)</i>	107	KRINTAFEL	62	<i>levofloxacin in d5w</i>	20
<i>junel 1/20 (21)</i>	107	KRYSTEXXA	165	<i>levoleucovorin calcium</i>	200
<i>junel fe 1.5/30 (28)</i>	107	<i>kurvelo (28)</i>	107	<i>levonest (28)</i>	108
<i>junel fe 1/20 (28)</i>	107	KYNMOBI	64	<i>levonorgest-eth.estriadiol-iron</i>	108
<i>junel fe 24</i>	107	<i>l norgestrel.estriadiol-e.estrad...</i>	107	<i>levonorgestrel-ethinyl estrad...</i>	108
JUXTAPID	96	<i>labetalol</i>	90	<i>levonorg-eth estrad triphasic</i>	108
JYLAMVO	28	<i>lacosamide</i>	41	<i>levora-28</i>	108
JYNARQUE	94	<i>lactulose</i>	173	<i>levothyroxine</i>	184
JYNNEOS (PF)	193	<i>lagevrio (eua)</i>	78	LEXIVA	74
<i>kalliga</i>	107	<i>lamivudine</i>	74	LIBERVANT	42
KALYDECO	209	<i>lamivudine-zidovudine</i>	74	<i>lidocaine</i>	10
KANJINTI	28	<i>lamotrigine</i>	41	<i>lidocaine (pf)</i>	9, 88, 89
KANUMA	165	<i>lanreotide</i>	181	<i>lidocaine hcl</i>	9
<i>kariva (28)</i>	107	<i>lansoprazole</i>	172	<i>lidocaine viscous</i>	10
KATERZIA	93	<i>lanthanum</i>	175	<i>lidocaine-prilocaine</i>	10
<i>kelnor 1/35 (28)</i>	107	<i>lapatinib</i>	29	<i>linezolid</i>	14
<i>kelnor 1/50 (28)</i>	107	<i>larin 1.5/30 (21)</i>	107	<i>linezolid in dextrose 5%</i>	14
KERENDIA	97	<i>larin 1/20 (21)</i>	107	LINZESS	173
KESIMPTA PEN	101	<i>larin 24 fe</i>	107	<i>liothyronine</i>	184
<i>ketoconazole</i>	55	<i>larin fe 1.5/30 (28)</i>	108	LISCO	140
<i>ketoprofen</i>	8	<i>larin fe 1/20 (28)</i>	108	<i>lisinopril</i>	88
<i>ketorolac</i>	8, 9, 170	<i>latanoprost</i>	202	<i>lisinopril-hydrochlorothiazide</i>	88
KEVZARA	188	LAZCLUZE	29	LITE TOUCH INSULIN	
KEYTRUDA	28	<i>leflunomide</i>	188	PEN NEEDLES	140, 141
KIMMTRAK	28	<i>lenalidomide</i>	29	LITE TOUCH INSULIN	
KINERET	188	LETOCILIN S	19	SYRINGE	140, 141
KINRIX (PF)	193	LENVIMA	29	<i>lithium carbonate</i>	101
<i>kionex (with sorbitol)</i>	173	<i>lessina</i>	108	<i>lithium citrate</i>	101
KISQALI	29	<i>letrozole</i>	29	LIVALO	96
KISQALI FEMARA CO-		<i>leucovorin calcium</i>	200	LIVDELZI	173
PACK	29	LEUKERAN	29	<i>lojaimiess</i>	108
KLISYRI	114	LEUKINE	81	LOKELMA	173
<i>klor-con m10</i>	204	<i>leuprolide</i>	30	LONSURF	30
<i>klor-con m15</i>	204	<i>leuprolide (3 month)</i>	30	<i>loperamide</i>	173

<i>lopinavir-ritonavir</i>	74	MAGELLAN SYRINGE.....	141	MAYZENT
LOQTORZI	30	<i>magnesium sulfate</i> .....	204	STARTER(FOR 2MG
<i>lorazepam</i>	12	<i>magnesium sulfate in d5w</i> .....	204	MAINT).....
<i>lorazepam intensol</i>	12	<i>magnesium sulfate in water</i> .....	204	102
LORBRENA	30	<i>malathion</i> .....	120	<i>meclizine</i> .....
<i>loryna (28)</i>	108	<i>maraviroc</i> .....	74	61
<i>losartan</i>	86	MARGENZA.....	31	<i>medroxyprogesterone</i> .....
<i>losartan-hydrochlorothiazide</i> ....	86	<i>marlissa (28)</i> .....	108	183
LOTEMAX	170	<i>marnatal-f</i> .....	213	<i>mefenamic acid</i> .....
LOTEMAX SM	170	MARPLAN.....	47	9
<i>loteprednol etabonate</i>	170	MATULANE.....	31	<i>mefloquine</i> .....
<i>lovastatin</i>	96	<i>matzim la</i> .....	91	63
<i>low-ogestrel (28)</i>	108	MAVENCLAD (10 TABLET		<i>megestrol</i> .....
<i>loxapine succinate</i>	68	PACK).....	101	31, 183
<i>lo-zumandimine (28)</i>	108	MAVENCLAD (4 TABLET		MEKINIST.....
<i>lubiprostone</i>	173	PACK).....	101	31
LUMAKRAS	30	MAVENCLAD (5 TABLET		MEKTOVI.....
LUMIGAN	203	PACK).....	101	31
LUNSUMIO	30	MAVENCLAD (6 TABLET		<i>meloxicam</i> .....
LUPRON DEPOT	181	PACK).....	101	9
LUPRON DEPOT (3		MAVENCLAD (7 TABLET		<i>memantine</i> .....
MONTH).....	30, 181	PACK).....	101	45
LUPRON DEPOT (4		MAVENCLAD (8 TABLET		MENACTRA (PF).....
MONTH).....	30	PACK).....	101	193
LUPRON DEPOT (6		MAVENCLAD (9 TABLET		MENQUADFI (PF).....
MONTH).....	30	PACK).....	101	193
LUPRON DEPOT-PED	182	MAVYRET.....	77	MENVEO A-C-Y-W-135-
LUPRON DEPOT-PED (3		MAXICOMFORT II PEN		DIP (PF).....
MONTH).....	181	NEEDLE.....	142	193
<i>lurasidone</i>	68	MAXICOMFORT INSULIN		MEPSEVII.....
<i>lutera (28)</i>	108	SYRINGE.....	142	165
LYBALVI	68	MAXI-COMFORT		<i>mercaptopurine</i> .....
<i>lyleq</i>	108	INSULIN SYRINGE.....	142	31
<i>lyllana</i>	179	MAXICOMFORT SAFETY		<i>meropenem</i> .....
LYNPARZA	30	PEN NEEDLE.....	142	17
LYSODREN	30	MAYZENT.....	101	<i>merzee</i> .....
LYTGOBI	30	MAYZENT		109
<i>lyza</i>	108	STARTER(FOR 1MG		<i>mesalamine</i> .....
MAGELLAN INSULIN		MAINT).....	102	197
SAFETY SYRNG	141, 142			<i>mesna</i> .....

<i>methylprednisolone sodium succ</i> .....	180	MONOJECT INSULIN SYRINGE.....	143, 144	NATPARA .....	198
<i>metoclopramide hcl</i> .....	173	MONOJECT SYRINGE.....	143	NAYZILAM .....	42
<i>metolazone</i> .....	95	MONOJECT ULTRA COMFORT INSULIN.....	159	<i>nebivolol</i> .....	90
<i>metoprolol succinate</i> .....	90	<i>mono-linyah</i> .....	109	<i>necon 0.5/35 (28)</i> .....	109
<i>metoprolol ta-hydrochlorothiaz</i> 90		<i>montelukast</i> .....	206	<i>nefazodone</i> .....	47
<i>metoprolol tartrate</i> .....	90	<i>morphine</i> .....	5	<i>neomycin</i> .....	13
<i>metronidazole</i> .....	14, 58, 116	MORPHINE .....	5	<i>neomycin-bacitracin-poly-hc</i> .....	168
<i>metronidazole in nacl (iso-os)</i> ..	14	<i>morphine concentrate</i> .....	5	<i>neomycin-bacitracin-polymyxin</i> .....	168
<i>metyrosine</i> .....	92	MOUNJARO .....	50	<i>neomycin-polymyxin b gu</i> .....	116
<i>mexiletine</i> .....	89	MOVANTIK .....	174	<i>neomycin-polymyxin b-dexameth</i> .....	168
<i>miconazole-3</i> .....	56	<i>moxifloxacin</i> .....	20, 168	<i>neomycin-polymyxin-gramicidin</i> .....	168
<b>MICRODOT INSULIN PEN NEEDLE</b> .....	142	<i>moxifloxacin-sod.ace,sul-water</i> 20		<i>neomycin-polymyxin-hc</i> .....	168
<b>MICRODOT READYGARD PEN NEEDLE</b> .....	142	<i>moxifloxacin-sod.chloride(iso)</i> 20		<i>neo-polycin</i> .....	169
<i>microgestin fe 1/20 (28)</i> .....	109	MOZOBIL .....	81	<i>neo-polycin hc</i> .....	168
<i>midazolam</i> .....	13	MRESVIA (PF) .....	193	NERLYNX .....	31
<i>midodrine</i> .....	86	MULTAQ .....	89	NEULASTA ONPRO .....	81
<i>mifepristone</i> .....	50	<i>mupirocin</i> .....	116	NEUPRO .....	64
<i> miglitol</i> .....	50	MVASI .....	31	<i>nevirapine</i> .....	74
<i>miglustat</i> .....	165	<i>mycophenolate mofetil</i> .....	188	<i>newgen</i> .....	214
<i> mili</i> .....	109	<i>mycophenolate mofetil (hcl)</i> .....	188	NEXLETOL .....	96
<i> mimvey</i> .....	179	<i>mycophenolate sodium</i> .....	188	NEXLIZET .....	96
<b>MINI ULTRA-THIN II</b> .....	143	<i>mynatal</i> .....	214	<i>niacin</i> .....	96
<i> minocycline</i> .....	21	<i>mynatal advance</i> .....	214	<i>niacor</i> .....	96
<i> minoxidil</i> .....	98	<i>mynatal plus</i> .....	214	<i>nicardipine</i> .....	93
<i> mirtazapine</i> .....	47	<i>mynatal-z</i> .....	214	NICOTROL .....	11
<i> misoprostol</i> .....	172	<i>mynate 90 plus</i> .....	214	NICOTROL NS .....	11
<i> mitoxantrone</i> .....	31	MYRBETRIQ .....	175	<i>nifedipine</i> .....	93, 94
<b>M-M-R II (PF)</b> .....	193	<i>nabumetone</i> .....	9	<i>nikki (28)</i> .....	109
<i> m-natal plus</i> .....	214	<i>nadolol</i> .....	90	<i>nilutamide</i> .....	31
<i> modafinil</i> .....	211	<i>nafcillin</i> .....	19	NINLARO .....	31
<i> moexipril</i> .....	88	NAGLAZYME .....	165	<i>nitazoxanide</i> .....	63
<i> molindone</i> .....	68	<i>naloxone</i> .....	10, 11	<i>nitisinone</i> .....	165
<i> mometasone</i> .....	119, 170	<i>naltrexone</i> .....	11	<i>nitrofurantoin macrocrystal</i> .....	14
<i> monodoxyne nl</i> .....	21	NAMZARIC .....	45	<i>nitrofurantoin monohyd/m-cryst</i> .....	14
<b>MONOJECT INSULIN SAFETY SYRING</b> .....	143, 144	<i>naproxen</i> .....	9	<i>nitroglycerin</i> .....	98, 200
		<i>naratriptan</i> .....	58	<i>niva-plus</i> .....	214
		NATACYN .....	168		
		<i>nateglinide</i> .....	50		

NIVESTYM .....	81	NUTRILIPID .....	85	OMNIPOD 5 G6-G7 INTRO	
<i>nizatidine</i> .....	172	<i>nyamyc</i> .....	56	KT(GEN5).....	144
NORDITROPIN FLEXPRO .....	182	<i>nylia 1/35 (28)</i> .....	110	OMNIPOD 5 G6-G7 PODS	
<i>norelgestromin-ethin estradiol</i> 109		<i>nylia 7/7/7 (28)</i> .....	110	(GEN 5).....	144
<i>norethindrone (contraceptive)</i> 109		<i>nymyo</i> .....	110	OMNIPOD CLASSIC PODS	
<i>norethindrone acetate</i> .....	183	<i>nystatin</i> .....	56	(GEN 3).....	144
<i>norethindrone ac-eth estradiol</i> .....	109, 179	<i>nystatin-triamcinolone</i> .....	56	OMNIPOD DASH INTRO	
<i>norethindrone-e.estradiol-iron.</i> 109		<i>nystop</i> .....	56	KIT (GEN 4).....	144
<i>norgestimate-ethynodiol dienoate</i> 109		NYVEPRIA .....	81	OMNIPOD DASH PDM	
NORMOSOL-M IN 5 % DEXTROSE .....	204	<i>obstetrix dha</i> .....	214	KIT (GEN 4).....	145
<i>nortrel 0.5/35 (28)</i> .....	110	<i>obstetrix dha prenatal duo</i> .....	214	OMNIPOD DASH PODS	
<i>nortrel 1/35 (21)</i> .....	110	<i>o-cal prenatal</i> .....	214	(GEN 4).....	145
<i>nortrel 1/35 (28)</i> .....	110	OCALIVA .....	174	OMNIPOD GO PODS	145
<i>nortrel 7/7/7 (28)</i> .....	110	OCREVUS .....	103	OMNIPOD GO PODS 10	
<i>nortriptyline</i> .....	47	OCTAGAM .....	188	UNITS/DAY .....	145
NORVIR .....	74	<i>octreotide acetate</i> .....	182	OMNIPOD GO PODS 15	
NOVOFINE 30 .....	144	ODEFSEY .....	74	UNITS/DAY .....	145
NOVOFINE 32 .....	144	ODOMZO .....	31	OMNIPOD GO PODS 20	
NOVOFINE PLUS .....	144	OFEV .....	209	UNITS/DAY .....	145
NOVOLIN 70/30 U-100 INSULIN .....	52	<i>ofloxacin</i> .....	169	OMNIPOD GO PODS 25	
NOVOLIN 70-30 FLEXPEN U-100 .....	52	OGIVRI .....	31	UNITS/DAY .....	145
NOVOLIN N FLEXPEN .....	52	OGSIVEO .....	32	OMNIPOD GO PODS 30	
NOVOLIN N NPH U-100 INSULIN .....	53	OJEMDA .....	32	UNITS/DAY .....	145
NOVOLIN R FLEXPEN .....	53	OJJAARA .....	32	OMNIPOD GO PODS 40	
NOVOLIN R REGULAR U100 INSULIN .....	53	<i>olanzapine</i> .....	69	UNITS/DAY .....	145
NOVOTWIST .....	144	<i>olmesartan</i> .....	86	ondansetron .....	61
NOXAFIL .....	56	<i>olmesartan-amlodipin-hctizid</i> .....	86	ondansetron hcl .....	61
NPLATE .....	81	<i>olmesartan-</i>		ondansetron hcl (pf) .....	61
NUBEQA .....	31	<i>hydrochlorothiazide</i> .....	87	ONGENTYS .....	64
NUCALA .....	209	<i>olopatadine</i> .....	167	ONTRUZANT .....	32
NULOJIX .....	188	OLUMIANT .....	188	ONUREG .....	32
NUPLAZID .....	69	<i>omega-3 acid ethyl esters</i> .....	96	OPDIVO .....	32
NURTEC ODT .....	59	<i>omeprazole</i> .....	172	OPDUALAG .....	32
		<i>omeprazole-sodium bicarbonate</i> .....	172	OPSUMIT .....	212
		OMNIPOD 5 G6 INTRO		oralone .....	113
		KIT (GEN 5).....	144	ORENCIA .....	189
		OMNIPOD 5 G6 PODS		ORENCIA (WITH	
		(GEN 5).....	144	MALTOSE) .....	188
				ORENCIA CLICKJECT .....	188
				ORFADIN .....	165

ORGOVYX	182	PEMRYDI RTU	33
ORILISSA	182	PEN NEEDLE	136, 145, 146, 148
ORKAMBI	209	PEN NEEDLE, DIABETIC	..127, 128, 142, 143, 145, 146, 148
ORSERDU	32	PEN NEEDLE, DIABETIC,	SAFETY
<i>oseltamivir</i>	76		149
OSMOLEX ER	64	PENBRAYA (PF)	194
OTEZLA	189	PENBRAYA MENACWY	COMPONENT(PF)
OTEZLA STARTER	189	PENBRAYA MENB	COMPONENT (PF)
<i>oxaliplatin</i>	32	<i>penciclovir</i>	114
<i>oxandrolone</i>	177	<i>penicillamine</i>	177
<i>oxazepam</i>	13	<i>penicillin g potassium</i>	19
<i>oxcarbazepine</i>	42	<i>penicillin g procaine</i>	19
OXLUMO	201	<i>penicillin v potassium</i>	19
<i>oxybutynin chloride</i>	175, 176	PENTACEL (PF)	194
<i>oxycodone</i>	5	<i>pentamidine</i>	63
<i>oxycodone-acetaminophen</i>	6	PENTIPS	146
OXYCONTIN	6	<i>pentoxifylline</i>	83
<i>oxymorphone</i>	6	<i>perindopril erbumine</i>	88
OZEMPIC	50	<i>periogard</i>	113
<i>pacerone</i>	89	<i>permethrin</i>	120
paclitaxel	32	<i>perphenazine</i>	69
<i>paclitaxel protein-bound</i>	32	<i>perphenazine-amitriptyline</i>	48
<i>paliperidone</i>	69	PERSERIS	69
PALYNZIQ	165	<i>pfiberpen-g</i>	19
<i>pamidronate</i>	198	<i>phenelzine</i>	48
PANRETIN	114	<i>phenobarbital</i>	42
<i>pantoprazole</i>	172	<i>phenylephrine hcl</i>	86
<i>paricalcitol</i>	198	<i>phenytoin</i>	42
<i>paroex oral rinse</i>	113	<i>phenytoin sodium</i>	42
<i>paromomycin</i>	63	<i>phenytoin sodium extended</i>	42
<i>paroxetine hcl</i>	47	<i>philith</i>	110
PAXLOVID	76	PIFELTRO	74
<i>pazopanib</i>	32	<i>pilocarpine hcl</i>	113, 203
PEDIARIX (PF)	193	<i>pimecrolimus</i>	119
PEDVAX HIB (PF)	194	<i>pimozide</i>	69
PEGASYS	78	<i>pimtrea (28)</i>	110
<i>peg-electrolyte soln</i>	175	<i>pindolol</i>	90
PEMAZYRE	33		
<i>pemetrexed</i>	33		
<i>pemetrexed disodium</i>	33		
		<i>pioglitazone</i>	50
		<i>pioglitazone-metformin</i>	50
		PIP PEN NEEDLE	146
		<i>piperacillin-tazobactam</i>	19
		PIQRAY	33
		<i>pirfenidone</i>	210
		<i>pirmella</i>	110
		<i>piroxicam</i>	9
		PLASMA-LYTE A	204
		PLEGRIDY	103
		<i>plerixafor</i>	81
		<i>pnv 29-1</i>	214
		<i>pnv-dha + docusate</i>	214
		<i>pnv-omega</i>	214
		<i>podofilox</i>	114
		<i>polycin</i>	169
		<i>polymyxin b sulfate</i>	14
		<i>polymyxin b sulf-trimethoprim</i>	169
		POMALYST	33
		<i>portia 28</i>	110
		<i>posaconazole</i>	56
		<i>potassium chloride</i>	204, 205
		<i>potassium chloride-0.45 % nacl</i>	
			205
		<i>potassium citrate</i>	205
		<i>pr natal 400</i>	214
		<i>pr natal 400 ec</i>	214
		<i>pr natal 430</i>	214
		<i>pr natal 430 ec</i>	214
		PRALUENT PEN	97
		<i>pramipexole</i>	64
		<i>prasugrel</i>	83
		<i>pravastatin</i>	97
		<i>prazosin</i>	86
		<i>prednicarbate</i>	119
		<i>prednisolone</i>	180
		<i>prednisolone acetate</i>	170
		<i>prednisolone sodium phosphate</i>	
			170, 180
		<i>prednisone</i>	180

<i>pregabalin</i> .....	42	<i>prochlorperazine</i> .....	62	<i>quinidine gluconate</i> .....	89
PREHEVBRI <sup>O</sup> (PF).....	194	<i>prochlorperazine edisylate</i> ..	62, 69	<i>quinidine sulfate</i> .....	89
PREMARIN.....	179	<i>prochlorperazine maleate</i> .....	62	<i>quinine sulfate</i> .....	63
PREMPHASE.....	179	<i>proctosol hc</i> .....	119	QULIPTA.....	59
PREMPRO.....	179	<i>proctozone-hc</i> .....	119	RABAVERT (PF).....	195
<i>prenal true</i> .....	214	PRODIGY INSULIN		<i>rabeprazole</i> .....	172
<i>prenaissance</i> .....	214	SYRINGE.....	147	RADICAVA.....	103
<i>prenaissance plus</i> .....	215	<i>progesterone</i> .....	183	<i>raloxifene</i> .....	179
<i>prenatabs fa</i> .....	215	<i>progesterone micronized</i> .....	183	<i>ramipril</i> .....	88
<i>prenatal 19</i> .....	215	PROGRAF.....	189	<i>ranolazine</i> .....	93
<i>prenatal 19 (with docusate)</i> ..	215	PROLASTIN-C.....	210	<i>rasagiline</i> .....	64
<i>prenatal low iron</i> .....	215	PROLIA.....	198	RASUVO (PF).....	189
<i>prenatal plus</i> .....	215	PROMACTA.....	81	RAVICTI.....	174
<i>prenatal plus (calcium carb)</i> ..	214	<i>promethazine</i> .....	58, 62	RAYALDEE.....	198
<i>prenatal vitamin plus low iron</i> .	215	<i>promethegan</i> .....	62	<i>reclipsen (28)</i> .....	110
<i>prenatal-u</i> .....	215	<i>propafenone</i> .....	89	RECOMBIVAX HB (PF)....	195
<i>preplus</i> .....	215	<i>proparacaine</i> .....	167	REGRANEX.....	115
<i>pretab</i> .....	215	<i>propranolol</i> .....	90	RELENZA DISKHALER ....	77
PRETOMANID.....	60	<i>propranolol-hydrochlorothiazid</i> 90		RELEUKO.....	81, 82
<i>prevalite</i> .....	97	<i>propylthiouracil</i> .....	184	RELION NEEDLES .....	148
PREVENT DROPSAFE		PROQUAD (PF).....	194	RELION PEN NEEDLES ...	148
PEN NEEDLE.....	146	PROSOL 20 %.....	85	RELISTOR .....	174
PREVYMIS.....	77	<i>protamine</i> .....	83	RENFLEXIS .....	189
PREZCOBIX.....	74	<i>protriptyline</i> .....	48	<i>repaglinide</i> .....	50
PREZISTA.....	74	PULMOZYME.....	165	REPATHA PUSHTRONEX .....	97
PRIFTIN.....	60	PURE COMFORT		REPATHA SURECLICK .....	97
PRIMAQUINE.....	63	ALCOHOL PADS.....	115	REPATHA SYRINGE .....	97
<i>primidone</i> .....	42, 43	PURE COMFORT PEN		RESTASIS .....	171
PRIORIX (PF).....	194	NEEDLE.....	147	RESTASIS MULTIDOSE .....	171
PRIVIGEN.....	189	PURE COMFORT SAFETY		RETACRIT .....	82
PRO COMFORT		PEN NEEDLE .....	147	RETEVMO .....	33
ALCOHOL PADS.....	114	PURIXAN.....	33	RETROVIR .....	74
PRO COMFORT INSULIN		<i>pyrazinamide</i> .....	60	REVCovi .....	165
SYRINGE.....	146, 147	<i>pyridostigmine bromide</i> .....	201	<i>revonto</i> .....	211
PRO COMFORT PEN		<i>pyrimethamine</i> .....	63	REXULTI .....	69
NEEDLE.....	147	QINLOCK.....	33	REYATAZ .....	75
PROAIR RESPICLICK.....	208	QUADRACEL (PF).....	194	REZLIDHIA .....	33
<i>probencid</i> .....	57	<i>quetiapine</i> .....	69	REZUROCK .....	189
<i>probencid-colchicine</i> .....	57	<i>quinapril</i> .....	88	RHOPRESSA .....	203
<i>procainamide</i> .....	89	<i>quinapril-hydrochlorothiazide</i> ..	88	RIABNI .....	33

<i>ribavirin</i>	78	SANTYL	115	SKY SAFETY PEN	
RIDAURA	189	sapropterin	165	NEEDLE	149
rifabutin	60	SAVELLA	103	SKYRIZI	189, 190
rifampin	60	SCEMBLIX	34	SLYND	110
rilpivirine	75	<i>scopolamine base</i>	62	sodium chloride 0.45 %	205
riluzole	103	SECUADO	70	sodium chloride 0.9 %	205
rimantadine	77	SECURESAFE INSULIN		sodium fluoride-pot nitrate	113
RINVOQ	189	SYRINGE	149	sodium oxybate	212
RINVOQ LQ	189	SECURESAFE PEN		sodium phenylbutyrate	174
risedronate	198	NEEDLE	149	sodium polystyrene sulfonate	174
risperidone	70	<i>select-ob</i>	215	<i>sodium, potassium, mag sulfates</i>	
risperidone microspheres	70	<i>select-ob (folic acid)</i>	215	.....	175
ritonavir	75	<i>selegiline hcl</i>	65	solifenacin	176
RITUXAN HYCELA	34	<i>selenium sulfide</i>	116	SOLIQUA 100/33	53
rivastigmine	45	SELZENTRY	75	SOLTAMOX	34
rivastigmine tartrate	45	SEMGLEE(INSULIN		SOLU-CORTEF ACT-O-	
RIVFLOZA	201	GLARGINE-YFGN)	53	VIAL (PF)	180
rizatriptan	59	SEMGLEE(INSULIN		SOMATULINE DEPOT	
r-natal ob	215	GLARG-YFGN)PEN	53	.....	182, 183
ROCKLATAN	203	<i>se-natal 19 chewable</i>	215	SOMAVERT	183
roflumilast	210	SEREVENT DISKUS	208	sorafenib	34
ROLVEDON	82	SEROSTIM	182	sorine	90
ropinirole	64, 65	<i>sertraline</i>	48	sotalol	91
rosadan	116	<i>setlakin</i>	110	<i>sotalol af</i>	90
rosuvastatin	97	<i>sevelamer carbonate</i>	175	SPIRIVA RESPIMAT	208
ROTARIX	195	<i>sevelamer hcl</i>	175	SPIRIVA WITH	
ROTATEQ VACCINE	195	SEZABY	43	HANDIHALER	208
ROZLYTREK	34	<i>sf 5000 plus</i>	113	<i>spironolactone</i>	95, 97
RUBRACA	34	<i>sharobel</i>	110	<i>spironolacton-hydrochlorothiaz</i>	95
rufinamide	43	SHINGRIX (PF)	195	SPRAVATO	48
RUKOBIA	75	SIGNIFOR	182	<i>sprintec (28)</i>	110
RUXIENCE	34	<i>sildenafil</i>	212	SPRITAM	43
RYBELSUS	50	<i>sildenafil (pulm.hypertension)</i>	212	SPRYCEL	34
RYBREVANT	34	<i>silver sulfadiazine</i>	116	<i>sps (with sorbitol)</i>	174
RYDAPT	34	SIMBRINZA	203	<i>sronyx</i>	111
RYTELO	34	<i>simliya (28)</i>	110	<i>ssd</i>	116
SAFESNAP INSULIN		<i>simpesse</i>	110	<i>stavudine</i>	75
SYRINGE	148, 149	<i>simvastatin</i>	97	STELARA	190
SAFETY PEN NEEDLE	149	<i>sirolimus</i>	189	STERILE PADS	149
sajazir	93	SIRTURO	60	STIMUFEND	82

STIOLTO RESPIMAT .....	208	SUTAB .....	175	<i>taztia xt</i> .....	91
STIVARGA .....	34	syeda .....	111	TAZVERIK .....	35
STRENSIQ .....	165	SYMDEKO .....	210	TDVAX .....	195
<i>streptomycin</i> .....	13	SYMJEPI .....	93	TECENTRIQ .....	35
STRIBILD .....	75	SYMLINPEN 120 .....	50	TECHLITE INSULIN	
STRIVERDI RESPIMAT ....	208	SYMLINPEN 60 .....	50	SYRINGE .....	151, 152
SUBLOCADE .....	11	SYMPAZAN .....	43	TECHLITE INSULN	
<i>subvenite</i> .....	43	SYMTUZA .....	75	SYR(HALF UNIT) .....	151
<i>sucralfate</i> .....	172	SYNAGIS .....	77	TECHLITE PEN NEEDLE.	152
<i>sulfacetamide sodium</i> .....	169	SYNAREL .....	183	TECHLITE PLUS PEN	
<i>sulfacetamide sodium (acne)</i> ..	116	SYNJARDY .....	51	NEEDLE .....	152
<i>sulfacetamide-prednisolone</i> ....	169	SYNJARDY XR .....	51	TECVAYLI .....	35
<i>sulfadiazine</i> .....	20	SYNRIBO .....	35	TEFLARO .....	16
<i>sulfamethoxazole-</i>		SYRINGE WITH NEEDLE,		<i>telmisartan</i> .....	87
<i>trimethoprim</i> .....	20	SAFETY .....	149	<i>telmisartan-amlodipine</i> .....	87
<i>sulfasalazine</i> .....	197	TABLOID .....	35	<i>telmisartan-hydrochlorothiazid</i> .	87
<i>sulindac</i> .....	9	TABRECTA .....	35	<i>temazepam</i> .....	13
<i>sumatriptan</i> .....	59	<i>tacrolimus</i> .....	119, 190	TEMIXYS .....	75
<i>sumatriptan succinate</i> .....	59	<i>tadalafil</i> .....	212	<i>tencon</i> .....	6
<i>sumatriptan-naproxen</i> .....	59	<i>tadalafil (pulm. hypertension)</i> ..	212	TENIVAC (PF) .....	195
<i>sunitinib malate</i> .....	34	TAFINLAR .....	35	<i>tenofovir disoproxil fumarate</i> ...	75
SUNLENCA .....	75	<i>tafluprost (pf)</i> .....	203	TEPEZZA .....	167
SUNOSI .....	212	TAGRISSO .....	35	TEPMETKO .....	35
SUPPRELIN LA .....	183	TAKHZYRO .....	201	<i>terazosin</i> .....	176
SURE COMFORT		TALTZ AUTOINJECTOR ..	190	<i>terbinafine hcl</i> .....	56
ALCOHOL PREP PADS ....	115	TALTZ SYRINGE .....	190	<i>terbutaline</i> .....	208
SURE COMFORT INS.		TALVEY .....	35	<i>terconazole</i> .....	58
SYR. U-100 .....	149	TALZENNA .....	35	<i>teriflunomide</i> .....	103
SURE COMFORT		<i>tamoxifen</i> .....	35	<i>teriparatide</i> .....	199
INSULIN SYRINGE....	149, 150	<i>tamsulosin</i> .....	176	TERUMO INSULIN	
SURE COMFORT PEN		<i>tarina 24 fe</i> .....	111	SYRINGE .....	152, 153
NEEDLE .....	150	<i>tarina fe 1-20 eq (28)</i> .....	111	<i>testosterone</i> .....	177
SURE COMFORT SAFETY		<i>taron-c dha</i> .....	215	<i>testosterone cypionate</i> .....	177
PEN NEEDLE .....	149	<i>taron-prex prenatal-dha</i> .....	215	<i>testosterone enanthate</i> .....	177
SURE-FINE PEN		TASCENO ODT .....	103	TETANUS,DIPHTHERIA	
NEEDLES .....	150, 151	TASIGNA .....	35	TOX PED(PF) .....	195
SURE-JECT INSULIN		<i>tasimelteon</i> .....	212	<i>tetrabenazine</i> .....	103
SYRINGE .....	151	TAVALISSE .....	83	<i>tetracycline</i> .....	21
SURE-PREP ALCOHOL		<i>tazarotene</i> .....	119	THALOMID .....	201
PREP PADS .....	115	TAZORAC .....	119	<i>theophylline</i> .....	208

THINPRO INSULIN SYRINGE	153	<i>tramadol-acetaminophen</i>	6	<i>tri-sprintec</i> (28)	111
<i>thioridazine</i>	70	<i>trandolapril</i>	88	TRIUMEQ	75
<i>thiothixene</i>	70	<i>trandolapril-verapamil</i>	88	TRIUMEQ PD	76
<i>tiadylt er</i>	91	<i>tranexamic acid</i>	83	<i>triveen-duo dha</i>	215
<i>tiagabine</i>	43	<i>tranylcypromine</i>	48	<i>trivora</i> (28)	111
TIBSOVO	35	TRAVASOL 10 %	85	<i>tri-vylibra</i>	111
TICE BCG	35	<i>travoprost</i>	203	<i>tri-vylibra lo</i>	111
TICOVAC	195, 196	TRAZIMERA	36	TRIZIVIR	76
<i>tigecycline</i>	21	<i>trazodone</i>	48	TROGARZO	76
<i>timolol maleate</i>	91, 203	TRECATOR	60	TROPHAMINE 10 %	85
<i>tinidazole</i>	63	TRELEGY ELLIPTA	208	<i>trospium</i>	176
<i>tiopronin</i>	176	TRELSTAR	36	TRUE COMFORT	
TIVDAK	36	TREMFYA	190	ALCOHOL PADS	115
TIVICAY	75	<i>treprostinil sodium</i>	213	TRUE COMFORT	
TIVICAY PD	75	<i>tretinoi</i> n	119, 120	INSULIN SYRINGE	154
<i>tizanidine</i>	211	<i>tretinoi</i> n (antineoplastic)	36	TRUE COMFORT PEN	
TOBI PODHALER	13	<i>triamicinolone acetonide</i>		NEEDLE	154
<i>tobramycin</i>	13, 169	.....113, 119, 181		TRUE COMFORT PRO	
<i>tobramycin in 0.225 % nacl</i>	13	<i>triamterene-hydrochlorothiazid</i>	95	ALCOHOL PADS	115
<i>tobramycin sulfate</i>	13	<i>triazolam</i>	13	TRUE COMFORT PRO INS	
<i>tobramycin-dexamethasone</i>	169	<i>tridacaine ii</i>	10	SYRINGE	153, 154, 155
<i>tolmetin</i>	9	<i>trientine</i>	177	TRUE COMFORT SAFE	
<i>tolterodine</i>	176	<i>tri-estarrylla</i>	111	INSULIN SYRG	154, 155
TOPCARE CLICKFINE	153	<i>trifluoperazine</i>	70	TRUE COMFORT SAFETY	
TOPCARE ULTRA COMFORT	153	<i>trifluridine</i>	169	PEN NEEDLE	154
<i>topiramate</i>	43	<i>trihexyphenidyl</i>	65	TRUEPLUS INSULIN	155, 156
<i>toposar</i>	36	TRIJARDY XR	51	TRUEPLUS PEN NEEDLE	155
<i>toremifene</i>	36	TRIKAFTA	210	TRULICITY	51
<i>torpenz</i>	36	<i>tri-legest fe</i>	111	TRUMENBA	196
<i>torsemide</i>	95	<i>tri-linyah</i>	111	TRUQAP	36
TOTECT	201	<i>tri-lo-estarrylla</i>	111	TRUXIMA	36
TOUJEO MAX U-300 SOLOSTAR	53	<i>tri-lo-marzia</i>	111	TUKYSA	36
TOUJEO SOLOSTAR U-300 INSULIN	53	<i>tri-lo-mili</i>	111	<i>tulana</i>	111
TRACLEER	213	<i>tri-lo-sprintec</i>	111	TURALIO	36
TRADJENTA	51	<i>trimethoprim</i>	14	<i>turqoz</i> (28)	111
<i>tramadol</i>	6	<i>tri-mili</i>	111	TWINRIX (PF)	196
		<i>trimipramine</i>	48	<i>tyblume</i>	112
		TRINTELLIX	48	TYBOST	201
		<i>tri-nymyo</i>	111	TYMLOS	199
		TRIPTODUR	183	TYPHIM VI	196

TYSABRI.....	190	ULTRACARE PEN	VANISHPOINT INSULIN
TYVASO.....	213	NEEDLE.....	SYRINGE.....
UBRELVY.....	59	ULTRA-THIN II (SHORT)	163
UDENYCA.....	82	INS SYR.....	VANISHPOINT SYRINGE.
UDENYCA		ULTRA-THIN II (SHORT)	196
AUTOINJECTOR.....	82	PEN NDL.....	varenicline.....
UDENYCA ONBODY.....	82	ULTRA-THIN II INS PEN	11
ULTICARE.....	157	NEEDLES.....	VARIVAX (PF).....
ULTICARE INSULIN		ULTRA-THIN II INSULIN	196
SYRINGE.....	156	SYRINGE.....	VASCEPA.....
ULTICARE INSULIN		UNIFINE PEN NEEDLE....	97
SYR(HALF UNIT).....	156	UNIFINE PENTIPS	VEGZELMA.....
ULTICARE PEN NEEDLE	157	.....	VEKLURY.....
ULTICARE SAFETY PEN		UNIFINE PENTIPS	VELCADE.....
NEEDLE.....	157	MAXFLOW.....	velvet triphasic regimen (28).
ULTIGUARD SAFEPACK-		UNIFINE PENTIPS PLUS..	112
INSULIN SYR.....	157, 158	UNIFINE PENTIPS PLUS	VELPHORO.....
ULTIGUARD SAFEPACK-		MAXFLOW.....	175
PEN NEEDLE.....	158	UNIFINE PROTECT .....	VELTASSA.....
ULTILET ALCOHOL		UNIFINE SAFECONTROL	174
SWAB.....	115	.....	VENMLIDY.....
ULTILET INSULIN		UNIFINE SAFECONTROL	76
SYRINGE.....	139, 158	PEN NEEDLE.....	VENCLEXTA.....
ULTILET PEN NEEDLE....	158	UNIFINE ULTRA PEN	36, 37
ULTRA CMFT INS SYR		NEEDLE.....	VENCLEXTA STARTING
(HALF UNIT).....	137, 149	UPTRAVI.....	PACK.....
ULTRA COMFORT		ursodiol.....	37
INSULIN SYRINGE		UZEDY.....	venlafaxine.....
.....	131, 137, 159	valacyclovir.....	48
ULTRA FLO INSUL		VALCHLOR.....	venlafaxine besylate .....
SYR(HALF UNIT).....	159	valganciclovir.....	48
ULTRA FLO INSULIN		valproate sodium.....	verapamil.....
SYRINGE.....	159, 160	valproic acid.....	91, 92
ULTRA FLO PEN NEEDLE		valproic acid (as sodium salt) ..	VERIFINE INSULIN
.....	159	43	SYRINGE.....
ULTRA THIN PEN		valsartan.....	163, 164
NEEDLE.....	160	valsartan-hydrochlorothiazide ..	VERIFINE PEN NEEDLE..
ULTRACARE INSULIN		87	163
SYRINGE.....	160	VALTOCO.....	VERIFINE PLUS PEN
		vancomycin.....	NEEDLE.....
		VANFLYTA.....	163, 164
			VERIFINE PLUS PEN
			NEEDLE-SHARP .....
			VERQUVO.....
			VERSACLOZ.....
			VERSALON.....
			VERZENIO.....
			vestura (28) .....
			112
			V-GO 20.....
			164
			V-GO 30.....
			164
			V-GO 40.....
			164
			vienna.....
			112
			vigabatrin.....
			43, 44
			vigadrone.....
			44
			vigpoder.....
			44
			vilazodone .....
			48

VIMIZIM .....	166	XALKORI.....	37	ZEGALOGUE .....	
vinate care .....	215	XARELTO.....	80	AUTOINJECTOR .....	201
vinblastine .....	37	XARELTO DVT-PE TREAT .....	80	ZEGALOGUE SYRINGE .....	202
vincasar pfs .....	37	30D START .....	80	ZEJULA .....	38
vincristine .....	37	XATMEP .....	37	ZELBORA F .....	38
vinorelbine .....	37	XCOPRI .....	44	zenatane .....	115
viorele (28) .....	112	XCOPRI MAINTENANCE .....		ZENPEP .....	166
VIRACEPT .....	76	PACK .....	44	zidovudine .....	76
VIREAD .....	76	XCOPRI TITRATION .....		ZIEXTENZO .....	82
virt-c dha .....	215	PACK .....	44	zingiber .....	216
virt-nate dha .....	215	XELJANZ .....	190	ziprasidone hcl .....	71
virt-pn dha .....	215	XELJANZ XR .....	191	ziprasidone mesylate .....	71
virt-pn plus .....	216	XERMELO .....	174	ZIRABEV .....	38
VISTOGARD .....	201	XGEVA .....	199	ZIRGAN .....	169
vitafol gummies .....	216	XHANCE .....	171	ZOLADEX .....	38
vitafol nano .....	216	XIFAXAN .....	15	zoledronic acid .....	199
vitafol-ob+dha .....	216	XIGDUO XR .....	51	zoledronic acid-mannitol-water .....	199
VITRAKVI .....	37	XIIDRA .....	171	ZOLINZA .....	38
VIZIMPRO .....	37	XOFLUZA .....	77	zolmitriptan .....	59, 60
VOCABRIA .....	76	XOLAIR .....	210	zolpidem .....	212
volnea (28) .....	112	XOSPATA .....	38	ZONISADE .....	44
VONJO .....	37	XPOVIO .....	38	zonisamide .....	44
voriconazole .....	56	XTAMPZA ER .....	6	zovia 1-35 (28) .....	112
VOSEVI .....	78	XTANDI .....	38	ZTALMY .....	44
VOWST .....	201	xulane .....	112	ZTLIDO .....	10
vp-ch-pnv .....	216	XULTOPHY 100/3.6 .....	53	zumandimine (28) .....	112
vp-pnv-dha .....	216	XYOSTED .....	178	ZURZUVAE .....	48
VPRIIV .....	166	yargesa .....	166	ZYDELIG .....	38
VRAYLAR .....	71	YERVOY .....	38	ZYKADIA .....	39
VUMERTY .....	103	YF-VAX (PF) .....	196	ZYLET .....	169
vyfemla (28) .....	112	YONSA .....	38	ZYMFENTRA .....	202
vylibra .....	112	yuvafem .....	179	ZYNLONTA .....	39
VYZULTA .....	203	zafemy .....	112	ZYNYZ .....	39
warfarin .....	80	zafirlukast .....	207	ZYPREXA RELPREVV .....	71
WEBCOL .....	115	zaleplon .....	212		
WELIREG .....	37	zarah .....	112		
wera (28) .....	112	ZARXIO .....	82		
WINREVAIR .....	210	zatecan-pn dha .....	216		
wixela inhuh .....	206	zatecan-pn plus .....	216		
XADAGO .....	65	zebutal .....	6		



**VERDA**  
HEALTHCARE

**Verda Health Plan of Texas**

**1-888-256-5123 , TTY 711 | [verdahealthcare.com](http://verdahealthcare.com)**

**Hours of Operations:** 8:00 a.m. – 8:00 p.m. 7 days a week (except Thanksgiving and Christmas) from October 1 to March 31 and 8:00 a.m. – 8:00 p.m. Monday through Friday (except holidays) from April 1 through September 30