



**VERDA**  
HEALTHCARE

Verda Noble Care (HMO)  
**2025 FORMULARY**

# **Verda Health Plan of Texas**

## **Verda Noble Care (HMO)**

### **2025 Formulary**

#### **(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 24326, Version Number 21

This formulary was updated on 10/15/2024. We have made no changes to this formulary since 10/15/2024. For more recent information or other questions, please contact us, Verda Health Plan of Texas Member Experience Department at 1-888-256-5123 (TTY users should call 711), 8:00 a.m. – 8:00 p.m. 7 days a week (except Thanksgiving and Christmas) from October 1 to March 31 and 8:00 a.m. – 8:00 p.m. Monday through Friday (except holidays) from April 1 through September 30, or visit [www.verdahealthcare.com](http://www.verdahealthcare.com).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Verda Health Plan of Texas. When it refers to “plan” or “our plan,” it means Verda Noble Care (HMO).

This document includes list of the drugs (formulary) for our plan which is current as of 10/15/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

10/15/2024

H5163\_FID001EN\_C

## **What is the Verda Health Plan of Texas Formulary?**

A formulary is a list of covered drugs selected by Verda Health Plan of Texas in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Verda Health Plan of Texas will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Verda Health Plan of Texas network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but Verda Health Plan of Texas may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Verda Health Plan of Texas’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 1 month supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include

information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Verda Health Plan of Texas’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 01/01/2024. To get updated information about the drugs covered by Verda Health Plan of Texas please contact us. Our contact information appears on the front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Verda Health Plan of Texas covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Verda Health Plan of Texas requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Verda Health Plan of Texas before you fill your prescriptions. If you don't get approval, Verda Health Plan of Texas may not cover the drug.
- **Quantity Limits:** For certain drugs, Verda Health Plan of Texas limits the amount of the drug that Verda Health Plan of Texas will cover. For example, Verda Health Plan of Texas provides 30 per prescription for Lansoprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Verda Health Plan of Texas requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Verda Health Plan of Texas may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Verda Health Plan of Texas will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Verda Health Plan of Texas to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Verda Health Plan of Texas’s formulary?” on page 5 for information about how to request an exception.

## **What are over-the-counter (OTC) drugs?**

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. Verda Health Plan of Texas pays for certain OTC drugs. Verda Health Plan of Texas will provide these OTC drugs at no cost to you. The cost to Verda Health Plan of Texas of these OTC drugs will not count toward your total Part D drug costs (that is, the cost of the OTC drugs does not count for the coverage gap.)

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Experience and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Verda Health Plan of Texas does not cover your drug, you have two options:

- You can ask Member Experience for a list of similar drugs that are covered by Verda Health Plan of Texas. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Verda Health Plan of Texas.
- You can ask Verda Health Plan of Texas to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Verda Health Plan of Texas's Formulary?**

You can ask Verda Health Plan of Texas to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level. You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Verda Health Plan of Texas limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Verda Health Plan of Texas will only approve your request for an exception if the alternative drugs included on the plan's formulary, [the lower cost-sharing drug] or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover 31 day emergency supply of that drug while you pursue a formulary exception.

## **For more information**

For more detailed information about your Verda Health Plan of Texas prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Verda Health Plan of Texas, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Verda Health Plan of Texas Formulary**

The formulary that begins on the next page provides coverage information about the drugs covered by Verda Health Plan of Texas. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., *<HUMULIN* and generic drugs are listed in lower-case italics (e.g., *atorvastatin* ).

The information in the Requirements/Limits column tells you if Verda Health Plan of Texas has any special requirements for coverage of your drug.

The following may be found within the “Tier” or “Requirements/Limits” columns of the formulary:

Abbreviation Description Explanation	Abbreviation Description Explanation	Abbreviation Description Explanation
<b>Drug Tier</b>		
1	Tier 1	Tier 1- Preferred Generic
2	Tier 2	Tier 2- Generic
3	Tier 3	Tier 3- Preferred Brand
4	Tier 4	Tier 4- Non-Preferred Drug (Brand and Generic)
5	Tier 5	Tier 5- Specialty

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

### **List of Abbreviations**

**B/D PA:** This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**EX:** Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

**GC:** Gap Coverage. We provide coverage of this prescription drug in the Coverage Gap. Please refer to our Evidence of Coverage for more information about this coverage.

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Medimpact Customer Service.

**MO:** Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

**NDS:** Non-Extended Day Supply Medication. This drug is only available as a 30-day supply or less.

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**FF:** A program that provides a free first fill as an incentive for the member to switch to a specific alternate drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover. SSM: Senior Savings Model. Select Insulins are part of the Senior Savings Model program which lowers the cost of certain insulins up to and during the coverage gap.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Verda Health Plan of Texas is an HMO/SNP with a Medicare contract. Enrollment in Verda Health Plan of Texas depends on contract renewal.

## Table of Contents

Analgesics .....	3
Anesthetics .....	7
Anti-Addiction/Substance Abuse Treatment Agents .....	7
Antianxiety Agents .....	9
Antibacterials .....	10
Anticancer Agents .....	19
Anticonvulsants .....	38
Antidementia Agents .....	44
Antidepressants .....	45
Antidiabetic Agents .....	49
Antifungals .....	56
Antigout Agents .....	58
Antihistamines .....	58
Anti-Infectives (Skin And Mucous Membrane) .....	59
Antimigraine Agents .....	59
Antimycobacterials .....	61
Antinausea Agents .....	61
Antiparasite Agents .....	62
Antiparkinsonian Agents .....	64
Antipsychotic Agents .....	65
Antivirals (Systemic) .....	72
Blood Products/Modifiers/Volume Expanders .....	80
Caloric Agents .....	83
Cardiovascular Agents .....	84
Central Nervous System Agents .....	97
Contraceptives .....	101
Cough And Cold Products .....	111
Dental And Oral Agents .....	111
Dermatological Agents .....	111
Devices .....	117
Enzyme Replacement/Modifiers .....	170
Eye, Ear, Nose, Throat Agents .....	171
Gastrointestinal Agents .....	176
Genitourinary Agents .....	179
Heavy Metal Antagonists .....	180
Hormonal Agents, Stimulant/Replacement/Modifying .....	181

Immunological Agents.....	187
Inflammatory Bowel Disease Agents.....	200
Metabolic Bone Disease Agents.....	201
Miscellaneous Therapeutic Agents.....	202
Ophthalmic Agents.....	204
Replacement Preparations.....	205
Respiratory Tract Agents.....	207
Skeletal Muscle Relaxants.....	212
Sleep Disorder Agents.....	213
Vasodilating Agents.....	213
Vitamins And Minerals.....	214

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
acetaminophen-codeine oral solution 120-12 mg/5 ml	1	QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	2	QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	2	QL (180 per 30 days)
buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	2	QL (4 per 28 days)
butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-acetaminophen-caff oral (Fioricet) capsule 50-300-40 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-acetaminophen-caff oral (Esgic) capsule 50-325-40 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-acetaminophen-caff oral (Esgic) tablet 50-325-40 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
endocet oral tablet 10-325 mg (oxycodone-acetaminophen)	2	QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)	2	QL (360 per 30 days)
endocet oral tablet 7.5-325 mg (oxycodone-acetaminophen)	2	QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
fentanyl citrate buccal lozenge on a handle 200 mcg	2	PA; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml	2	QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	2	QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 5-325 mg	2	QL (240 per 30 days)
hydromorphone oral tablet 2 mg, (Dilaudid) 4 mg, 8 mg	2	QL (180 per 30 days)
methadone oral tablet 10 mg	2	QL (120 per 30 days)
methadone oral tablet 5 mg	2	QL (180 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	2	PA; QL (180 per 30 days)
morphine oral solution 10 mg/5 ml	2	QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)	2	QL (60 per 30 days)
morphine oral tablet extended release 15 mg, 30 mg (MS Contin)	2	QL (90 per 30 days)
oxycodone oral capsule 5 mg	2	QL (180 per 30 days)
oxycodone oral tablet 10 mg, 5 mg	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
oxycodone oral tablet 15 mg, 30 mg (Roxicodone)	2	QL (120 per 30 days)
oxycodone oral tablet 20 mg	2	QL (120 per 30 days)
oxycodone-acetaminophen oral tablet 10-325 mg (Endocet)	2	QL (180 per 30 days)
oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg (Endocet)	2	QL (360 per 30 days)
oxycodone-acetaminophen oral tablet 7.5-325 mg (Endocet)	2	QL (240 per 30 days)
tramadol oral tablet 50 mg	1	QL (240 per 30 days)
tramadol-acetaminophen oral tablet 37.5-325 mg	2	QL (300 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)	2	QL (60 per 30 days)
diclofenac potassium oral tablet 50 mg	2	QL (120 per 30 days)
diclofenac sodium oral tablet, extended release 24 hr 100 mg	2	
diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg	2	
diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg	2	QL (120 per 30 days)
diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg	2	QL (60 per 30 days)
diclofenac sodium topical drops 1.5 %	2	QL (300 per 30 days)
diclofenac sodium topical gel 1 % (Aleve (diclofenac))	2	QL (1000 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium topical solution (Pennsaid) in metered-dose pump 20 mg/gram /actuation(2 %)</i>	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50- 200 mg-mcg</i>	2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75- 200 mg-mcg</i>	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i>	(EC-Naprosyn)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>		2	
<b>Anesthetics</b>			
<b>Local Anesthetics</b>			
<i>dermacinrx lidocan 5% patch outer</i>	(lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i>	(lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i>	(Glydo)	2	QL (30 per 30 days)
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	(lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>		2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	(lidocaine)	2	PA; QL (90 per 30 days)
<i>ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %</i>		3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>			
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>			
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>		2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>		2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	(Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	(Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>		2	QL (90 per 30 days)
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i>		2	
<i>disulfiram oral tablet 250 mg, 500 mg</i>		2	
<b>KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION</b>		3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>		2	
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>		2	
<i>naloxone nasal spray, non-aerosol (Narcan) 4 mg/actuation</i>		2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>		2	
<b>NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML</b>		4	QL (240 per 180 days)
<i>varenicline oral tablet 0.5 mg, 1 mg (56 pack)</i>		2	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg (Chantix)</i>		2	QL (336 per 365 days)
<i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i>	(Chantix Starting Month Box)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	QL (300 per 30 days)
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg	2	QL (90 per 30 days)
clonazepam oral tablet,disintegrating 2 mg	2	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg	2	QL (180 per 30 days)
diazepam injection solution 5 mg/ml	2	QL (10 per 28 days)
diazepam injection syringe 5 mg/ml	2	
diazepam intensol oral concentrate 5 mg/ml (diazepam)	2	QL (1200 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)	2	QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)	1	QL (120 per 30 days)
lorazepam 2 mg/ml oral concnet (Lorazepam Intensol)	2	QL (150 per 30 days)
lorazepam 4 mg/ml vial inner (Ativan)	1	
lorazepam injection solution 2 mg/ml (Ativan)	1	QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lorazepam injection solution 4 mg/ml</i>	(Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>		1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	(lorazepam)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	(Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	(Ativan)	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	(Restoril)	1	QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i>	(Restoril)	2	QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i>	(Restoril)	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>		2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i>	(Halcion)	2	QL (60 per 30 days)
<b>Antibacterials</b>			
<b>Aminoglycosides</b>			
<i>amikacin injection solution 500 mg/2 ml</i>		2	
<i>ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML</i>		5	PA; NM; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>		2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>		2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>		2	
<i>neomycin oral tablet 500 mg</i>		2	
<i>streptomycin intramuscular recon soln 1 gram</i>		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg Parenteral)</i>	5	NM; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg</i>	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	QL (60 per 30 days)
<i>trimethoprim oral tablet 100 mg</i>		2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>		2	
<i>vancomycin oral capsule 125 mg</i>	(Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i>	(Vancocin)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG		3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG		5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>			
<i>cefaclor oral capsule 250 mg, 500 mg</i>		2	
<i>cefadroxil oral capsule 500 mg</i>		2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>		2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>		2	
<i>cefdinir oral capsule 300 mg</i>		2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>		2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>		2	
<i>cefixime oral capsule 400 mg</i>		2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>		2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg (Zithromax)</i>	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)</i>	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LETOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection (Pfizerpen-G) recon soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
ciprofloxacin hcl oral tablet 750 mg	1		
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2		
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2		
levofloxacin oral solution 250 mg/10 ml	2		
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1		
moxifloxacin 400 mg/250 ml bag	2		
moxifloxacin oral tablet 400 mg	2		
moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml	(Avelox in NaCl (iso-osmotic))	2	
<b>Sulfonamides</b>			
sulfadiazine oral tablet 500 mg	2		
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml	(Sulfatrim)	2	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg	(Bactrim)	1	
sulfamethoxazole-trimethoprim oral tablet 800-160 mg	(Bactrim DS)	1	
<b>Tetracyclines</b>			
demeccocyline oral tablet 150 mg, 300 mg	2		
doxy-100 intravenous recon soln 100 mg	(doxycycline hyclate)	2	
doxycycline hyclate intravenous recon soln 100 mg	(Doxy-100)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet 150 mg, 75 mg</i> (Acticlate)	2	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxyne NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
abiraterone oral tablet 250 mg, 500 mg (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
adrucil intravenous solution 2.5 gram/50 ml (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
anastrozole oral tablet 1 mg (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
azacitidine injection recon soln 100 mg (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i>	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i>	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i>	2	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i>	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml, 500 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>flouxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg (Eulexin)</i>	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml (Faslodex)</i>	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg (Iressa)</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG (lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln</i> (Ifex) 1 gram	2	
<i>ifosfamide intravenous solution</i> 1 gram/20 ml, 3 gram/60 ml	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
LONSURF ORAL TABLET 15- 6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20- 8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)	
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS	
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS	
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)	
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)	
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i>	(Abraxane)	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg</i>	(Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)	
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>		5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>		5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>		5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS	
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)	
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	(thioguanine)
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml</i>	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	2	
<b>EPIDIOLEX ORAL SOLUTION 100 MG/ML</b>		5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	(carbamazepine)	2	
<b>EPRONTIA ORAL SOLUTION 25 MG/ML</b>		4	ST
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>		2	
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	2	
<b>FINTEPLA ORAL SOLUTION 2.2 MG/ML</b>		5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	(Cerebyx)	2	
<b>FYCOMPA ORAL SUSPENSION 0.5 MG/ML</b>		5	ST; NM; NDS; QL (720 per 30 days)
<b>FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG</b>		5	ST; NM; NDS; QL (30 per 30 days)
<b>FYCOMPA ORAL TABLET 2 MG</b>		4	ST; QL (30 per 30 days)
<b>FYCOMPA ORAL TABLET 4 MG, 6 MG</b>		5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i>	(Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	(Neurontin)	2	QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Kepra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Kepra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Kepra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Kepra XR)	2	
<i>LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG</i>	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
<i>NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)</i>	4	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
oxcarbazepine oral suspension (Trileptal) 300 mg/5 ml (60 mg/ml)	2	
oxcarbazepine oral tablet 150 mg, (Trileptal) 300 mg, 600 mg	2	
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)	2	PA NSO-HRM; AGE (Max 64 Years)
phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg	2	PA NSO-HRM; AGE (Max 64 Years)
phenytoin oral suspension 125 (Dilantin-125) mg/5 ml	2	
phenytoin oral tablet, chewable 50 (Dilantin Infatabs) mg	2	
phenytoin sodium extended oral (Dilantin Extended) capsule 100 mg	2	
phenytoin sodium extended oral (Phenytek) capsule 200 mg, 300 mg	2	
phenytoin sodium intravenous solution 50 mg/ml	2	
phenytoin sodium intravenous syringe 50 mg/ml	2	
pregabalin oral capsule 100 mg, (Lyrica) 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	2	QL (90 per 30 days)
pregabalin oral capsule 225 mg, (Lyrica) 300 mg	2	QL (60 per 30 days)
pregabalin oral solution 20 mg/ml (Lyrica)	2	QL (900 per 30 days)
primidone oral tablet 125 mg	2	
primidone oral tablet 250 mg, 50 (Mysoline) mg	2	
rufinamide oral suspension 40 (Banzel) mg/ml	5	ST; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>rufinamide oral tablet 200 mg</i>	(Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i>	(Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG		5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG		4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>		2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	(Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	(Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>		2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>		2	
<i>valproic acid oral capsule 250 mg</i>		2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)		5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i>	(Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i>	(Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
vigadron oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadron oral tablet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigpoder oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
zonisamide oral capsule 100 mg, (Zonegran) 25 mg	2	
zonisamide oral capsule 50 mg	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
donepezil oral tablet 10 mg, 5 mg (Aricept)	1	QL (30 per 30 days)
donepezil oral tablet 23 mg (Aricept)	2	QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>donepezil oral tablet,disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG</i>	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	(Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>		2	
<i>citalopram oral tablet 10 mg</i>	(Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i>	(Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	(Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i>	(Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>		2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	(Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	
<i>doxepin oral concentrate 10 mg/ml</i>		2	
<b>DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG</b>		4	ST; QL (60 per 30 days)
<b>DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG</b>		4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	(Cymbalta)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet (Lexapro) 10 mg, 20 mg, 5 mg</i>	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 (Prozac) mg, 40 mg</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i>	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i>	2	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	
<i>SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)</i>	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
<i>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</i>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)

## **Antidiabetic Agents**

### **Antidiabetic Agents,**

#### **Miscellaneous**

<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	FFF; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	FFF; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	FFF; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	FFF; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	FFF; QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NM; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet (Actoplus MET) 15-850 mg</i>	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA; QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned- metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG (dapaglifloz propaned- metformin)	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned- metformin)	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prl-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70- 30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prl-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U- 100 Insulin)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U- 100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U- 100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE- YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG- YFGN) PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec)	3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec)	3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	max \$35 copay per month supply; QL (15 per 28 days)
<b>Sulfonylureas</b>			
glimepiride oral tablet 1 mg, 2 mg		1	QL (30 per 30 days)
glimepiride oral tablet 4 mg		1	QL (60 per 30 days)
glipizide oral tablet 10 mg		1	QL (120 per 30 days)
glipizide oral tablet 2.5 mg		1	QL (60 per 30 days)
glipizide oral tablet 5 mg		1	QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	(Glucotrol XL)	1	QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg	(Glucotrol XL)	1	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg		2	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg		2	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg		1	PA-HRM; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg		1	PA-HRM; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg		1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i>	5	PA BvD; NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	2	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	2	
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2	
<i>griseofulvin microsize oral tablet 500 mg</i>		2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		2	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>		2	
<i>ketoconazole topical cream 2 %</i>		2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	(Mycamine)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>		2	
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		2	
<i>nystatin oral tablet 500,000 unit</i>		2	
<i>nystatin topical cream 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		2	
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	

## **Antigout Agents**

### **Antigout Agents, Other**

<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	

## **Antihistamines**

### **Antihistamines**

<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>		2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG		3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG		3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)		2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>		2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i>	(Maxalt-MLT)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>		2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, suv</i>	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>		2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i>	(Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	(Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i>	(Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i>	(Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i>	(Imitrex STATdose Pen)	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	(Imitrex)	2	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG		3	PA; QL (16 per 30 days)
<b>Antimycobacterials</b>			
<b>Antimycobacterials</b>			
<i>dapsone oral tablet 100 mg, 25 mg</i>		2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>		2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>		1	
PRIFTIN ORAL TABLET 150 MG		4	
<i>pyrazinamide oral tablet 500 mg</i>		2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)		2	
<i>rifampin intravenous recon soln 600 mg</i>	(Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>		2	
SIRTURO ORAL TABLET 100 MG, 20 MG		5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG		4	
<b>Antinausea Agents</b>			
<b>Antinausea Agents</b>			
<i>aprepitant oral capsule 125 mg</i>		2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>		2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)		2	PA BvD; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aprepitant oral capsule,dose pack (Emend) 125 mg (1)- 80 mg (2)</i>	2	PA BvD
<i>compro rectal suppository 25 mg (prochlorperazine)</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)</i>	2	PA; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg (Dramamine (meclizine))</i>	1	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg (Compazine)</i>	2	
<i>prochlorperazine rectal suppository 25 mg (Compro)</i>	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethegran rectal suppository 12.5 mg, 25 mg (promethazine)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days (Transderm-Scop)</i>	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
atovaquone-proguanil oral tablet 250-100 mg	(Malarone)	2	
atovaquone-proguanil oral tablet 62.5-25 mg	(Malarone Pediatric)	2	
chloroquine phosphate oral tablet 250 mg, 500 mg		2	
COARTEM ORAL TABLET 20- 120 MG		4	
hydroxychloroquine oral tablet 100 mg		2	QL (180 per 30 days)
hydroxychloroquine oral tablet 200 mg	(Plaquenil)	2	QL (90 per 30 days)
hydroxychloroquine oral tablet 300 mg	(Sovuna)	2	QL (60 per 30 days)
hydroxychloroquine oral tablet 400 mg		2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG		5	PA; NM; NDS; QL (84 per 28 days)
ivermectin oral tablet 3 mg	(Stromectol)	2	
mefloquine oral tablet 250 mg		2	
nitazoxanide oral tablet 500 mg	(Alinia)	5	NM; NDS; QL (60 per 30 days)
paromomycin oral capsule 250 mg	(Humatin)	2	
pentamidine inhalation recon soln 300 mg	(Nebupent)	2	PA BvD
pentamidine injection recon soln 300 mg	(Pentam)	2	
praziquantel oral tablet 600 mg	(Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)		4	
pyrimethamine oral tablet 25 mg	(Daraprim)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>quinine sulfate oral capsule 324 mg (Qualaquin)</i>	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral tablet 2.5 mg (Parlodel)</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet (Sinemet) 10-100 mg</i>	2	
<i>carbidopa-levodopa oral tablet (Dhivy) 25-100 mg</i>	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>entacapone oral tablet 200 mg</i>	2	
<b>KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG</b>	5	PA; NM; NDS; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i>	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	

## Antipsychotic Agents

### Antipsychotic Agents

ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILITY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg (Abilify)</i>	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
<b>ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML</b>	5	NM; NDS; QL (4.8 per 365 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML</b>	5	NM; NDS; QL (3.9 per 14 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML</b>	5	NM; NDS; QL (1.6 per 14 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML</b>	5	NM; NDS; QL (2.4 per 14 days)
<b>ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML</b>	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg (Saphris)</i>	2	QL (60 per 30 days)
<b>CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG</b>	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	2	ST; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate (Haldol Decanoate) intramuscular solution 100 mg/ml, 50 mg/ml</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg (Latuda)</i>	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg (Latuda)</i>	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg (Zyprexa)</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)</i>	2	
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg (Zyprexa Zydis)</i>	2	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg (Invega)</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paliperidone oral tablet extended release 24hr 6 mg (Invega)</i>	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
<b>PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG</b>	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg (Seroquel XR)</i>	2	
<b>REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG</b>	5	ST; NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i>	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml (Risperdal)</i>	2	
<i>risperidone oral tablet 0.25 mg</i>	2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	2	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml (Epivir)</i>	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg (Epivir)</i>	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)</i>	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)</i>	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)</i>	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg (Selzentry)</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg (Norvir)</i>	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800- 150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300- 300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600- 50-300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300- 150-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS, DOSE PACK 150-100 MG	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS, DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSIA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSIA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSIA ORAL TABLET 400- 100 MG (sofosbuvir- velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100- 100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
acyclovir oral suspension 200 mg/5 ml	(Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg		2	
acyclovir sodium intravenous solution 50 mg/ml		2	PA BvD
adefovir oral tablet 10 mg	(Hepsera)	2	
entecavir oral tablet 0.5 mg, 1 mg	(Baraclude)	2	
famciclovir oral tablet 125 mg, 250 mg, 500 mg		2	
ribavirin oral tablet 200 mg		2	
valacyclovir oral tablet 1 gram, 500 mg	(Valtrex)	2	
valganciclovir oral recon soln 50 mg/ml	(Valcyte)	5	NM; NDS
valganciclovir oral tablet 450 mg	(Valcyte)	2	
<b>Blood Products/Modifiers/Volume Expanders</b>			
<b>Anticoagulants</b>			
dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg	(Pradaxa)	2	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)		3	
ELIQUIS ORAL TABLET 2.5 MG		3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG		3	QL (74 per 30 days)
enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml	(Lovenox)	2	QL (60 per 30 days)
enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml	(Lovenox)	2	QL (48 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enoxaparin subcutaneous syringe (Lovenox) 30 mg/0.3 ml</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe (Lovenox) 40 mg/0.4 ml</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe (Lovenox) 60 mg/0.6 ml</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)</i>	3	
<i>XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML</i>	3	QL (600 per 30 days)
<i>XARELTO ORAL TABLET 10 MG, 20 MG</i>	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
<i>tranexamic acid oral tablet 650 mg</i>	2	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i>	2	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i>	2	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)</i>	1	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)</i>	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)</i>	2	
<i>candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg (Atacand HCT)</i>	2	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i>	3	QL (60 per 30 days)
<i>ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG</i>	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)</i>	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)</i>	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)</i>	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)</i>	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	2	
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg</i>	2	
<i>benazepril-hydrochlorothiazide oral tablet 20-12.5 mg, 20-25 mg</i>	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)	1	
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg	1	
fosinopril oral tablet 10 mg, 20 mg, 40 mg	1	
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg	2	
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril)	1	
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)	1	
moexipril oral tablet 15 mg, 7.5 mg	2	
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg	2	
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)	1	
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)	2	
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)	1	
trandolapril oral tablet 1 mg, 2 mg, 4 mg	1	
trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg	2	
<b>Antiarrhythmic Agents</b>		
amiodarone oral tablet 100 mg, 200 mg, 400 mg (Pacerone)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg (amiodarone)</i>	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	
<i>atenolol-chlorthalidone oral tablet (Tenoretic 100) 100-25 mg</i>	2	
<i>atenolol-chlorthalidone oral tablet (Tenoretic 50) 50-25 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
metoprolol succinate oral tablet (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg	1	
metoprolol tartrate oral tablet 100 (Lopressor) mg, 50 mg	1	
metoprolol tartrate oral tablet 25 mg	1	
nebivolol oral tablet 10 mg, 2.5 (Bystolic) mg, 20 mg, 5 mg	2	
propranolol oral capsule,extended (Inderal LA) release 24 hr 120 mg, 160 mg, 60 mg, 80 mg	2	
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg	2	
sorine oral tablet 120 mg, 160 (sotalol) mg, 240 mg, 80 mg	2	
sotalol af oral tablet 120 mg, 160 (sotalol) mg, 80 mg	2	
sotalol oral tablet 120 mg, 160 (Sotalol AF) mg, 80 mg	2	
sotalol oral tablet 240 mg (Betapace)	2	
timolol maleate oral tablet 10 mg, 20 mg, 5 mg	2	
<b>Calcium-Channel Blocking Agents</b>		
cartia xt oral capsule,extended (diltiazem hcl) release 24hr 120 mg, 180 mg, 240 mg, 300 mg	2	
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	(Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	(Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i>	(Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>		2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	(diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	(diltiazem hcl)	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	(diltiazem hcl)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>		2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>		4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>		1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>		2	
<b>Cardiovascular Agents, Miscellaneous</b>			
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>		3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin oral tablet 62.5 mcg (Lanoxin) (0.0625 mg)</i>	2	
<i>epinephrine injection auto-injector (Auvi-Q) 0.15 mg/0.15 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector (EpiPen Jr) 0.15 mg/0.3 ml</i>	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector (Auvi-Q) 0.3 mg/0.3 ml</i>	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
<b>VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG</b>	4	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-olmesartan oral tablet (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	2	
<i>amlodipine-valsartan oral tablet (Exforge) 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	2	
<i>amlodipine-valsartan-hcthiazid oral tablet (Exforge HCT) 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	
hydrochlorothiazide oral capsule 12.5 mg	1	
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	
indapamide oral tablet 1.25 mg, 2.5 mg	1	
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)	1	
spironolactone-hydrochlorothiazide oral tablet 25-25 mg	2	
torsemide oral tablet 10 mg, 100 mg, 5 mg	1	
torsemide oral tablet 20 mg (Soaanz)	1	
triamterene-hydrochlorothiazide oral capsule 37.5-25 mg	1	
triamterene-hydrochlorothiazide oral tablet 37.5-25 mg, 75-50 mg	1	
<b>Dyslipidemics</b>		
amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 5-10 mg	2	
amlodipine-atorvastatin oral tablet (Caduet) 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	2	QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	1	QL (30 per 30 days)
cholestyramine (with sugar) oral powder in packet 4 gram (Questran)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cholestyramine light oral powder in packet 4 gram</i>	(cholestyramine-aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	2	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	
<i>colestipol oral packet 5 gram</i>		2	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg</i>	(Fenoglide)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>		2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i>	(Vascepa)	2	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>icosapent ethyl oral capsule 1 gram</i>	(Vascepa)	2	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		1	
<b>NEXLETOL ORAL TABLET 180 MG</b>		3	ST; QL (30 per 30 days)
<b>NEXLIZET ORAL TABLET 180-10 MG</b>		3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i>	(Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>		2	
<i>niacor oral tablet 500 mg</i>	(niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i>	(Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>		1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>		1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	(cholestyramine-aspartame)	2	
<b>REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML</b>		3	ST; QL (7 per 28 days)
<b>REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML</b>		3	ST; QL (6 per 28 days)
<b>REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML</b>		3	ST; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>rosuvastatin oral tablet 40 mg (Crestor)</i>	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg (Zocor)</i>	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg (Tekturna)</i>	2	
<i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i>	2	
<i>KERENDIA ORAL TABLET 10 MG, 20 MG</i>	3	PA; QL (30 per 30 days)
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg (Isordil)</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr (nitroglycerin)</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX PEN 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>dalfampridine oral tablet extended (Ampyra) release 12 hr 10 mg</i>	2	PA; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>fingolimod oral capsule 0.5 mg</i>	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glatiramer subcutaneous syringe 20 mg/ml (Glatopa)</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml (Glatopa)</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml (glatiramer)</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml (glatiramer)</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg (Intuniv ER)</i>	2	
<b>INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)</b>	5	PA; NM; NDS
<b>INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG</b>	5	PA; NM; NDS; QL (30 per 30 days)
<b>KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML</b>	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral solution</i> (Methylin) 10 mg/5 ml	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10</i> (Ritalin) mg, 20 mg, 5 mg	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS	
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)	
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS	
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2		
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)	
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3		
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)	
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)	
<b>Contraceptives</b>			
<b>Contraceptives</b>			
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>amethyst (28) oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>cyred eq oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>		2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>		2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>deblitane oral tablet 0.35 mg (norethindrone (contraceptive))</i>		2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (Azurette (28))</i>		2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg (Aprि)</i>		2	
<i>dolishale oral tablet 90-20 mcg (28) (levonorgestrel-ethinyl estrad)</i>		2	
<i>elinest oral tablet 0.3-30 mg-mcg (norgestrel-ethinyl estradiol)</i>		2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr (etonogestrel-ethinyl estradiol)</i>		2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>		2	
<i>emzahh oral tablet 0.35 mg (norethindrone (contraceptive))</i>		2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr (etonogestrel-ethinyl estradiol)</i>		2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10) (levonorg-eth estrad triphasic)</i>		2	
<i>enskyce oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>		2	
<i>errin oral tablet 0.35 mg (norethindrone (contraceptive))</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estriadiol-iron)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	2	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	2	
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	2	
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estriadiol/e.estriadiol)	2	
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kelnor 1/50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	2	
kurvelo (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estriadiol-iron)	2	
larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	2	
larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estriadiol-iron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>larissa oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)		2	
<i>lessina oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)		2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)		2	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lulera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lyeq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (28) (7)	2	
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (28) (7)	2	
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	2	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg	2	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg	2	
norlyda oral tablet 0.35 mg (norethindrone (contraceptive))	1	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)	2	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	2	
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
nylia 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	2	
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	
nymyo oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)	2	
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		2	
<i>pirmella oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)</i>		2	
<i>portia 28 oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)</i>		2	
<i>previfem oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)</i>		1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)</i>		2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) (levonorgestrel-ethinyl estrad)</i>		2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg (norethindrone (contraceptive))</i>		2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradiol)</i>		2	
<b>SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG</b>		4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)</i>		2	
<i>sronyx oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)</i>		2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron)</i>		2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)</i>		2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9) (norethindrone-e.estradiol-iron)</i>		2	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (norgestimate-ethinyl estradiol)</i>		2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (norgestimate-ethinyl estradiol)</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<b>Cough And Cold Products</b>			
<b>Cough And Cold Products</b>			
<i>benzonatate oral capsule 100 mg, 200 mg</i>		2	EX
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	2	
<b>Dermatological Agents</b>			
<b>Dermatological Agents, Other</b>			
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2	
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ammonium lactate topical cream 12 %	2	
ammonium lactate topical lotion (AmLactin) 12 %	2	
calcipotriene scalp solution 0.005 %	2	QL (120 per 30 days)
calcipotriene topical cream 0.005 %	2	QL (120 per 30 days)
calcipotriene topical ointment 0.005 %	2	QL (120 per 30 days)
fluorouracil topical cream 5 % (Efudex)	2	
fluorouracil topical solution 2 %, 5 %	2	
imiquimod topical cream in packet 5 %	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
methoxsalen oral capsule, liqd-filled, rapid rel 10 mg	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
podoftilox topical solution 0.5 %	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
zenatane oral capsule 10 mg, 20 (isotretinoin) mg, 30 mg, 40 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 % (1 % base) -5 %</i> (clindamycin-benzoyl peroxide)	1	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	
<i>fluocinolone topical cream 0.01 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluocinolone topical cream 0.025 % (Synalar)</i>	2	
<i>fluocinolone topical ointment 0.025 %</i>	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 % (Vanos)</i>	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone topical cream 1 % (Ala-Cort)</i>	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 % (Procto-Med HC)</i>	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 % (Anti-Itch (HC))</i>	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 % (Elidel)</i>	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i>	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 % (Differin)</i>	2	
<i>tazarotene topical cream 0.1 % (Tazorac)</i>	2	
<i>tretinoin topical cream 0.025 % (Avita)</i>	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 % (Retin-A)</i>	2	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 % (Ovide)</i>	2	
<i>permethrin topical cream 5 % (Elimite)</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Devices</b>		
<b>Devices</b>		
1ST TIER UNIFINE PENTP 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM (pen needle, diabetic) 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	2	PA; ST
1ST TIER UNIFINE PNTP (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	PA; ST
1ST TIER UNIFINE PNTP (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	2	PA; ST
1ST TIER UNIFINE PNTP (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	PA; ST
ABOUTTIME PEN NEEDLE 30G (pen needle, diabetic) X 8MM 30 GAUGE X 5/16"	2	PA; ST
ABOUTTIME PEN NEEDLE 31G (pen needle, diabetic) X 5MM 31 GAUGE X 3/16"	2	PA; ST
ABOUTTIME PEN NEEDLE 31G (pen needle, diabetic) X 8MM 31 GAUGE X 5/16"	2	PA; ST
ABOUTTIME PEN NEEDLE 32G (pen needle, diabetic) X 4MM 32 GAUGE X 5/32"	2	PA; ST
ADVOCATE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
ADVOCATE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	2	PA; ST
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	PA; ST
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
BD INSULIN SYRINGE 1 ML W/O NEEDLE (insulin syringe needleless)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"		2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	PA; ST
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY, MEDIUM	(alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	PA; ST
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "		1	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	PA; ST
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		2	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		2	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insulin Syr(half unit))	2	PA; ST
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U- 100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES	(alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "		1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
LITETOUGH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUGH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
NOVOFINE 30 NEEDLE		2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		2	PA; ST
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)		3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)	
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)	
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)	
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	2	PA; ST
PEN NEEDLES 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	2	PA; ST
PEN NEEDLES 8MM 31G 31GX8MM, STRL, SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT 1 ML 30GX5/16" (insulin syringe-needle 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	2	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	2	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	2	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	PA; ST
RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen 4MM 31 GAUGE X 5/32" Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	2	PA; ST
RELION NEEDLES NEEDLE 31 GAUGE X 1/4"	2	PA; ST
RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	PA; ST
SAFETY PEN NEEDLE 31G (Comfort EZ PRO 4MM 31 GAUGE X 5/32" Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)		1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST
TERUMO INS SYRINGE U100- 1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100- 1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFR PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFR PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFR PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	PA; ST
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100) ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML u-100) 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE	2	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33	(pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31	(pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		2	PA; ST
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" (insulin syringe-needle SY OUTER 0.5 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST

## **Enzyme Replacement/Modifiers**

### **Enzyme Replacement/Modifiers**

CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500-15,000 UNIT, 36,000-114,000-180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>atropine ophthalmic (eye) drops 1 (Isopto Atropine) %</i>	2	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	2	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rel)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	2	
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>			
<i>acetic acid otic (ear) solution 2 %</i>		2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>		2	
<i>bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram</i>		2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>		2	
<i>ciprofloxacin-dexamethasone otic (ear) drops, suspension 0.3-0.1 %</i>		2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>		2	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>		2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>		2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>		2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	(Vigamox)	2	
<i>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</i>		4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram b)</i>	(bacitracin-polymyxin b)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
sulfacetamide sodium ophthalmic (eye) drops 10 %		2	
sulfacetamide sodium ophthalmic (eye) ointment 10 %		2	
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)		2	
tobramycin ophthalmic (eye) drops 0.3 %		1	
tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %		2	
trifluridine ophthalmic (eye) drops 1 %		2	
XDEMVY OPHTHALMIC (EYE) DROPS 0.25 %		5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %		4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %		3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>			
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	(loteprednol etabonate)	3	ST
bromfenac ophthalmic (eye) drops 0.07 %	(Prolensa)	2	
bromfenac ophthalmic (eye) drops 0.075 %	(BromSite)	2	
bromfenac ophthalmic (eye) drops 0.09 %		2	
cyclosporine ophthalmic (eye) dropperette 0.05 %	(Restasis)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>diluprednate ophthalmic (eye) (Durezol) drops 0.05 %</i>	2	
<b>EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %</b>	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (DermOtic Oil) (ear) drops 0.01 %</i>	2	
<i>fluorometholone ophthalmic (eye) (FML Liquifilm) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	1	QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	3	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops (Acular) 0.5 %</i>	2	QL (10 per 25 days)
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	3	QL (3.5 per 14 days)
<b>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</b>	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (Lotemax) (eye) drops,gel 0.5 %</i>	2	QL (10 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>loteprednol etabonate ophthalmic (Alrex) (eye) drops,suspension 0.2 %</i>	2	ST
<i>loteprednol etabonate ophthalmic (Lotemax) (eye) drops,suspension 0.5 %</i>	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation (Allergy Nasal (mometasone))</i>	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (Pred Forte) (eye) drops,suspension 1 %</i>	4	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg (esomeprazole)</i>	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i>	2	ST; QL (60 per 30 days)
<i>famotidine oral tablet 20 mg (Acid Controller)</i>	1	
<i>famotidine oral tablet 40 mg (Pepcid)</i>	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg (lansoprazole)</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	
<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg</i>	1	QL (30 per 30 days)
<i>pantoprazole oral tablet,delayed release (dr/ec) 40 mg</i>	1	QL (60 per 30 days)
<i>rabeprazole oral tablet,delayed release (dr/ec) 20 mg</i>	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	2	
<b>Gastrointestinal Agents, Other</b>		
<i>carglumic acid oral tablet, dispersible 200 mg</i>	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	2	
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrrolate oral tablet 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glycopyrrolate oral tablet 2 mg</i>	(Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>		2	
<i>lactulose oral solution 10 gram/15 ml</i>	(Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM		3	
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	(Amitiza)	2	QL (60 per 30 days)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	(Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder</i>		2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>		2	
<i>ursodiol oral capsule 200 mg, 400 mg</i>	(Reltone)	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>		2	
<i>ursodiol oral tablet 250 mg</i>		2	
<i>ursodiol oral tablet 500 mg</i>	(URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
gavilyte-c oral recon soln 240- 22.72-6.72 -5.84 gram	(peg 3350-electrolytes)	2
gavilyte-g oral recon soln 236- 22.74-6.74 -5.86 gram	(peg 3350-electrolytes)	2
gavilyte-n oral recon soln 420 gram	(peg-electrolyte soln)	2
peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram	(GaviLyte-G)	2
peg-electrolyte soln oral recon soln 420 gram	(GaviLyte-N)	2
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram	(Suprep Bowel Prep Kit)	3
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)		2
SUTAB ORAL TABLET 1.479- 0.188- 0.225 GRAM	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	2	
fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg	(Toviaz)	2
flavoxate oral tablet 100 mg		2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	2	PA
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trientine oral capsule 250 mg</i> (Syrpine)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Mod ifying</b>		
<b>Androgens</b>		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<b>DUAVEE ORAL TABLET 0.45-20 MG</b>	3	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)	1	PA-HRM; AGE (Max 64 Years)
estradiol transdermal patch (Dotti) semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
estradiol transdermal patch (Climara) weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)	2	
estradiol vaginal tablet 10 mcg (Yuvafem)	2	QL (18 per 28 days)
estradiol-norethindrone acet oral tablet 0.5-0.1 mg	2	PA-HRM; AGE (Max 64 Years)
estradiol-norethindrone acet oral tablet 1-0.5 mg (Mimvey)	2	PA-HRM; AGE (Max 64 Years)
mimvey oral tablet 1-0.5 mg (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
raloxifene oral tablet 60 mg (Evista)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>yuvafem vaginal tablet 10 mcg (estradiol)</i>	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, (Cortef) 20 mg, 5 mg</i>	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate (Pediapred) oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>	2	
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray,non- aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, (DDAVP) 0.2 mg</i>	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe (Somatuline Depot) 120 mg/0.5 ml</i>	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN Injector 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	(lanreotide)	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG		5	PA; NM; NDS
<b>Progestins</b>			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML		3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i>	(norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	(Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	(Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>		2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i>	(Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	(Prometrium)	2	
<b>Thyroid And Antithyroid Agents</b>			
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	(Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i>	(Levo-T)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg (Cytomel)</i>	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG	4	PA BvD
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 5 MG	5	PA BvD; NM; NDS
<i>azathioprine oral tablet 50 mg (Imuran)</i>	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, (Sandimmune) 25 mg	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
everolimus (immunosuppressive) (Zortress) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
gengraf oral capsule 100 mg, 25 mg	2	(cyclosporine modified) PA BvD
gengraf oral solution 100 mg/ml	2	(cyclosporine modified) PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln</i> (Remicade) 100 mg	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 (Prograf) mg, 5 mg</i>	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
<b>Vaccines</b>		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOV INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRI (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3- 3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML		3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	(tetanus-diphtheria toxoids-td)	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML		3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML		3	\$0 copay
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML		3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML		3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML		3	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML		3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML		3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML		3	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	(typhoid vi polysacch vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	\$0 copay
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg (Lotronex)</i>	2	
<i>balsalazide oral capsule 750 mg (Colazal)</i>	2	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>	2	
<i>budesonide rectal foam 2 mg/actuation (Uceris)</i>	2	
<i>hydrocortisone rectal enema 100 mg/60 ml (Cortenema)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
mesalamine oral capsule, extended release 500 mg	(Pentasa)	2	
mesalamine oral capsule, extended release 24hr 0.375 gram	(Apriso)	2	
mesalamine oral tablet, delayed release (dr/ec) 1.2 gram	(Lialda)	2	QL (120 per 30 days)
sulfasalazine oral tablet 500 mg	(Azulfidine)	2	
sulfasalazine oral tablet, delayed release (dr/ec) 500 mg	(Azulfidine EN-tabs)	4	

## **Metabolic Bone Disease**

### **Agents**

#### **Metabolic Bone Disease Agents**

alendronate oral solution 70 mg/75 ml		2	QL (300 per 28 days)
alendronate oral tablet 10 mg		1	QL (30 per 30 days)
alendronate oral tablet 35 mg		1	QL (4 per 28 days)
alendronate oral tablet 70 mg	(Fosamax)	1	QL (4 per 28 days)
calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation		2	
calcitriol oral capsule 0.25 mcg, 0.5 mcg	(Rocaltrol)	2	
cinacalcet oral tablet 30 mg, 60 mg	(Sensipar)	2	QL (60 per 30 days)
cinacalcet oral tablet 90 mg	(Sensipar)	5	NM; NDS; QL (120 per 30 days)
ibandronate oral tablet 150 mg		2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		5	PA; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)	2	
paricalcitol oral capsule 4 mcg	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)	5	PA; NM; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
betaine oral powder 1 gram/scoop (Cystadane)	5	PA; NM; NDS
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
diazoxide oral suspension 50 mg/ml (Proglycem)	2	
glutamine (sickle cell) oral powder (Endari) in packet 5 gram	5	PA; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral</i> (Vistaril) <i>capsule 25 mg</i>	1	
<i>hydroxyzine pamoate oral</i> <i>capsule 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10</i> <i>mg, 15 mg, 25 mg, 5 mg</i>	2	
MESNEX ORAL TABLET 400 MG	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv) (w/w)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	2	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) (Alphagan P) drops 0.1 %, 0.15 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (Combigan) (eye) drops 0.2-0.5 %</i>	2	
<i>brinzolamide ophthalmic (eye) (Azopt) drops, suspension 1 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) (Xalatan) drops 0.005 %</i>	1	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	(potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	(potassium chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>		4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>		2	
<i>potassium chloride intravenous solution 2 meq/ml</i>		2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>		2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		2	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	2	
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	2	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	(Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i>	(Klor-Con M15)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	(Klor-Con M20)	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sodium chloride 0.45 % <i>intravenous parenteral solution</i> 0.45 %	2	
sodium chloride 0.9 % <i>intravenous parenteral solution</i>	2	
sodium chloride 0.9% solution <i>mini-bag, single use</i>	2	

## Respiratory Tract Agents

### Anti-Inflammatories, Inhaled

#### Corticosteroids

ADVAIR HFA INHALATION HFA (fluticasone propion-salmeterol) AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION (fluticasone furoate-vilanterol) BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.9 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>budesonide inhalation suspension (Pulmicort) for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension (Pulmicort) for nebulization 1 mg/2 ml</i>	2	PA BvD; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	2	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	QL (60 per 30 days)
<i>wixela inhale inhalation blister with device 100-50 mcg/dose, 250-50 salmeterol mcg/dose, 500-50 mcg/dose</i>	2	QL (60 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg (Singulair)</i>	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)</i>	2	
<i>zafirlukast oral tablet 10 mg, 20 mg (Accolate)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Bronchodilators</b>		
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa</i> (Ventolin HFA) <i>aerosol inhaler 90 mcg/actuation</i>	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/actuation</i> (nda020503)	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/actuation</i> (nda020983)	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation</i> <i>solution for nebulization 0.63</i> <i>mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3</i> <i>ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation</i> <i>solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation</i> <i>solution for nebulization 0.5 mg-3</i> <i>mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i>	2	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg (Esbriet)</i>	5	PA; NM; NDS; QL (270 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pirfenidone oral tablet 267 mg</i>	(Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>		5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i>	(Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i>	(Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i>	(Daliresp)	2	QL (30 per 30 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)		5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML		5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG		5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML		5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>			
<b>Skeletal Muscle Relaxants</b>			
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>		2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>		2	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>		2	
<i>dantrolene oral capsule 25 mg</i>	(Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>		2	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>		2	
<i>tizanidine oral tablet 4 mg</i>	(Zanaflex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<b>Sleep Disorder Agents</b>			
<b>Sleep Disorder Agents</b>			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	(Nuvigil)	2	PA; QL (30 per 30 days)
<i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>		3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>	(Lunesta)	2	QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i>	(Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i>	(Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i>	(Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>		2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	(Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i>	(Ambien CR)	2	QL (30 per 30 days)
<b>Vasodilating Agents</b>			
<b>Vasodilating Agents</b>			
<i>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</i>		5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	(tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	(Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
<i>OPSUMIT ORAL TABLET 10 MG</i>		5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	(Revatio)	2	PA; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sildenafil oral tablet 100 mg, 25 mg, 50 mg (Viagra)	2	EX; CB (6 EA per 30 days)
tadalafil oral tablet 2.5 mg	2	PA
tadalafil oral tablet 5 mg (Cialis)	2	PA
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS

## Vitamins And Minerals

### Vitamins And Minerals

bal-care dha combo pack 27-1-430 mg	2	
bal-care dha essential pack 27 mg iron-1 mg -374 mg	2	
c-nate dha softgel 28 mg iron-1 mg -200 mg	2	
completenate tablet chew 29 mg iron- 1 mg	2	
cyanocobalamin (vitamin b-12) injection solution	2	EX
dodex injection solution 1,000 mcg/ml	2	EX
ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)	2	EX
folic acid oral tablet 1 mg	2	EX

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>	2	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pr natal 400 combo pack 29-1- 400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1- 400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1- 430 mg</i>	2	
<i>prena1 true combo pack 30 mg iron- 1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29- 1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	2	(pnv,calcium 72- iron,carb-folic)
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron- folic acid)
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	2	(pnv,calcium 72-iron- folic acid)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	2	
<i>vinate care oral tablet,chewable 40 mg iron- 1 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron- 1 mg -300 mg</i>	2	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1- 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

01/01/2025

## INDEX

1ST TIER UNIFINE	ADVOCATE SYRINGES	
PENTIPS ..... 117	..... 117, 118	<i>amlodipine-atorvastatin</i> ..... 93
1ST TIER UNIFINE	<i>afirmelle</i> ..... 101	<i>amlodipine-benazepril</i> ..... 91
PENTIPS PLUS ..... 117	AIRSUPRA ..... 207, 209	<i>amlodipine-olmesartan</i> ..... 92
<i>abacavir</i> ..... 72	AJOVY AUTOINJECTOR ..... 59	<i>amlodipine-valsartan</i> ..... 92
<i>abacavir-lamivudine</i> ..... 72	AJOVY SYRINGE ..... 59	<i>amlodipine-valsartan-hctiazid</i> ..... 92
ABELCET ..... 56	AKEEGA ..... 19	<i>ammonium lactate</i> ..... 112
ABILIFY ASIMTUFII ..... 65	<i>ala-cort</i> ..... 113	<i>amoxapine</i> ..... 45
ABILIFY MAINTENA ..... 65	<i>albendazole</i> ..... 62	<i>amoxicil-clarithromy-lansopraz</i> ..... 176
<i>abiraterone</i> ..... 19	<i>albuterol sulfate</i> ..... 209	<i>amoxicillin</i> ..... 14, 15
ABOUTTIME PEN NEEDLE 117	ALCOHOL PADS ..... 118	<i>amoxicillin-pot clavulanate</i> ..... 15
ABRYSVO (PF) ..... 193	ALCOHOL PREP PADS ..... 141	<i>amphotericin b</i> ..... 56
<i>acamprosate</i> ..... 7	ALCOHOL PREP SWABS .. 119	<i>amphotericin b liposome</i> ..... 56
<i>acarbose</i> ..... 49	ALCOHOL SWABS ..... 118	<i>ampicillin</i> ..... 15
<i>acebutolol</i> ..... 88	ALCOHOL WIPES ..... 119	<i>ampicillin sodium</i> ..... 15
<i>acetaminophen-codeine</i> ..... 3	ALECENSA ..... 19	<i>ampicillin-sulbactam</i> ..... 15
<i>acetazolamide</i> ..... 204	<i>alendronate</i> ..... 201	<i>anagrelide</i> ..... 83
<i>acetazolamide sodium</i> ..... 204	<i>alfuzosin</i> ..... 180	<i>anastrozole</i> ..... 19
<i>acetic acid</i> ..... 172	<i>aliskiren</i> ..... 96	<i>ANKTIVA</i> ..... 19
<i>acetylcysteine</i> ..... 210	<i>allopurinol</i> ..... 58	<i>ANORO ELLIPTA</i> ..... 209
<i>acitretin</i> ..... 111	<i>alosetron</i> ..... 200	<i>aprepitant</i> ..... 61, 62
ACTEMRA ..... 187	<i>alprazolam</i> ..... 9	<i>APRETUDE</i> ..... 73
ACTEMRA ACTPEN ..... 187	ALREX ..... 174	<i>apri</i> ..... 101
ACTHAR ..... 184	<i>altavera (28)</i> ..... 101	<i>APTIOM</i> ..... 38
ACTHAR SELFJECT ..... 184	ALUNBRIG ..... 19	<i>APTIVUS</i> ..... 73
ACTHIB (PF) ..... 194	ALVAIZ ..... 82	<i>AQINJECT PEN NEEDLE</i> ... 119
ACTIMMUNE ..... 202	<i>alyacen 1/35 (28)</i> ..... 101	<i>ARCALYST</i> ..... 187
<i>acyclovir</i> ..... 79, 80, 111	<i>alyacen 7/7/7 (28)</i> ..... 101	<i>AREXVY (PF)</i> ..... 194
<i>acyclovir sodium</i> ..... 80	<i>alyq</i> ..... 213	<i>AREXVY ANTIGEN</i>
ADACEL(TDAP	<i>amantadine hcl</i> ..... 64	<i>COMPONENT</i> ..... 194
ADOLESN/ADULT)(PF) ..... 194	<i>amethyst (28)</i> ..... 101	<i>ARIKAYCE</i> ..... 10
<i>adapalene</i> ..... 116	<i>amikacin</i> ..... 10	<i>ariPIPRAZOLE</i> ..... 66
<i>adefovir</i> ..... 80	<i>amiloride</i> ..... 92	<i>ARISTADA</i> ..... 66
ADEMPAS ..... 213	<i>amiloride-</i>	<i>ARISTADA INITIO</i> ..... 66
<i>adrucil</i> ..... 19	<i>hydrochlorothiazide</i> ..... 92	<i>armodafinil</i> ..... 213
ADVAIR HFA ..... 207	<i>amiodarone</i> ..... 87	<i>ARNUTITY ELLIPTA</i> ..... 207
ADVOCATE PEN NEEDLE 118	<i>amitriptyline</i> ..... 45	<i>asenapine maleate</i> ..... 66
	<i>amlodipine</i> ..... 91	

<i>aspirin-dipyridamole</i>	83	<i>aztreonam</i>	14	BD VEO INSULIN SYR	
ASSURE ID DUO PRO		<i>azurette (28)</i>	102	(HALF UNIT)	122
SFTY PEN NDL	119	<i>bacitracin</i>	172	BD VEO INSULIN SYRINGE	
ASSURE ID DUO-SHIELD	119	<i>bacitracin-polymyxin b</i>	172	UF	122
ASSURE ID INSULIN		<i>baclofen</i>	212	BELSOMRA	213
SAFETY	119, 120	<i>bal-care dha</i>	214	<i>benazepril</i>	86
ASSURE ID PEN NEEDLE	119	<i>bal-care dha essential</i>	214	<i>benazepril-</i>	
ASSURE ID PRO PEN		<i>balsalazide</i>	200	<i>hydrochlorothiazide</i>	86
NEEDLE	119	BALVERSA	19, 20	<i>bendamustine</i>	20
ASTAGRAF XL	187	BCG VACCINE, LIVE (PF)	194	BENDAMUSTINE	20
<i>atazanavir</i>	73	BD ALCOHOL SWABS	121	BENDEKA	20
<i>atenolol</i>	88	BD AUTOSHIELD DUO		BENLYSTA	187
<i>atenolol-chlorthalidone</i>	88	PEN NEEDLE	120	<i>benzonatate</i>	111
<i>atomoxetine</i>	97	BD ECLIPSE LUER-LOK	120	<i>benztropine</i>	64
<i>atorvastatin</i>	93	BD INSULIN SYRINGE	120	BESREMI	188
<i>atovaquone</i>	62	BD INSULIN SYRINGE		<i>betaine</i>	202
<i>atovaquone-proguanil</i>	63	(HALF UNIT)	120	<i>betamethasone dipropionate</i>	
<i>atropine</i>	171	BD INSULIN SYRINGE		.....113, 114	
ATROVENT HFA	209	SLIP TIP	120	<i>betamethasone valerate</i>	114
<i>aubra eq</i>	102	BD INSULIN SYRINGE U-		<i>betamethasone, augmented</i>	114
AUGTYRO	19	500	120	BETASERON	98
<i>aurovela 1.5/30 (21)</i>	102	BD INSULIN SYRINGE		<i>betaxolol</i>	204
<i>aurovela 1/20 (21)</i>	102	ULTRA-FINE	120	<i>bethanechol chloride</i>	179
<i>aurovela 24 fe</i>	102	BD NANO 2ND GEN PEN		<i>bexarotene</i>	20
<i>aurovela fe 1.5/30 (28)</i>	102	NEEDLE	121	BEXZERO	194
<i>aurovela fe 1-20 (28)</i>	102	BD SAFETYGLIDE INSULIN		<i>bicalutamide</i>	20
AUSTEDO	97	SYRINGE	121	BICILLIN L-A	16
AUSTEDO XR	97	BD SAFETYGLIDE		BIKTARVY	73
AUSTEDO XR TITRATION		SYRINGE	121	<i>bimatoprost</i>	204
KT(WK1-4)	97	BD ULTRA-FINE MICRO		<i>bisoprolol fumarate</i>	88
AUVELITY	45	PEN NEEDLE	121	<i>bisoprolol-</i>	
<i>aviane</i>	102	BD ULTRA-FINE MINI PEN		<i>hydrochlorothiazide</i>	88
AVONEX	98	NEEDLE	121	<i>bleomycin</i>	20
<i>ayuna</i>	102	BD ULTRA-FINE NANO		<i>blisovi 24 fe</i>	102
AYVAKIT	19	PEN NEEDLE	122	<i>blisovi fe 1.5/30 (28)</i>	102
<i>azacitidine</i>	19	BD ULTRA-FINE ORIG PEN		<i>blisovi fe 1/20 (28)</i>	102
<i>azathioprine</i>	187	NEEDLE	122	BOOSTRIX TDAP	194
<i>azathioprine sodium</i>	187	BD ULTRA-FINE SHORT		BORDERED GAUZE	122
<i>azelastine</i>	171	PEN NEEDLE	122	<i>bortezomib</i>	20
<i>azithromycin</i>	13			<i>bosentan</i>	213

BOSULIF	20	candesartan-		chlorthalidone	92
BRAFTOVI	20	hydrochlorothiazid	85	cholestyramine (with sugar)	93
BREO ELLIPTA	207	CAPLYTA	66	cholestyramine light	94
breyna	207	CAPRELSA	21	ciclopirox	56
BREZTRI AEROSPHERE	209	captopril	86	cilostazol	83
BRILINTA	83	carbamazepine	39	CIMDUO	73
brimonidine	204	carbidopa-levodopa	64	cimetidine hcl	176
brimonidine-timolol	204	CAREFINE PEN NEEDLE	122	CIMZIA	188
brinzolamide	204	CARETOUCH ALCOHOL		CIMZIA POWDER FOR	
BRIVIACT	38, 39	PREP PAD	123	RECONST	188
bromfenac	174	CARETOUCH INSULIN		cinacalcet	201
bromocriptine	64	SYRINGE	123, 124	CINQAIR	211
BRONCHITOL	211	CARETOUCH PEN		ciprofloxacin hcl	16, 17, 172
BRUKINSA	20	NEEDLE	123	ciprofloxacin in 5 % dextrose	17
budesonide	200, 208	carglumic acid	177	ciprofloxacin-	
budesonide-formoterol	208	carteolol	204	dexamethasone	172
bumetanide	92	cartia xt	89	citalopram	46
buprenorphine	3	carvedilol	88	clarithromycin	14
buprenorphine hcl	7	CAYSTON	14	CLENPIQ	179
buprenorphine-naloxone	8	cefaclor	12	CLICKFINE PEN NEEDLE	124
bupropion hcl	45, 46	cefadroxil	12	clindamycin hcl	11
bupropion hcl (smoking		cefazolin	12	clindamycin phosphate	
deter)	8	cefdinir	12	.....11, 59, 113	
buspirone	202	cefepime	12	clindamycin-benzoyl	
butalbital-acetaminop-caf-		cefixime	12	peroxide	113
cod	3	cefoxitin	12	CLINIMIX 6%-D5W	
butalbital-acetaminophen-		cefpodoxime	12	(SULFITE-FREE)	83
caff	3	cefprozil	13	CLINIMIX 8%-	
CABENUVA	73	ceftazidime	13	D10W(SULFITE-FREE)	84
cabergoline	64	ceftriaxone	13	CLINIMIX 8%-	
CABOMETYX	20, 21	cefuroxime axetil	13	D14W(SULFITE-FREE)	84
cabotegravir	73	cefuroxime sodium	13	CLINIMIX E 8%-D10W	
calcipotriene	112	celecoxib	5	SULFITEFREE	84
calcitonin (salmon)	201	cephalexin	13	CLINIMIX E 8%-D14W	
calcitriol	201	cevimeline	111	SULFITEFREE	84
CALQUENCE	21	chateal eq (28)	102	clobazam	39
CALQUENCE		chlordiazepoxide hcl	9	clobetasol	114
(ACALABRUTINIB MAL)	21	chlorhexidine gluconate	111	clobetasol-emollient	114
camila	102	chloroquine phosphate	63	clomipramine	46
candesartan	85	chlorpromazine	66	clonazepam	9

clonidine.....	84	CURITY ALCOHOL SWABS .....	127	dermacinrx <i>lidocan</i> .....	7
clonidine <i>hcl</i> .....	84	CURITY GAUZE .....	127	DESCOVY .....	73
clopидогрел.....	83	cyanocobalamin (vitamin <i>b</i> -12).....	214	desipramine.....	46
клоразепат дигидрокалий.....	9	cyclafem 1/35 (28).....	102	desmopressin.....	184
клотrimazole.....	56	cyclafem 7/7/7 (28).....	103	desog-e.estradiolle.estriol .....	103
клотrimazole-бетаметазон.....	56	cyclobenzaprine.....	212	desogestrel-ethinyl estradiol.....	103
clozapine.....	67	cyclophosphamide.....	21	desvenlafaxine succinate.....	46
c-nate dha.....	214	cyclosporine.....	174, 188	dexamethasone.....	183
COARTEM .....	63	cyclosporine modified.....	188	dexamethasone sodium phosphate .....	175, 183
colchicine.....	58	cyred eq.....	103	dextroamphetamine-amphetamine .....	98
colesevelam.....	94	d5 % and 0.9 % sodium chloride .....	205	dextrose 5 % in water (d5w) ..	84
colestipol.....	94	dabigatran etexilate.....	80	DIACOMIT .....	39
colistin (colistimethate na) .....	11	dalfampridine .....	98	diazepam .....	9, 39
COMBIVENT RESPIMAT .....	209	danazol .....	181	diazepam intensol .....	9
COMETRIQ .....	21	dantrolene .....	212	diazoxide .....	202
COMFORT EZ INSULIN SYRINGE .....	124, 126	DANYELZA .....	22	diclofenac potassium .....	5
COMFORT EZ PEN NEEDLES .....	125	dapsone .....	61	diclofenac sodium .....	5, 6, 175
COMFORT EZ PRO SAFETY PEN NDL .....	125, 126	DAPTACEL (DTAP PEDIATRIC) (PF) .....	195	diclofenac-misoprostol .....	6
COMFORT TOUCH PEN NEEDLE .....	126, 127	daptomycin .....	11	dicloxacillin .....	16
COMPLERA .....	73	darunavir .....	73	dicyclomine .....	177
completenate .....	214	dasatinib .....	22	didanosine .....	74
compro .....	62	dasetta 1/35 (28) .....	103	DIFICID .....	14
constulose .....	177	dasetta 7/7/7 (28) .....	103	difluprednate .....	175
COPIKTRA .....	21	DAURISMO .....	22	digoxin .....	90, 91
CORLANOR .....	90	deblitane .....	103	dihydroergotamine .....	59
COSENTYX .....	188, 202	decitabine .....	22	diltiazem hcl .....	89, 90
COSENTYX (2 SYRINGES) .....	188	deferasirox .....	180	dilt-xr .....	90
COSENTYX PEN (2 PENS) .....	188	DELSTRIGO .....	73	dimethyl fumarate .....	98
COSENTYX UNOREADY PEN .....	188	demecclocycline .....	17	diphenoxylate-atropine .....	177
COTELLIC .....	21	DENGVAXIA (PF) .....	195	dipyridamole .....	83
CREON .....	170	DEPO-SUBQ PROVERA 104 .....	186	disulfiram .....	8
cromolyn .....	171, 177, 211	DERMACEA .....	127	divalproex .....	39, 40
cryselle (28) .....	102	DERMACEA NON-WOVEN .....	127	dodex .....	214
CURAD GAUZE PAD .....	127			dofetilide .....	88

<i>dorzolamide-timolol</i> .....	204	EASY GLIDE PEN NEEDLE .....	133	EMCYT .....	22
DOVATO.....	74	EASY TOUCH.....	135	EMGALITY PEN.....	59
<i>doxazosin</i> .....	85	EASY TOUCH ALCOHOL .....	133	EMGALITY SYRINGE .....	59
<i>doxepin</i> .....	46	PREP PADS .....	133	<i>emoquette</i> .....	103
<i>doxorubicin, peg-liposomal</i> ....	22	EASY TOUCH FLIPLOCK .....	134	EMSAM .....	47
<i>doxy-100</i> .....	17	INSULIN.....	134	<i>emtricitabine</i> .....	74
<i>doxycycline hyclate</i> .....	17, 18	EASY TOUCH FLIPLOCK .....	133	<i>emtricitabine-tenofovir (tdf)</i> ....	74
<i>doxycycline monohydrate</i> .....	18	SYRINGE.....	133	EMTRIVA .....	74
DRIZALMA SPRINKLE .....	46	EASY TOUCH INSULIN .....	133	<i>emzahh</i> .....	103
<i>dronabinol</i> .....	62	SAFETY SYR.....	133	<i>enalapril maleate</i> .....	86
DROPLET INSULIN .....		EASY TOUCH INSULIN .....	133	<i>enalapril-hydrochlorothiazide</i> .....	87
SYR(HALF UNIT).....	127, 128	SYRINGE....	133, 134, 135, 136	ENBREL .....	189
DROPLET INSULIN .....		EASY TOUCH LUER LOCK .....	135	ENBREL MINI .....	189
SYRINGE .....	128, 129	INSULIN.....	135	ENBREL SURECLICK .....	189
DROPLET MICRON PEN .....		EASY TOUCH PEN .....	135	<i>endocet</i> .....	3
NEEDLE .....	129	NEEDLE.....	135	ENGERIX-B (PF) .....	195
DROPLET PEN NEEDLE .....		EASY TOUCH SAFETY PEN NEEDLE .....	135, 136	ENGERIX-B PEDIATRIC (PF) .....	195
.....	129, 130	EASY TOUCH .....		<i>enilloring</i> .....	103
DROPSAFE ALCOHOL .....		SHEATHLOCK INSULIN....	134	<i>enoxaparin</i> .....	80, 81
PREP PADS .....	130	EASY TOUCH UNI-SLIP .....	136	<i>empresse</i> .....	103
DROPSAFE INSULIN .....		econazole .....	56	<i>enskyce</i> .....	103
SYRINGE .....	130	EDURANT .....	74	<i>entacapone</i> .....	64
DROPSAFE PEN NEEDLE .....		<i>efavirenz</i> .....	74	<i>entecavir</i> .....	80
.....	130, 131	<i>efavirenz-emtricitabin-tenofov</i> .....	74	ENTRESTO .....	85
<i>droxidopa</i> .....	85	<i>efavirenz-lamivu-tenofov</i> .....		ENTRESTO SPRINKLE .....	85
DUAVEE .....	181	<i>disop</i> .....	74	<i>enulose</i> .....	177
<i>duloxedetine</i> .....	46	ELIGARD .....	22	EPCLUSA .....	79
DUPIXENT PEN .....	189	ELIGARD (3 MONTH) .....	22	EPIDIOLEX .....	40
DUPIXENT SYRINGE .....	189	ELIGARD (4 MONTH) .....	22	<i>epinastine</i> .....	171
<i>dutasteride</i> .....	180	ELIGARD (6 MONTH) .....	22	<i>epinephrine</i> .....	91
EASY COMFORT .....		<i>elinest</i> .....	103	<i>epitol</i> .....	40
ALCOHOL PAD .....	132	ELIQUIS .....	80	EPIVIR HBV .....	74
EASY COMFORT INSULIN .....		ELIQUIS DVT-PE TREAT .....		EPKINLY .....	23
SYRINGE .....	131, 132	30D START .....	80	<i>eplerenone</i> .....	96
EASY COMFORT PEN .....		ELREXFIO .....	22	EPRONTIA .....	40
NEEDLES .....	132	<i>eluryng</i> .....	103	ERBITUX .....	23
EASY COMFORT SAFETY PEN NEEDLE .....	131	EMBRACE PEN NEEDLE...136		<i>ergocalciferol (vitamin d2)</i> ...	214
EASY GLIDE INSULIN .....				<i>ergoloid</i> .....	45
SYRINGE .....	132, 133			ERIVEDGE .....	23

ERLEADA	23	FASENRA PEN	211	flutamide	24
erlotinib	23	febuxostat	58	fluticasone propionate	
errin	103	felbamate	40	.....	115, 175, 208
ertapenem	14	felodipine	92	fluticasone propion-	
erythromycin	14, 172	femynor	104	salmeterol	208
erythromycin ethylsuccinate	14	fenofibrate	94	fluvastatin	94
erythromycin with ethanol	113	fenofibrate micronized	94	fluvoxamine	47
escitalopram oxalate	47	fenofibrate nanocrystallized	94	folic acid	214
esomeprazole magnesium	176	fentanyl	4	folivane-ob	215
estarrylla	104	fentanyl citrate	3, 4	fondaparinux	81
estradiol	182	fesoterodine	179	fosamprenavir	74
estradiol-norethindrone acet	182	FETZIMA	47	fosinopril	87
eszopiclone	213	FIASP FLEXTOUCH U-100		fosinopril-	
ethambutol	61	INSULIN	52	hydrochlorothiazide	87
ethosuximide	40	FIASP PENFILL U-100		fosphenytoin	40
ethynodiol diac-eth estradiol	104	INSULIN	52	FOTIVDA	24
etodolac	6	FIASP U-100 INSULIN	52	FREESTYLE PRECISION	137
etonogestrel-ethynodiol estradiol	104	finasteride	180	FRUZAQLA	24
ETOPOPHOS	23	fingolimod	98	fulvestrant	24
etoposide	23	FINTEPLA	40	furosemide	92, 93
etravirine	74	FIRMAGON KIT W		FUZEON	74
EUCRISA	114	DILUENT SYRINGE	24	FYARRO	24
everolimus (antineoplastic)	23	flavoxate	179	FYCOMPA	40
everolimus		flecainide	88	gabapentin	40, 41
(immunosuppressive)	189	floxuridine	24	galantamine	45
EVOTAZ	74	fluconazole	56	gallifrey	186
EXEL INSULIN	137	fluconazole in nacl (iso-osm)	56	GAMUNEX-C	189
exemestane	23	flucytosine	57	GARDASIL 9 (PF)	195
EXKIVITY	23	fludrocortisone	183	GAUZE PAD	137
EXTENCILLINE	16	flunisolide	175	gavilyte-c	179
EYSUVIS	175	fluocinolone	114, 115	gavilyte-g	179
ezetimibe	94	fluocinolone acetonide oil	175	gavilyte-n	179
ezetimibe-simvastatin	94	fluocinonide	115	GAVRETO	24
falmina (28)	104	fluorometholone	175	gefitinib	24
famciclovir	80	fluorouracil	24, 112	gemfibrozil	94
famotidine	176	fluoxetine	47	generlac	177
FANAPT	67	fluphenazine decanoate	67	genraf	189
FARXIGA	49	fluphenazine hcl	67	gentak	172
FASENRA	211	flurbiprofen	6	gentamicin	10, 113, 172
		flurbiprofen sodium	175	gentamicin sulfate (ped) (pf)	10

gentamicin sulfate (pf) .....	10	HEALTHWISE PEN	hydroxyzine hcl.....	58
GENVOYA.....	75	NEEDLE .....	hydroxyzine pamoate.....	203
GIOTRIF .....	24	HEALTHY ACCENTS	ibandronate .....	201
glatiramer.....	99	UNIFINE PENTIP .....	IBRANCE.....	25
glatopa.....	99	heather .....	ibu .....	6
GLEOSTINE .....	24	heparin (porcine) .....	ibuprofen .....	6
glimepiride .....	55	HEPLISAV-B (PF).....	icatibant .....	91
glipizide .....	55	HERCEPTIN HYLECTA.....	iclevia .....	104
glipizide-metformin .....	55	HERZUMA.....	ICLUSIG .....	25
glutamine (sickle cell) .....	202	HIBERIX (PF).....	icosapent ethyl.....	94, 95
glyburide .....	55	HUMIRA.....	IDHIFA .....	25
glyburide micronized .....	55	HUMIRA PEN .....	ifosfamide .....	25
glyburide-metformin .....	55	HUMIRA PEN CROHNS-	ILEVRO .....	175
glycopyrrolate .....	177, 178	UC-HS START .....	imatinib .....	25
glydo .....	7	HUMIRA PEN PSOR-	IMBRUVICA .....	25
GLYXAMBI .....	49	UVEITS-ADOL HS .....	IMDELLTRA .....	25
griseofulvin microsize .....	57	HUMIRA(CF) .....	imipenem-cilastatin .....	14
griseofulvin ultramicrosize .....	57	HUMIRA(CF) PEDI	imipramine hcl .....	47
guanfacine .....	85, 99	CROHNS STARTER .....	imiquimod .....	112
GVOKE .....	203	HUMIRA(CF) PEN .....	IMJUDO .....	26
GVOKE HYPOEN 2-PACK .....	203	HUMIRA(CF) PEN	IMOVA RABIES VACCINE	
GVOKE PFS 1-PACK		CROHNS-UC-HS .....	(PF) .....	196
SYRINGE .....	203	HUMIRA(CF) PEN	IMPAVIDO .....	63
GVOKE PFS 2-PACK		PEDIATRIC UC .....	incassia .....	104
SYRINGE .....	203	HUMIRA(CF) PEN PSOR-	INCONTROL ALCOHOL	
HAEGARDA .....	82	UV-ADOL HS .....	PADS .....	139
hailey 24 fe .....	104	HUMULIN R U-500 (CONC)	INCONTROL PEN NEEDLE	139
hailey fe 1.5/30 (28) .....	104	INSULIN .....	INCRELEX .....	184
hailey fe 1/20 (28) .....	104	HUMULIN R U-500 (CONC)	indapamide .....	93
halobetasol propionate .....	115	KWIKPEN .....	indomethacin .....	6
haloette .....	104	hydralazine .....	INFANRIX (DTAP) (PF) .....	196
haloperidol .....	68	hydrochlorothiazide .....	infliximab .....	190
haloperidol decanoate .....	67	hydrocodone-	INGREZZA .....	99
haloperidol lactate .....	67, 68	acetaminophen .....	INGREZZA INITIATION	
HARVONI .....	79	hydrocortisone .....	PK(TARDIV) .....	99
HAVRIX (PF) .....	195	hydrocortisone valerate .....	INGREZZA SPRINKLE .....	99
HEALTHWISE INSULIN		hydrocortisone-acetic acid .....	INLYTA .....	26
SYRINGE .....	138	hydromorphone .....	INPEN (FOR HUMALOG) BLUE .....	139
		hydroxychloroquine .....		
		hydroxyurea .....		

INPEN (NOVOLOG OR FIASP) BLUE.....	139	ivermectin.....	63	KISQALI FEMARA CO- PACK.....	26, 27
INQOVI.....	26	IWILFIN.....	26	KLISYRI.....	112
INREBIC.....	26	IXCHIQ (PF).....	196	klor-con m10.....	205
<i>insulin asp prt-insulin aspart</i> ..53		IXIARO (PF).....	196	<i>klor-con m15</i> .....	206
<i>insulin aspart u-100</i> .....53		JAKAFI.....	26	<i>klor-con m20</i> .....	206
INSULIN SYR/NDL U100 HALF MARK.....	139	jantoven.....	81	KLOXXADO.....	8
INSULIN SYRINGE.....	121	JANUMET.....	49	KOSELUGO.....	27
INSULIN SYRINGE MICROFINE.....	120	JANUMET XR.....	49	<i>kosher prenatal plus iron</i> .....	215
INSULIN SYRINGE NEEDLELESS.....	121	JANUVIA.....	49	KRAZATI.....	27
INSULIN SYRINGE- NEEDLE U-100 120, 136, 137, 139, 140, 141, 150, 156, 160, 161		JARDIANCE.....	49	KYNMOBI.....	64, 65
INSUPEN PEN NEEDLE....141		javygtor.....	170	<i>labetalol</i> .....	88
INTELENCE.....	75	JAYPIRCA.....	26	<i>lacosamide</i> .....	41
INTRON A.....	79	JEMPERLI.....	26	<i>lactulose</i> .....	178
INVEGA HAFYERA.....	68	jencycla.....	104	<i>lamivudine</i> .....	75
INVEGA SUSTENNA.....	68	JENTADUETO.....	50	<i>lamivudine-zidovudine</i> .....	75
INVEGA TRINZA.....	68, 69	JENTADUETO XR.....	50	<i>lamotrigine</i> .....	41
INVELTYS.....	175	jolessa.....	104	<i>lanreotide</i> .....	184
IPOL.....	196	juleber.....	105	<i>lansoprazole</i> .....	176, 177
<i>ipratropium bromide</i> .... 171, 209		JULUCA.....	75	LANTUS SOLOSTAR U-100	
<i>ipratropium-albuterol</i> ..... 209		junel 1.5/30 (21).....	105	INSULIN.....	53
<i>irbesartan</i> .....	85	junel 1/20 (21).....	105	LANTUS U-100 INSULIN.....	53
<i>irbesartan-</i> <i>hydrochlorothiazide</i> ..... 85		junel fe 1.5/30 (28).....	105	<i>lapatinib</i> .....	27
ISENTRESS.....	75	junel fe 1/20 (28).....	105	<i>larin 1.5/30 (21)</i> .....	105
ISENTRESS HD.....	75	junel fe 24.....	105	<i>larin 1/20 (21)</i> .....	105
isibloom.....	104	JYLAMVO.....	26	<i>larin 24 fe</i> .....	105
isoniazid.....	61	JYNNEOS (PF).....	196	<i>larin fe 1.5/30 (28)</i> .....	105
ISOPROPYL ALCOHOL....112		KALYDECO.....	211	<i>larin fe 1/20 (28)</i> .....	105
<i>isosorbide dinitrate</i> ..... 96		kariva (28).....	105	<i>larissia</i> .....	106
<i>isosorbide mononitrate</i> ..... 96		kelnor 1/35 (28).....	105	<i>latanoprost</i> .....	204
<i>itraconazole</i> .....	57	kelnor 1/50 (28).....	105	LAZCLUZE.....	27
IV PREP WIPES.....	141	KERENDIA.....	96	<i>leflunomide</i> .....	191
<i>ivabradine</i> .....	91	KESIMPTA PEN.....	99	LENTOCILIN S.....	16
		ketoconazole.....	57	LENVIMA.....	27
		ketorolac.....	6, 175	<i>lenalidomide</i> .....	27
		KEYTRUDA.....	26	<i>letrozole</i> .....	27
		KIMMTRAK.....	26	<i>lessina</i> .....	106
		KINERET.....	191	<i>leucovorin calcium</i> .....	203
		KINRIX (PF).....	196		
		<i>kionex (with sorbitol)</i> .....	178		
		KISQALI.....	27		

LEUKERAN	28	LOKELMA	178	MAGELLAN SYRINGE	143
<i>leuprolide</i>	28	LONSURF	28	<i>magnesium sulfate</i>	206
<i>leuprolide (3 month)</i>	28	<i>loperamide</i>	178	<i>malathion</i>	116
levetiracetam	41	<i>lopinavir-ritonavir</i>	75	<i>maraviroc</i>	75
levobunolol	205	LOQTORZI	28	MARGENZA	29
levocetirizine	58	<i>lorazepam</i>	9, 10	<i>marlissa (28)</i>	107
levofloxacin	17	<i>lorazepam intensol</i>	10	<i>marnatal-f</i>	215
levofloxacin in d5w	17	LORBRENA	28	MARPLAN	47
levonest (28)	106	<i>losartan</i>	85	MATULANE	29
levonorgest-eth.estradiol-		<i>losartan-hydrochlorothiazide</i>	85	MAVENCLAD (10 TABLET	
iron	106	LOTEMAX	175	PACK)	100
levonorgestrel-ethinyl estrad	106	LOTEMAX SM	175	MAVENCLAD (4 TABLET	
levonorg-eth estrad triphasic	106	<i>loteprednol etabonate</i>	175, 176	PACK)	100
levora-28	106	<i>lovastatin</i>	95	MAVENCLAD (5 TABLET	
levothyroxine	186	<i>low-ogestrel (28)</i>	106	PACK)	100
LEXIVA	75	<i>loxapine succinate</i>	69	MAVENCLAD (6 TABLET	
LIBERVANT	41	<i>lubiprostone</i>	178	PACK)	100
<i>lidocaine</i>	7	LUMAKRAS	28	MAVENCLAD (7 TABLET	
<i>lidocaine hcl</i>	7	LUMIGAN	205	PACK)	100
<i>lidocaine viscous</i>	7	LUNSUMIO	28	MAVENCLAD (8 TABLET	
<i>lidocaine-prilocaine</i>	7	LUPRON DEPOT	29, 184	PACK)	100
<i>lidocan iii</i>	7	LUPRON DEPOT (3		MAVENCLAD (9 TABLET	
LILETTA	106	MONTH)	28, 184	PACK)	100
<i>lillow (28)</i>	106	LUPRON DEPOT (4		MAXICOMFORT II PEN	
linezolid	11	MONTH)	28	NEEDLE	143
linezolid in dextrose 5%	11	LUPRON DEPOT (6		MAXICOMFORT INSULIN	
LINZESS	178	MONTH)	28	SYRINGE	143
<i>liothyronine</i>	187	LUPRON DEPOT-PED	185	MAXI-COMFORT INSULIN	
LISCO	141	LUPRON DEPOT-PED (3		SYRINGE	143
<i>lisinopril</i>	87	MONTH)	184	MAXICOMFORT SAFETY	
<i>lisinopril-hydrochlorothiazide</i>	87	<i>lurasidone</i>	69	PEN NEEDLE	144
LITE TOUCH INSULIN PEN		<i>lutera (28)</i>	106	MAYZENT	100
NEEDLES	141, 142	LYBALVI	69	MAYZENT STARTER(FOR	
LITE TOUCH INSULIN		<i>lyeq</i>	107	1MG MAINT)	100
SYRINGE	142, 143	LYNPARZA	29	MAYZENT STARTER(FOR	
<i>lithium carbonate</i>	99	LYSODREN	29	2MG MAINT)	100
<i>lithium citrate</i>	99	LYTGOBI	29	<i>meclizine</i>	62
LIVTENCITY	78	<i>lyza</i>	107	<i>medroxyprogesterone</i>	186
		MAGELLAN INSULIN		<i>mefloquine</i>	63
		SAFETY SYRNG	143	<i>megestrol</i>	29, 186

MEKINIST	29	<i>microgestin 24 fe</i>	107	MRESVIA (PF)	197
MEKTOVI	29	<i>microgestin fe 1.5/30 (28)</i>	107	MULTAQ	88
<i>meloxicam</i>	6	<i>microgestin fe 1/20 (28)</i>	107	<i>mupirocin</i>	113
<i>memantine</i>	45	<i>midodrine</i>	85	MVASI	30
MENACTRA (PF)	196	<i>mifepristone</i>	50	<i>mycophenolate mofetil</i>	191
MENQUADFI (PF)	196	<i>mili</i>	107	<i>mycophenolate mofetil (hcl)</i>	191
MENVEO A-C-Y-W-135-DIP (PF)	196	<i>mimvey</i>	182	<i>mycophenolate sodium</i>	191
<i>mercaptopurine</i>	29	MINI ULTRA-THIN II	144	<i>mynatal</i>	215
<i>meropenem</i>	14	<i>minitran</i>	96	<i>mynatal advance</i>	215
<i>mesalamine</i>	201	<i>minocycline</i>	18	<i>mynatal plus</i>	215
MESNEX	203	<i>minoxidil</i>	96	<i>mynatal-z</i>	215
<i>metformin</i>	50	MIRENA	107	<i>mynate 90 plus</i>	215
<i>methadone</i>	4	<i>mirtazapine</i>	47	MYRBETRIQ	180
<i>methazolamide</i>	205	<i>misoprostol</i>	177	<i>nabumetone</i>	6
<i>methenamine hippurate</i>	11	<i>mitoxantrone</i>	30	<i>nafcillin</i>	16
<i>methimazole</i>	187	M-M-R II (PF)	196	<i>naloxone</i>	8
<i>methocarbamol</i>	212	<i>m-natal plus</i>	215	<i>naltrexone</i>	8
<i>methotrexate sodium</i>	29, 30	<i>modafinil</i>	213	<i>naproxen</i>	6, 7
<i>methotrexate sodium (pf)</i>	29	<i>moexipril</i>	87	<i>naratriptan</i>	60
<i>methoxsalen</i>	112	<i>molindone</i>	69	NATACYN	172
<i>methsuximide</i>	41	<i>mometasone</i>	115, 116, 176	<i>nateglinide</i>	50
<i>methylphenidate hcl</i>	100	MONOJECT INSULIN		NATPARA	201
<i>methylprednisolone</i>	183	SAFETY SYRING	145, 146	NAYZILAM	41
<i>metoclopramide hcl</i>	178	MONOJECT INSULIN		<i>nebivolol</i>	89
<i>metolazone</i>	93	SYRINGE	144, 145, 146	<i>nefazodone</i>	47
<i>metoprolol succinate</i>	89	MONOJECT SYRINGE	144	<i>neomycin</i>	10
<i>metoprolol tartrate</i>	89	MONOJECT ULTRA		<i>neomycin-bacitracin-poly-hc</i>	172
<i>metronidazole</i>	11, 59, 113	COMFORT INSULIN	163	<i>neomycin-bacitracin-</i>	
<i>metronidazole in nacl (isos)</i>	11	<i>mono-linyah</i>	107	<i>polymyxin</i>	173
<i>metyrosine</i>	91	montelukast	208	<i>neomycin-polymyxin b-</i>	
<i>micafungin</i>	57	<i>morphine</i>	4	<i>dexameth</i>	173
<i>miconazole-3</i>	57	MORPHINE	4	<i>neomycin-polymyxin-</i>	
MICRODOT INSULIN PEN NEEDLE	144	<i>morpheine concentrate</i>	4	<i>gramicidin</i>	173
MICRODOT READYGARD PEN NEEDLE	144	MOUNJARO	50	<i>neomycin-polymyxin-hc</i>	173
<i>microgestin 1.5/30 (21)</i>	107	MOVANTIK	178	<i>neo-polycin</i>	173
<i>microgestin 1/20 (21)</i>	107	<i>moxifloxacin</i>	17, 172	<i>neo-polycin hc</i>	173
		<i>moxifloxacin-sod.ace,sul-</i>		NERLYNX	30
		<i>water</i>	17	<i>neuac</i>	113
		<i>moxifloxacin-</i>		NEULASTA ONPRO	82
		<i>sod.chloride(iso)</i>	17	<i>nevirapine</i>	76

<i>newgen</i> .....	215	NOVOLIN 70-30 FLEXPEN	<i>olmesartan-</i>
NEXLETOL.....	95	U-100.....	<i>hydrochlorothiazide</i> ..... 86
NEXLIZET.....	95	NOVOLIN N FLEXPEN.....	<i>olopatadine</i> ..... 172
NEXPLANON.....	107	NOVOLIN N NPH U-100	<i>omega-3 acid ethyl esters</i> .... 95
<i>niacin</i> .....	95	INSULIN.....	<i>omeprazole</i> ..... 177
<i>niacor</i> .....	95	NOVOLIN R FLEXPEN.....	OMNIPOD 5 G6 INTRO KIT
NICOTROL NS.....	8	NOVOLIN R REGULAR	(GEN 5)..... 146
<i>nifedipine</i> .....	92	U100 INSULIN.....	OMNIPOD 5 G6 PODS
<i>nilutamide</i> .....	30	NOVOTWIST.....	(GEN 5)..... 146
NINLARO.....	30	NUBEQA.....	OMNIPOD 5 G6-G7 INTRO
<i>nitazoxanide</i> .....	63	NUCALA.....	KT(GEN5)..... 146
<i>nitisinone</i> .....	170	NULOJIX.....	OMNIPOD 5 G6-G7 PODS
<i>nitrofurantoin macrocrystal</i> .... 11		NUPLAZID.....	(GEN 5)..... 146
<i>nitrofurantoin monohyd/m-</i> <i>cryst</i> .....	12	NURTEC ODT.....	OMNIPOD CLASSIC PDM
<i>nitroglycerin</i> .....	97, 203	<i>nyamyc</i> .....	KIT(GEN 3)..... 146
<i>niva-plus</i> .....	215	<i>nylia 1/35 (28)</i> .....	OMNIPOD CLASSIC PODS
NIVESTYM.....	82	<i>nylia 7/7/7 (28)</i> .....	(GEN 3)..... 146
NORDITROPIN FLEXPRO.	185	<i>nymyo</i> .....	OMNIPOD DASH INTRO
<i>norelgestromin-</i> <i>ethin.estradiol</i> .....	107	<i>nystatin</i> .....	KIT (GEN 4)..... 147
<i>norethindrone</i> (contraceptive).....	107	<i>nystatin-triamcinolone</i> .....	OMNIPOD DASH PDM KIT
<i>norethindrone acetate</i> .....	186	<i>nystop</i> .....	(GEN 4)..... 147
<i>norethindrone-e.estradiol-</i> <i>iron</i> .....	108	NYVEPRIA.....	OMNIPOD DASH PODS
<i>norgestimate-ethynodiol</i> <i>estradiol</i> .....	108	<i>obstetrix dha</i> .....	(GEN 4)..... 147
<i>norlyda</i> .....	108	<i>obstetrix dha prenatal duo</i> ... 215	ondansetron..... 62
<i>nortrel 1/35 (21)</i> .....	108	<i>o-cal prenatal</i> .....	<i>ondansetron hcl</i> ..... 62
<i>nortrel 1/35 (28)</i> .....	108	OCREVUS.....	ONTRUZANT..... 30
<i>nortrel 7/7/7 (28)</i> .....	108	<i>octreotide acetate</i> .....	ONUREG..... 31
<i>nortriptyline</i> .....	48	ODEFSEY.....	OPDIVO..... 31
NORVIR.....	76	ODOMZO.....	OPDUALAG..... 31
NOVOFINE 30.....	146	OFEV.....	OPSUMIT..... 213
NOVOFINE 32.....	146	<i>ofloxacin</i> .....	ORENCIA..... 191
NOVOFINE PLUS.....	146	OGIVRI.....	ORENCIA (WITH MALTOSE)..... 191
NOVOLIN 70/30 U-100		OGSIVEO.....	ORENCIA CLICKJECT..... 191
INSULIN.....	53	OJEMDA.....	ORGOVYX..... 185
		OJJAARA.....	ORILISSA..... 185
		<i>olanzapine</i> .....	ORKAMBI..... 211
		<i>olmesartan</i> .....	ORSERDU..... 31
		<i>olmesartan-amlodipin-hcthziazid</i> .....	oseltamivir..... 78
			OTEZLA..... 191

OTEZLA STARTER.....	192	PENTACEL (PF).....	197	<i>potassium citrate</i> .....	206
<i>oxandrolone</i> .....	181	<i>pentamidine</i> .....	63	<i>pr natal 400</i> .....	216
<i>oxcarbazepine</i> .....	42	PENTIPS.....	147, 148	<i>pr natal 400 ec</i> .....	216
<i>oxybutynin chloride</i> .....	180	<i>pentoxyfylline</i> .....	83	<i>pr natal 430</i> .....	216
<i>oxycodone</i> .....	4, 5	<i>perindopril erbumine</i> .....	87	<i>pr natal 430 ec</i> .....	216
<i>oxycodone-acetaminophen</i> .....	5	<i>periogard</i> .....	111	<i>pramipexole</i> .....	65
OZEMPIC.....	51	<i>permethrin</i> .....	116	<i>prasugrel</i> .....	83
<i>pacerone</i> .....	88	<i>perphenazine</i> .....	70	<i>pravastatin</i> .....	95
<i>paclitaxel protein-bound</i> .....	31	<i>perphenazine-amitriptyline</i> ....	48	<i>praziquantel</i> .....	63
<i>paliperidone</i> .....	69, 70	PERSERIS.....	70	<i>prazosin</i> .....	85
PANRETIN.....	112	<i>phenelzine</i> .....	48	<i>prednisolone</i> .....	183
<i>pantoprazole</i> .....	177	<i>phenobarbital</i> .....	42	<i>prednisolone acetate</i> .....	176
<i>paricalcitol</i> .....	202	<i>phenytoin</i> .....	42	<i>prednisolone sodium</i>	
<i>paromomycin</i> .....	63	<i>phenytoin sodium</i> .....	42	<i>phosphate</i> .....	183
<i>paroxetine hcl</i> .....	48	<i>phenytoin sodium extended</i> ..	42	<i>prednisone</i> .....	183, 184
PAXLOVID.....	78	PIFELTRO.....	76	<i>pregabalin</i> .....	42
<i>pazopanib</i> .....	31	<i>pilocarpine hcl</i> .....	111, 205	PREHEVBARIO (PF).....	197
PEDIARIX (PF).....	197	<i>pimecrolimus</i> .....	116	PREMARIN.....	182
PEDVAX HIB (PF).....	197	<i>pimozide</i> .....	70	PREMPHASE.....	182
<i>peg 3350-electrolytes</i> .....	179	<i>pimtrea (28)</i> .....	108	PREMPRO.....	182
PEGASYS.....	79	<i>pioglitazone</i> .....	51	<i>prena1 true</i> .....	216
<i>peg-electrolyte soln</i> .....	179	<i>pioglitazone-metformin</i> .....	51	<i>prenaissance</i> .....	216
PEMAZYRE.....	31	PIP PEN NEEDLE.....	148	<i>prenaissance plus</i> .....	216
<i>pemetrexed</i> .....	31	<i>piperacillin-tazobactam</i> .....	16	<i>prenatabs fa</i> .....	216
<i>pemetrexed disodium</i> .....	31	PIQRAY.....	31	<i>prenatal 19</i> .....	216
PEMRYDI RTU.....	31	<i>pirfenidone</i> .....	211, 212	<i>prenatal 19 (with docusate)</i> .....	216
PEN NEEDLE.....	137, 147, 150	<i>pirmella</i> .....	109	<i>prenatal low iron</i> .....	216
PEN NEEDLE, DIABETIC		<i>pitavastatin calcium</i> .....	95	<i>prenatal plus</i> .....	216
.....	126, 144, 147, 150	PLEGRIDY.....	100, 101	<i>prenatal plus (calcium carb)</i>	215
PEN NEEDLE, DIABETIC,		<i>pnv 29-1</i> .....	215	<i>prenatal vitamin plus low</i>	
SAFETY.....	151	<i>pnv-dha + docusate</i> .....	216	<i>iron</i> .....	216
PENBRAYA (PF).....	197	<i>pnv-omega</i> .....	216	<i>prenatal-u</i> .....	216
PENBRAYA MENACWY		<i>podofilox</i> .....	112	<i>preplus</i> .....	216
COMPONENT(PF).....	197	<i>polycin</i> .....	173	<i>pretab</i> .....	217
PENBRAYA MENB		<i>polymyxin b sulf-</i>		<i>prevalite</i> .....	95
COMPONENT (PF).....	197	<i>trimethoprim</i> .....	173	PREVENT DROPSAFE	
<i>penicillamine</i> .....	180	POMALYST.....	32	PEN NEEDLE.....	148
<i>penicillin g potassium</i> .....	16	<i>portia 28</i> .....	109	<i>previfem</i> .....	109
<i>penicillin g procaine</i> .....	16	<i>posaconazole</i> .....	58	PREVYMIS.....	78
<i>penicillin v potassium</i> .....	16	<i>potassium chloride</i> .....	206	PREZCOBIX.....	76

PREZISTA	76	PURE COMFORT SAFETY	
PRIFTIN	61	PEN NEEDLE	149
PRIMAQUINE	63	PURIXAN	32
<i>primidone</i>	42	<i>pyrazinamide</i>	61
PRIORIX (PF)	197	<i>pyridostigmine bromide</i>	203
PRO COMFORT ALCOHOL		<i>pyrimethamine</i>	63
PADS	149	QINLOCK	32
PRO COMFORT INSULIN		QUADRACEL (PF)	198
SYRINGE	148, 149	<i>quetiapine</i>	70
PRO COMFORT PEN		<i>quinapril</i>	87
NEEDLE	149	<i>quinapril-hydrochlorothiazide</i>	87
<i>probenecid</i>	58	<i>quinidine sulfate</i>	88
<i>probenecid-colchicine</i>	58	<i>quinine sulfate</i>	64
PROCALAMINE 3%	84	QULIPTA	60
<i>prochlorperazine</i>	62	RABAVERT (PF)	198
<i>prochlorperazine edisylate</i>	62, 70	<i>rabeprazole</i>	177
<i>prochlorperazine maleate</i>	62	<i>raloxifene</i>	182
<i>procto-med hc</i>	116	<i>ramipril</i>	87
<i>proctosol hc</i>	116	<i>ranolazine</i>	91
<i>protozone-hc</i>	116	<i>rasagiline</i>	65
PRODIGY INSULIN		RASUVO (PF)	192
SYRINGE	149	RAYALDEE	202
<i>progesterone micronized</i>	186	<i>reclipsen (28)</i>	109
PROGRAF	192	RECOMBIVAX HB (PF)	198
PROLIA	202	RELENZA DISKHALER	79
PROMACTA	82	RELION NEEDLES	150
<i>promethazine</i>	62	RELION PEN NEEDLES	150
<i>promethegan</i>	62	<i>repaglinide</i>	51
<i>propafenone</i>	88	REPATHA PUSHTRONEX	95
<i>propranolol</i>	89	REPATHA SURECLICK	95
<i>propylthiouracil</i>	187	REPATHA SYRINGE	95
PROQUAD (PF)	198	RETACRIT	83
<i>protriptyline</i>	48	RETEVMO	32
PULMOZYME	170	RETROVIR	76
PURE COMFORT		REXULTI	70
ALCOHOL PADS	149	REYATAZ	76
PURE COMFORT PEN		REZLIDHIA	32
NEEDLE	149, 150	REZUROCK	192
		RHOPRESSA	205
		RIABNI	32
		<i>ribavirin</i>	80
		<i>rifabutin</i>	61
		<i>rifampin</i>	61
		<i>rilpivirine</i>	76
		<i>riluzole</i>	101
		RINVOQ	192
		RINVOQ LQ	192
		<i>risperidone</i>	70, 71
		<i>risperidone microspheres</i>	70
		<i>ritonavir</i>	76
		RITUXAN HYCELA	32
		<i>rivastigmine</i>	45
		<i>rivastigmine tartrate</i>	45
		<i>rizatriptan</i>	60
		<i>r-natal ob</i>	217
		ROCKLATAN	205
		<i>roflumilast</i>	212
		<i>ropinirole</i>	65
		<i>rosadan</i>	113
		<i>rosuvastatin</i>	96
		ROTARIX	198
		ROTATEQ VACCINE	198
		ROZLYTREK	32
		RUBRACA	32
		<i>rufinamide</i>	42, 43
		RUKOBIA	76
		RUXIENCE	33
		RYBELSUS	51
		RYBREVANT	33
		RYDAPT	33
		RYTELO	33
		SAFESNAP INSULIN	
		SYRINGE	151
		SAFETY PEN NEEDLE	151
		SANTYL	112
		<i>sapropterin</i>	170
		SAVELLA	101
		SCEMBLIX	33
		<i>scopolamine base</i>	62
		SECUADO	71

SECURESAFE INSULIN SYRINGE	151	sodium, potassium, mag sulfates	179	sumatriptan	60
SECURESAFE PEN NEEDLE	151	solifenacin	180	sumatriptan succinate	60, 61
select-ob	217	SOLIQUA 100/33	54	sunitinib malate	33
select-ob (folic acid)	217	SOLTAMOX	33	SUNLENCA	77
selegiline hcl	65	SOMATULINE DEPOT	185, 186	SURE COMFORT	
selenium sulfide	113	SOMAVERT	186	ALCOHOL PREP PADS	152
SELZENTRY	77	sorafenib	33	SURE COMFORT INS.	
SEMGLEE(INSULIN GLARGINE-YFGN)	54	sorine	89	SYR. U-100	152
SEMGLEE(INSULIN GLARG-YFGN)PEN	54	sotalol	89	SURE COMFORT INSULIN SYRINGE	152, 153
se-natal 19 chewable	217	sotalol af	89	SURE COMFORT PEN NEEDLE	152, 153
SEREVENT DISKUS	210	SPIRIVA RESPIMAT	210	NEEDLE	152, 153
SEROSTIM	185	spironolactone	93	SURE COMFORT SAFETY PEN NEEDLE	152
sertraline	48	spironolacton-		SURE-FINE PEN NEEDLES	
setlakin	109	hydrochlorothiaz	93	SPRAVATO	48
SEZABY	43	SPRITAM	43	.....	153
sharobel	109	SPRYCEL	33	SURE-JECT INSULIN SYRINGE	153, 154
SHINGRIX (PF)	199	sps (with sorbitol)	178	PREP PADS	154
SIGNIFOR	185	sronyx	109	SUTAB	179
sildenafil	214	ssd	113	SYMPAZAN	43
sildenafil (pulm.hypertension)	213	stavudine	77	SYMTUZA	77
silver sulfadiazine	113	STELARA	193	SYNJARDY	51
SIMBRINZA	205	STERILE PADS	152	SYNJARDY XR	51
simliya (28)	109	STIOLTO RESPIMAT	210	SYNRIBO	33
simvastatin	96	STIVARGA	33	SYRINGE WITH NEEDLE,	
sirolimus	192	STRENSIQ	170	SAFETY	151
SIRTURO	61	streptomycin	10	TABLOID	33
SKY SAFETY PEN NEEDLE	151, 152	STRIBILD	77	TABRECTA	33
SKYLA	109	STRIVERDI RESPIMAT	210	tacrolimus	116, 193
SKYRIZI	192, 193	subvenite	43	tadalafil	214
sodium chloride 0.45 %	207	sucralfate	177	TAFINLAR	34
sodium chloride 0.9 %	207	sulfacetamide sodium	174	tafluprost (pf)	205
sodium oxybate	213	sulfacetamide-prednisolone	174	TAGRISSO	34
sodium polystyrene sulfonate	178	sulfadiazine	17	TALVEY	34
		sulfamethoxazole-		TALZENNA	34
		trimethoprim	17	tamoxifen	34
		sulfasalazine	201	tamsulosin	180
		sulindac	7	tarina 24 fe	109

<i>tarina fe 1-20 eq (28)</i>	109	TEVIMBRA	34	TRADJENTA	51
<i>taron-c dha</i>	217	THALOMID	203	<i>tramadol</i>	5
<i>taron-prex prenatal-dha</i>	217	<i>theophylline</i>	210	<i>tramadol-acetaminophen</i>	5
TASIGNA	34	THINPRO INSULIN		<i>trandolapril</i>	87
TAVNEOS	193	SYRINGE	156	<i>trandolapril-verapamil</i>	87
<i>tazarotene</i>	116	<i>thioridazine</i>	71	<i>tranexamic acid</i>	83
<i>tazicef</i>	13	<i>thiothixene</i>	71	<i>tranylcypromine</i>	48
<i>taztia xt</i>	90	<i>tiadylt er</i>	90	<i>travoprost</i>	205
TAZVERIK	34	<i>tiagabine</i>	43	TRAZIMERA	35
TDVAX	199	TIBSOVO	34	<i>trazodone</i>	48
TECHLITE INSULIN		TICE BCG	34	TRECATOR	61
SYRINGE	154, 155	TICOVAC	199	TRELEGY ELLIPTA	210
TECHLITE INSULN		<i>tigecycline</i>	18	TRELSTAR	35
SYR(HALF UNIT)	154	<i>tilia fe</i>	109	TREMFYA	193
TECHLITE PEN NEEDLE	155	<i>timolol maleate</i>	89, 205	TRESIBA FLEXTOUCH U-	
TECHLITE PLUS PEN		<i>tinidazole</i>	64	100	54
NEEDLE	155	<i>tiotropium bromide</i>	210	TRESIBA FLEXTOUCH U-	
TECVAYLI	34	TIVDAK	35	200	55
TEFLARO	13	TIVICAY	77	TRESIBA U-100 INSULIN	55
<i>telmisartan</i>	86	TIVICAY PD	77	<i>tretinoin</i>	116
<i>telmisartan-</i>		<i>tizanidine</i>	212	<i>tretinoin (antineoplastic)</i>	35
<i>hydrochlorothiazid</i>	86	TOBI PODHALER	11	<i>tri femynor</i>	109
<i>temazepam</i>	10	<i>tobramycin</i>	174	<i>triamcinolone acetonide</i>	
TEMIXYS	77	<i>tobramycin in 0.225 % nacl</i>	11	.....	111, 116, 184
TENIVAC (PF)	199	<i>tobramycin sulfate</i>	11	<i>triamterene-</i>	
<i>tenofovir disoproxil fumarate</i>	77	<i>tobramycin-dexamethasone</i>	174	<i>hydrochlorothiazid</i>	93
TEPMETKO	34	<i>tolterodine</i>	180	<i>triazolam</i>	10
<i>terazosin</i>	180	TOPCARE CLICKFINE		<i>trientine</i>	181
<i>terbinafine hcl</i>	58	.....	156, 157	<i>tri-estarrylla</i>	109
<i>terconazole</i>	59	TOPCARE ULTRA		<i>trifluoperazine</i>	71
<i>teriparatide</i>	202	COMFORT	157	<i>trifluridine</i>	174
TERUMO INSULIN		<i>topiramate</i>	43	<i>trihexyphenidyl</i>	65
SYRINGE	156	<i>toposar</i>	35	TRIJARDY XR	51, 52
<i>testosterone</i>	181	<i>toremifene</i>	35	<i>tri-legest fe</i>	110
<i>testosterone cypionate</i>	181	<i>torpenz</i>	35	<i>tri-linyah</i>	110
<i>testosterone enanthate</i>	181	<i>torsemide</i>	93	<i>tri-lo-estarrylla</i>	110
TETANUS,DIPHTHERIA		TOUJE MAX U-300		<i>tri-lo-marzia</i>	110
TOX PED(PF)	199	SOLOSTAR	54	<i>tri-lo-mili</i>	110
<i>tetrabenazine</i>	101	TOUJE SOLOSTAR U-300		<i>tri-lo-sprintec</i>	110
<i>tetracycline</i>	18	INSULIN	54	<i>trimethoprim</i>	12

<i>tri-mili</i> .....	110	TYBOST .....	203	ULTRA-THIN II INS PEN
<i>trimipramine</i> .....	48	TYMLOS .....	202	NEEDLES.....166
TRINTELLIX.....	48	TYPHIM VI.....	199	ULTRA-THIN II INSULIN
<i>tri-nymyo</i> .....	110	UBRELVY.....	61	SYRINGE.....166
<i>tri-previfem</i> (28).....	110	ULTICARE.....161, 162		UNIFINE PEN NEEDLE.....166
<i>tri-sprintec</i> (28).....	110	ULTICARE INSULIN		UNIFINE PENTIPS
TRIUMEQ.....	77	SYRINGE.....160, 161		.....147, 166, 167
TRIUMEQ PD.....	77	ULTICARE INSULN		UNIFINE PENTIPS
triveen-duo dha.....	217	SYR(HALF UNIT).....160		MAXFLOW.....167
trivora (28).....	110	ULTICARE PEN NEEDLE...161		UNIFINE PENTIPS PLUS...167
<i>tri-vylibra</i> .....	110	ULTICARE SAFETY PEN		UNIFINE PENTIPS PLUS
<i>tri-vylibra lo</i> .....	110	NEEDLE.....161		MAXFLOW.....167
TRIZIVIR.....	77	ULTIGUARD SAFEPACK-		UNIFINE PROTECT....167, 168
TROGARZO.....	78	INSULIN SYR.....162, 163		UNIFINE SAFECONTROL..168
<i>trospium</i> .....	180	ULTIGUARD SAFEPACK-		UNIFINE SAFECONTROL
TRUE COMFORT		PEN NEEDLE.....162		PEN NEEDLE.....168
ALCOHOL PADS.....	158	ULTILET ALCOHOL SWAB	163	UNIFINE ULTRA PEN
TRUE COMFORT INSULIN		ULTILET INSULIN		NEEDLE.....168
SYRINGE.....	157, 158	SYRINGE.....140, 163		UPTRAVI.....214
TRUE COMFORT PEN		ULTILET PEN NEEDLE.....163		<i>ursodiol</i> .....178
NEEDLE.....	158	ULTRA CMFT INS SYR		UZEDY.....71
TRUE COMFORT PRO		(HALF UNIT).....137, 152		<i>valacyclovir</i> .....80
ALCOHOL PADS.....	159	ULTRA COMFORT		VALCHLOR.....112
TRUE COMFORT PRO INS		INSULIN SYRINGE		<i>valganciclovir</i> .....80
SYRINGE.....	157, 158, 159	.....131, 137, 138, 163, 164		<i>valproate sodium</i> .....43
TRUE COMFORT SAFE		ULTRA FLO INSUL		<i>valproic acid</i> .....43
INSULIN SYRG.....	157, 159	SYR(HALF UNIT).....164		<i>valproic acid (as sodium</i>
TRUE COMFORT SAFETY		ULTRA FLO INSULIN		salt).....43
PEN NEEDLE.....	157	SYRINGE.....164		<i>valsartan</i> .....86
TRUEPLUS INSULIN..	159, 160	ULTRA FLO PEN NEEDLE.	164	<i>valsartan-</i>
TRUEPLUS PEN NEEDLE.	159	ULTRA THIN PEN NEEDLE	164	<i>hydrochlorothiazide</i> .....86
TRULICITY.....	52	ULTRACARE INSULIN		VALTOCO.....43
TRUMENBA.....	199	SYRINGE.....165		<i>vancomycin</i> .....12
TRUQAP.....	35	ULTRACARE PEN NEEDLE		VANFLYTA.....36
TRUSELTIQ.....	35	.....165, 166		VANISHPOINT INSULIN
TRUXIMA.....	35	ULTRA-THIN II (SHORT)		SYRINGE.....168
TUKYSA.....	35	INS SYR.....166		VANISHPOINT SYRINGE...168
TURALIO.....	35	ULTRA-THIN II (SHORT)		VAQTA (PF).....199, 200
<i>turqoz</i> (28).....	110	PEN NDL.....166		<i>varenicline</i> .....8
TWINRIX (PF).....	199			VARIVAX (PF).....200

VAXCHORA VACCINE .....	200	vitafol-ob+dha.....	217	XPOVIO.....	37
VEGZELMA.....	36	VITRAKVI.....	36	XTANDI.....	37
VELTASSA.....	178	VIZIMPRO.....	36	xulane.....	111
VEMLIDY.....	78	VOCABRIA.....	78	XULTOPHY 100/3.6.....	55
VENCLEXTA.....	36	volnea (28).....	111	XYOSTED.....	181
VENCLEXTA STARTING PACK.....	36	VONJO.....	36	YERVOY.....	37
venlafaxine.....	49	VORANIGO.....	36	YF-VAX (PF).....	200
VEOZAH.....	203	voriconazole.....	58	YONSA.....	38
verapamil.....	90	VOSEVI.....	79	yuvafem.....	183
VERIFINE INSULIN SYRINGE.....	168, 169	VOWST.....	203	zafemy.....	111
VERIFINE PEN NEEDLE....	169	vp-ch-pnv.....	218	zafirlukast.....	208
VERIFINE PLUS PEN NEEDLE.....	169	vp-pnv-dha.....	218	zaleplon.....	213
VERIFINE PLUS PEN NEEDLE-SHARP.....	169	VRAYLAR.....	72	zatean-pn dha.....	218
VERQUVO.....	91	VUMERTY.....	101	zatean-pn plus.....	218
VERSACLOZ.....	72	vylibra.....	111	ZEGALOGUE.....	
VERSALON.....	170	VYZULTA.....	205	AUTOINJECTOR.....	203
VERZENIO.....	36	warfarin.....	81	ZEGALOGUE SYRINGE....	204
V-GO 20.....	170	WEBCOL.....	170	ZEJULA.....	38
V-GO 30.....	170	WELIREG.....	36	ZELBORAF.....	38
V-GO 40.....	170	WINREVAIR.....	212	zenatane.....	112
vienna.....	110	wixela inhub.....	208	ZENPEP.....	171
vigabatrin.....	43	XALKORI.....	37	zidovudine.....	78
vigadrone.....	44	XARELTO.....	81, 82	zingiber.....	218
vigpoder.....	44	XARELTO DVT-PE TREAT		ziprasidone hcl.....	72
vilazodone.....	49	30D START.....	81	ziprasidone mesylate.....	72
vinate care.....	217	XATMEP.....	37	ZIRABEV.....	38
vinorelbine.....	36	XCOPRI.....	44	ZIRGAN.....	174
viorele (28).....	110	XCOPRI MAINTENANCE		ZOLADEX.....	38
VIRACEPT.....	78	PACK.....	44	ZOLINZA.....	38
VIREAD.....	78	XCOPRI TITRATION PACK..	44	zolpidem.....	213
virt-c dha.....	217	XDEMVY.....	174	ZONISADE.....	44
virt-nate dha.....	217	XELJANZ.....	193	zonisamide.....	44
virt-pn dha.....	217	XELJANZ XR.....	193	zovia 1-35 (28).....	111
virt-pn plus.....	217	XERMELO.....	179	ZTALMY.....	44
vitafol gummies.....	217	XGEVA.....	202	ZTLIDO.....	7
vitafol nano.....	217	XIFAXAN.....	12	ZURZUVAE.....	49
		XIGDUO XR.....	52	ZYDELIG.....	38
		XIIDRA.....	176	ZYKADIA.....	38
		XOLAIR.....	212	ZYLET.....	174
		XOSPATA.....	37	ZYNLONTA.....	38

ZYNYZ.....	38
ZYPREXA RELPREVV .....	72



**VERDA**  
HEALTHCARE

**Verda Health Plan of Texas**

**1-888-256-5123 , TTY 711 | [verdahealthcare.com](http://verdahealthcare.com)**

**Hours of Operations:** 8:00 a.m. – 8:00 p.m. 7 days a week (except Thanksgiving and Christmas) from October 1 to March 31 and 8:00 a.m. – 8:00 p.m. Monday through Friday (except holidays) from April 1 through September 30